

# IMC

DESIGNATOR		AVERAGE OUTSIDE DIAMETER		AVERAGE WALL THICKNESS		APPROXIMATE WEIGHT PER 100FT (30.5M)		QUANTITY IN MASTER BUNDLE	
TRADE SIZE	METRIC	IN	MM	IN	MM	LB	KG	FT	M
1/2	16	0.815	20.70	0.070	1.79	62	28.1	3500	1067.5
3/4	21	1.029	26.13	0.075	1.90	84	38.1	2500	762.5
1	27	1.290	32.76	0.085	2.16	119	54.0	1700	518.5
1-1/4	35	1.638	41.60	0.085	2.16	158	71.7	1350	411.8
1-1/2	41	1.883	47.82	0.090	2.29	194	88.0	1100	335.5
2	53	2.360	59.94	0.095	2.41	256	116.1	800	244.0
2-1/2	63	2.857	72.56	0.140	3.56	441	200.0	370	112.9
3	78	3.476	88.29	0.140	3.56	543	246.3	300	91.5
3-1/2	91	3.971	100.86	0.140	3.56	629	285.3	240	73.2
4	103	4.466	113.43	0.140	3.56	700	317.5	240	73.2

# KWIK-COUPLE IMC

DESIGNATOR		AVERAGE OUTSIDE DIAMETER		AVERAGE WALL THICKNESS		APPROXIMATE WEIGHT PER 100FT (30.5M)		QUANTITY IN MASTER BUNDLE	
TRADE SIZE	METRIC	IN	MM	IN	MM	LB	KG	FT	M
2-1/2	63	2857	72.56	0.140	3.56	441	200.0	400	122.0
3	78	3476	88.29	0.140	3.56	543	246.3	300	91.5
3-1/2	91	3971	100.86	0.140	3.56	629	285.3	250	76.3
4	103	4466	113.4	0.140	3.56	700	317.5	200	61.0