IC570V10 – 70 Volts In-ceiling Speaker with Tile Bridge and Backcan

70V ceiling speakers, 5.25 inch co-axial, max 10W Suitable for covered outdoor installation. Paintable white aluminum grill.



Features:

- 70 Volt System.
- UL Listed
- 5.25 inch co-axial
- .62/1.25/ 2.5/5/10W Power
- Speaker support truss and speaker enclosure available.
- · Works in covered outdoor
- Aluminum arills
- Sold as each
- Color: paintable white.

Available in the following models:

IC570V04 - In ceiling speaker, 5.25 inch

IC570V04TBBC - In ceiling speaker with tile bridge and backcan, 5.25 inch IC570V10TBBC - In ceiling speaker with tile bridge and backcan, 5.25 inch

- In ceiling speaker, 6.5 inch IC670V10

IC670V10TBBC - In ceiling speaker with tile bridge and backcan, 6.5 inch

IC570V04 - 70 Volts In-ceiling Speaker

70V ceiling speakers, UL Listed, 5.25 inch full range, max 4W Suitable for covered outdoor installation. Paintable white aluminum grill.



Features:

- 70 Volt System
- UL Listed
- 2-Way Full Range
- .5/1/2/4W Power
- Speaker support truss and speaker enclosure available.
- · Works in covered outdoor
- Aluminum grill.
- Sold as each.
- Color: paintable white

Available in the following models:

IC570V04TBBC - In ceiling speaker with tile bridge and backcan, 5.25 inch

- In ceiling speaker, 5.25 inch IC570V10

IC570V10TBBC - In ceiling speaker with tile bridge and backcan, 5.25 inch

- In ceiling speaker, 6.5 inch IC670V10

IC670V10TBBC - In ceiling speaker with tile bridge and backcan, 6.5 inch

IC670V10 - 70 Volts In-ceiling Speaker with Tile Bridge and Backcan

70V ceiling speakers, UL Listed, 6.5 inch co-axial, max 10W Suitable for covered outdoor installation. Paintable white aluminum grill.



Features:

- 70 Volt System.
- UL Listed
- 6.5 inch co-axial
- .62/1.25/ 2.5/5/10W Power
- Speaker support truss and speaker enclosure available.
- Works in covered outdoor
- Aluminum grill
- Sold as each
- Color: paintable white.

Available in the following models:

IC570V04 - In ceiling speaker, 5.25 inch

IC570V04TBBC - In ceiling speaker with tile bridge and backcan, 5.25 inch

IC570V10 - In ceiling speaker, 5.25 inch

IC570V10TBBC - In ceiling speaker with tile bridge and backcan, 5.25 inch IC670V10TBBC - In ceiling speaker with tile bridge and backcan, 6.5 inch