




MIGHTYFLEX™ STAINLESS STEEL CONNECTORS Specification Sheet



SPECIFICATION

Reinforced PVC liner with a stainless steel braided cover. Manufactured to withstand dramatic changes in water pressure to prevent bursting.

DESIGN FEATURES

- Chloramine resistant soft cone
- Exclusive double POWR-TIGHT 12-point crimp-many times the industry standard for strength
- Chloramine resistant tubing
- Easy installation, no special tools required

OPERATING SPECS

- Working Temperature 40°F-160°F with intermittent temps up to 180°F
- Working Pressure 20-125 PSI with intermittent impulse up to 180 PSI




MATERIAL SPECIFICATIONS

- Tubing - Reinforced PVC
- End fittings – Brass
- Connection Nuts– Nickel plated brass or engineered polymer for ballcock nuts
- Washers - NSF/ANSI 61 Compliant

COMPLIANCES/LISTINGS

- IAPMO listed to ASME A112.18.6/CSA B125.6, File #2111
- NSF/ANSI 61 listed through IAPMO, File # N-6614
- Lead Free per Section 1417 (d) of Safe Drinking Water Act through IAPMO, File# 6545



3689 Arrowhead Drive, Carson City, NV 89706

Phone (800) 854-3215 Fax (800) 243-1777

E-mail sales@lspproducts.com Website

www.lspproducts.com

Content matter is subject to change at any time. It is the user's responsibility to ensure the most updated revisions are obtained.

AF/S-2010 (07-18) Rev 5

Product Submittal	
Job Name:	
Date:	
Part Number	Quantity
Architect:	
Contractor:	

TOILET CONNECTORS		
Part Number	Description	Length
SFT-109-PP*	7/8" Soft Cone Polymer Ballcock x 3/8" Flare	9"
SFT-112-PP		12"
SFT-116-PP		16"
SFT-120-PP		20"
SFT-309-PP*	7/8" Soft Cone Polymer Ballcock x 1/2" Flare	9"
SFT-312-PP		12"
SFT-316-PP		16"
SFT-320-PP		20"
SWC-109-PP	7/8" Soft Cone Polymer Ballcock x 3/8" Soft Compression	9"
SWC-112-PP		12"
SWC-116-PP		16"
SWC-120-PP		20"
SWC-124-PP	7/8" Soft Cone Polymer Ballcock x 1/2" Compression Soft Cone	24"
SWC-309-PP		9"
SWC-312-PP		12"
SWC-316-PP		16"
SWC-320-PP		20"
SWC-409-PP	7/8" Soft Cone Polymer Ballcock x 1/2" FIP Soft Cone	9"
SWC-412-PP		12"
SWC-416-PP		16"
SWC-420-PP		20"
SWC-512-PP	7/8" Soft Cone Metal Ballcock x 3/8" Soft Compression	12"
SWC-516-PP		16"
SWC-520-PP		20"
SWC-809-PP	7/8" Soft Cone Metal Ballcock x 1/2" FIP w/ washer	9"
SWC-812-PP		12"
SWC-816-PP		16"
KWC-109-PP	7/8" Ballcock x 3/8" Compression Hard Cone	9"
KWC-112-PP		12"
KWC-116-PP		16"
KWC-120-PP		20"
KWC-312-PP	7/8" Ballcock x 1/2" Compression Hard Cone	12"
KWC-509-PP	7/8" Ballcock X 1/2" Compression Soft Cone Full Flow	9"
KWC-512-PP		12"

*Does Not Comply with Lead Free



3689 Arrowhead Drive, Carson City, NV 89706

Phone (800) 854-3215 Fax (800) 243-1777

E-mail sales@lspproducts.com Website

www.lspproducts.com

Content matter is subject to change at any time. It is the user's responsibility to ensure the most updated revisions are obtained.

AF/S-2010 (07-18) Rev 5

MIGHTYFLEX™ STAINLESS STEEL CONNECTORS Specification Sheet FAUCET CONNECTORS		
Part Number	Description	Length
SFC-109-PP	1/2" FIP Soft Cone x 3/8" Soft Compression	9"
SFC-112-PP		12"
SFC-116-PP		16"
SFC-120-PP		20"
SFC-124-PP		24"
SFC-130-PP		30"
SFC-136-PP		36"
SFC-148-PP		48"
SFC-160-PP	1/2" FIP Soft Cone x 1/2" FIP Soft Cone	60"
SFC-172-PP		72"
SFC-212-PP		12"
SFC-216-PP		16"
SFC-220-PP	1/2" FIP Soft Cone x 1/2" Compression Soft Cone	20"
SFC-224-PP		24"
SFC-309-PP		9"
SFC-312-PP		12"
SFC-316-PP	1/2" FIP Soft Cone x 1/2" FIP Soft Cone	16"
SFC-320-PP		20"
SFC-336-PP		36"
SFC-348-PP		48"
SFC-409-PP	1/2" FIP Soft Cone x 1/2" FIP Soft Cone	9"
SFC-412-PP		12"
SFC-416-PP		16"
SFC-420-PP		20"
SFC-424-PP		24"
SFC-430-PP		30"
SFC-436-PP		36"
SFC-448-PP		48"
SFC-506-PP	3/8" Soft Compression x 3/8" Soft Compression	6"
SFC-509-PP		9"
SFC-512-PP		12"
SFC-516-PP		16"
SFC-520-PP		20"
SFC-524-PP		24"
SFC-530-PP		30"
SFC-548-PP		48"
SFC-572-PP		72"
SFC-596-PP		96"
SFC-5120-PP		120"
SFF-112-PP	1/2" FIP Soft Cone x 3/8" Flare	12"
SFF-116-PP		16"
SFF-120-PP		20"
SFF-130-PP		30"

Product Submittal	
Job Name:	
Date:	
Part Number	Quantity
Architect:	
Contractor:	

DISHWASHER CONNECTORS

Part Number	Description	Length
KDW-148-PP	1/2" FIP SOFT CONE X 3/8" COMP W/90° ELBOW*	48"
KDW-160-PP		60"
KDW-172-PP		72"
KDW-184-PP		84"
KDW-360-PP	1/2" COMP X 3/8" COMP W/90° ELBOW*	60"
KDW-448-PP	1/2" FIP SOFT CONE X 1/2" FIP SOFT CONE	48"
KDW-460-PP		60"
KDW-472-PP		72"
KDW-484-PP		84"
KDW-548-PP	3/8" COMPR. S.C. X 3/4" F.G.H.T.	48"
KDW-560-PP		60"
KDW-572-PP		72"
KDW-636-PP	3/8" COMP X 3/8" COMP W/90° ELBOW*	36"
KDW-648-PP		48"
KDW-660-PP		60"
KDW-672-PP		72"
KDW-684-PP		84"
KDW-6120-PP		120"
KDW-784-PP	1/2" SOFT CONE COMP X 1/2" SOFT CONE COMP W/90° ELBOW*	84"
P-06365	3/8" Comp x 3/4" GHT 90° elbow	100 pcs



MIGHTYFLEX™ STAINLESS STEEL CONNECTORS Specification Sheet

ICEMAKER CONNECTORS

Part Number	Description	Length
KDW-912-PP	1/4" Compression Soft Cone x 1/4" Compression Hard Cone	12"
KDW-924-PP		24"
KDW-960-PP		60"
KDW-984-PP		84"
KDW-996-PP		96"
KDW-9120-PP		120"
KDW-9180-PP	1/4" Compression Soft Cone x 1/4" Compression Hard Cone	180"
SDW-936-PP		36"
SDW-948-PP		48"
SDW-960-PP		60"
SDW-972-PP		72"

SUPPLY LINE CONNECTORS

Part Number	Description	Length
TFC-109-PP	3/8" Compression Hard Cone x 3/8" O.D. Compression	9"
TFC-112-PP		12"
TFC-116-PP		16"
TFC-120-PP		20"
KFC-509-PP	3/8" Compression Hard Cone x 3/8" Compression Hard Cone	9"
KFC-512-PP		12"
KFC-516-PP		16"
KFC-520-PP		20"

*Does Not Comply with Lead Free



3689 Arrowhead Drive, Carson City, NV 89706

Phone (800) 854-3215 Fax (800) 243-1777

E-mail sales@lspproducts.com Website

www.lspproducts.com

Content matter is subject to change at any time. It is the user's responsibility to ensure the most updated revisions are obtained.

AF/S-2010 (07-18) Rev 5

Product Submittal

Job Name:	
Date:	
Part Number	Quantity
Architect:	
Contractor:	