



VOLUME VII



A World and Main company

SECTION D - FITTINGS & VALVES

| | |
|---|---------|
| Brass Compression Fittings | 125-126 |
| Chrome Plated Compression Fittings | 126 |
| 45° Flare Tube Fittings | 127-128 |
| Space Heater & Gas Range Fittings | 129 |
| Yellow Brass Pipe Fittings | 130-131 |
| PEX Fittings | 132-134 |
| Push On Fittings | 135-139 |
| Red Brass Pipe Fittings | 140-141 |
| Bronze Pipe Fittings | 142-143 |
| Chrome Plated Pipe Nipples & Fittings | 144-145 |
| Brass Garden Hose Fittings | 146-147 |
| Brass Hose Barbs | 148 |
| Nylon Fittings..... | 149-150 |
| Poly Insert Fittings..... | 151 |
| Red Brass Insert Fittings..... | 152 |
| Galvanized Insert Fittings..... | 153 |
| Brass Needle Valves | 154 |
| Shut-Off Valves | 155 |
| Drain Cocks/Air Cocks..... | 156 |
| Ball Valves | 157-160 |
| Valves | 161 |
| Hose Bibbs | 162 |
| Gear Clamps | 163-164 |
| Flange Connection Gaskets & Kits | 165-166 |
| Rubber Sheet/Gasket Material | 167 |
| Water Hammer Arresters | 168 |

D

Compression Cap

Style 61C



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| C74001 | 1/4" | 500/1000 |
| C74002 | 3/8" | 500/1000 |
| C74147 | 1/2" | 1 |
| C74155 | 5/8" | 1 |

Compression Sleeve

Style 60



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|-----------|
| C74003 | 1/8" | 1 |
| C74004 | 3/16" | 1 |
| C74005 | 1/4" | 1 |
| C74006 | 5/16" | 1 |
| C74007 | 3/8" | 10000 |
| C74151 | 7/16" | 1 |
| C74008 | 1/2" | 1 |
| C74009 | 5/8" | 2000/4000 |
| C74010 | 3/4" | 100/1000 |
| C74011 | 7/8" | 1 |

Compression Nut

Style 61



• CARTON QUANTITIES ONLY

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| C74012 | 1/8" | 200 |
| C74013 | 3/16" | 100 |
| C74014 | 1/4" | 500/2000 |
| C74015 | 5/16" | 25 |
| C74016 | 3/8" | 1/2000 |
| C74152 | 7/16" | 10 |
| C74017 | 1/2" | 1 |
| C74018 | 5/8" | 100/400 |
| C74019 | 3/4" | 1 |
| C74020 | 7/8" | 1 |

Delrin Compression Sleeve

Style 60P



• CARTON QUANTITIES ONLY

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| C74096 | 1/4" | 100 |
| C74097 | 3/8" | 100 |
| C74098 | 1/2" | 100 |
| C74099 | 5/8" | 50 |

Compression Insert

Style 63P



• Lead Free

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|-----------|
| C74100LF | 1/4" | 100/5000 |
| C74101LF | 3/8" | 1000/9000 |
| C74102LF | 1/2" | 50 |
| C74103LF | 5/8" | 100/3000 |

Compression Union

Style 62



• Lead Free

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-------------|----------|
| C74021LF | 1/8" | 100/1000 |
| C74022LF | 3/16" | 1 |
| C74023LF | 1/4" | 100/500 |
| C74025LF | 3/8" | 250/500 |
| C74026LF | 1/2" | 20/260 |
| C74027LF | 5/8" | 20/200 |
| C74029LF | 7/8" | 50/100 |
| C74030LF | 3/8" x 1/4" | 1/500 |
| C74031LF | 1/2" x 3/8" | 50/300 |
| C74032LF | 5/8" x 3/8" | 100/400 |
| C74033LF | 5/8" x 1/2" | 25/200 |

Compression Tee

Style 64



• Lead Free

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C74034LF | 1/4" | 1/500 |
| C74036LF | 3/8" | 125/250 |
| C74037LF | 3/8" x 3/8" x 1/4" | 1/300 |
| C74038LF | 1/2" | 1/150 |
| C74039LF | 5/8" | 50/100 |

Compression x FIP Branch Tee

Style 78



• Lead Free

| PART NO. | TUBE x FIP | CTN/MSTR |
|----------|-------------|----------|
| C74091LF | 3/8" x 1/8" | 1 |

Compression x Sweat Adapter

Style 666



• Lead Free

| PART NO. | TUBE x OD | CTN/MSTR |
|----------|---------------------------|----------|
| C74093LF | 3/8" x 5/8" (1/2" swt) | 100/250 |

Compression x FIP Connector

Style 66



• Lead Free

| PART NO. | TUBE x FIP | CTN/MSTR |
|----------|-------------|----------|
| C74045LF | 1/4" x 1/8" | 250/1000 |
| C74046LF | 1/4" x 1/4" | 50/500 |
| C74113LF | 1/4" x 3/8" | 250/500 |
| C74114LF | 1/4" x 1/2" | 100/400 |
| C74048LF | 3/8" x 1/8" | 1 |
| C74049LF | 3/8" x 1/4" | 50/500 |
| C74050LF | 3/8" x 3/8" | 100/400 |
| C74051LF | 3/8" x 1/2" | 100/400 |
| C74052LF | 1/2" x 3/8" | 1 |
| C74053LF | 1/2" x 1/2" | 1 |
| C74054LF | 5/8" x 1/2" | 1 |
| C74118LF | 5/8" x 3/4" | 1/100 |
| C74055LF | 7/8" x 3/4" | 10/150 |

Compression x MIP Connector

Style 68



• Lead Free

| PART NO. | TUBE x MIP | CTN/MSTR |
|----------|-------------|----------|
| C74121LF | 1/8" x 1/8" | 1 |
| C74058LF | 1/4" x 1/8" | 100/1000 |
| C74059LF | 1/4" x 1/4" | 50/600 |
| C74060LF | 1/4" x 3/8" | 50/500 |
| C74123LF | 1/4" x 1/2" | 125/500 |
| C74063LF | 3/8" x 1/8" | 1 |
| C74064LF | 3/8" x 1/4" | 200/800 |
| C74065LF | 3/8" x 3/8" | 100/400 |
| C74066LF | 3/8" x 1/2" | 100/400 |
| C74067LF | 3/8" x 3/4" | 20/200 |
| C74068LF | 1/2" x 1/4" | 50/500 |
| C74069LF | 1/2" x 3/8" | 10/250 |
| C74070LF | 1/2" x 1/2" | 100/400 |
| C74146LF | 5/8" x 3/8" | 50/200 |
| C74071LF | 5/8" x 1/2" | 50/200 |
| C74072LF | 5/8" x 3/4" | 20/200 |
| C74149LF | 7/8" x 1/2" | 20/200 |
| C74073LF | 7/8" x 3/4" | 1 |

D

Compression Elbow

Style 65



• Lead Free

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-------------|----------|
| C74040LF | 1/4" | 1 |
| C74041LF | 3/8" | 50/300 |
| C74042LF | 1/2" | 50/200 |
| C74043LF | 5/8" | 50/100 |
| C74044LF | 5/8" x 3/8" | 100/400 |
| C74112LF | 7/8" | 1 |

Compression x FIP Elbow

Style 70



• Lead Free

| PART NO. | TUBE x FIP | CTN/MSTR |
|----------|-------------|----------|
| C74078LF | 3/8" x 1/2" | 20/250 |
| C74131LF | 1/2" x 3/8" | 1 |

Compression x MIP Elbow

Style 69



• Lead Free

| PART NO. | TUBE x MIP | CTN/MSTR |
|----------|-------------|----------|
| C74081LF | 1/4" x 1/8" | 1 |
| C74082LF | 1/4" x 1/4" | 50/700 |
| C74135LF | 1/4" x 3/8" | 1 |
| C74136LF | 1/4" x 1/2" | 1 |
| C74085LF | 3/8" x 1/4" | 50/500 |
| C74086LF | 3/8" x 3/8" | 20/300 |
| C74087LF | 3/8" x 1/2" | 100/400 |
| C74088LF | 1/2" x 3/8" | 1 |
| C74089LF | 1/2" x 1/2" | 50/300 |
| C74090LF | 5/8" x 1/2" | 10/250 |

Pilot Line Breakaway Nut



• Lead Free

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| C74158LF | 1/4" OD | 1 |

Chrome Plated Compression Union

• Lead Free



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-------------|----------|
| N62006LF | 3/8" | 250/500 |
| N62086LF | 1/2" x 3/8" | 100/400 |
| N62106LF | 5/8" x 3/8" | 50/200 |

Chrome Plated Compression Elbow

• Lead Free



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-------------|----------|
| N65106LF | 5/8" x 3/8" | 50/200 |

Chrome Plated Compression x FIP Connector

• Lead Free



| PART NO. | TUBE x FIP | CTN/MSTR |
|----------|-------------|----------|
| N66066LF | 3/8" x 3/8" | 200/800 |
| N66068LF | 3/8" x 1/2" | 100/400 |
| N66088LF | 1/2" x 1/2" | 125/250 |

Chrome Plated Compression x MIP Connector

• Lead Free



| PART NO. | TUBE x MIP | CTN/MSTR |
|----------|-------------|----------|
| N68066LF | 3/8" x 3/8" | 125/500 |
| N68068LF | 3/8" x 1/2" | 100/400 |
| N68088LF | 1/2" x 1/2" | 30/300 |

Chrome Plated Compression x Sweat Adapter

• Lead Free



| PART NO. | TUBE x OD | CTN/MSTR |
|----------|------------------------|----------|
| N66610LF | 3/8" x 5/8" (1/2" swt) | 100/200 |

Chrome Plated Compression x FIP Elbow

• Lead Free



| PART NO. | TUBE x FIP | CTN/MSTR |
|----------|-------------|----------|
| N70066LF | 3/8" x 3/8" | 100/400 |
| N70068LF | 3/8" x 1/2" | 100/400 |
| N70086LF | 1/2" x 3/8" | 100/400 |

Chrome Plated Compression x MIP Elbow

• Lead Free



| PART NO. | TUBE x MIP | CTN/MSTR |
|----------|-------------|----------|
| N69066LF | 3/8" x 3/8" | 100/400 |
| N69068LF | 3/8" x 1/2" | 100/400 |

3' Chrome Plated Brass Cover Tubes



• Plain ends (no threads)
• 20 gauge

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|---------------------|----------|
| T73125 | 1-1/4" OD x 3' tube | 1/25 |
| T73138 | 1-3/8" OD x 3' tube | 1/25 |
| T73150 | 1-1/2" OD x 3' tube | 1/25 |
| T73175 | 1-3/4" OD x 3' tube | 1/25 |
| T73200 | 2" OD x 3' tube | 1/20 |

Short Flare Nut

Style 41S



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| F40001 | 3/16" | 1 |
| F40002 | 1/4" | 100/1200 |
| F40003 | 5/16" | 1 |
| F40004 | 3/8" | 100/2000 |
| F40005 | 1/2" | 10/200 |
| F40006 | 5/8" | 5/200 |
| F40007 | 3/4" | 1 |
| F40126 | 7/8" | 1 |

Long Flare Nut

Style 141L



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| F40008 | 3/8" | 1 |
| F40131 | 1/4" | 1 |
| F40132 | 1/2" | 1 |
| F40133 | 5/8" | 1 |

Short Forged Flare Nut

Style 141S



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|------------|----------|
| F40009 | 1/4" | 1 |
| F40010 | 3/8" | 1 |
| F40011 | 1/2" | 5/200 |
| F40012 | 5/8" | 5/200 |
| F40013 | 3/8"x 1/4" | 1 |
| F40014 | 1/2"x 3/8" | 1 |
| F40119 | 5/8"x 1/2" | 1 |

Flare Plug

Style 39



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| F40015 | 1/4" | 1 |
| F40016 | 3/8" | 90/960 |
| F40017 | 1/2" | 50/500 |
| F40018 | 5/8" | 1 |

Flare Cap

Style 40



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| F40019 | 1/4" | 1 |
| F40098 | 5/16" | 1 |
| F40020 | 3/8" | 100 |
| F40021 | 1/2" | 100/500 |
| F40022 | 5/8" | 40/480 |

Flare Tee

Style 44



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|------------------|----------|
| F40033 | 1/4" | 1 |
| F40034 | 5/16" | 1 |
| F40035 | 3/8" | 10/200 |
| F40036 | 1/2" | 10/200 |
| F40037 | 5/8" | 5/200 |
| F40124 | 3/4" | 1 |
| F40038 | 3/8"x 3/8"x 1/4" | 1 |
| F40039 | 1/2"x 1/2"x 3/8" | 1 |
| F40120 | 5/8"x 5/8"x 1/2" | 1 |

Flare x MIP Branch Tee

Style 45



| PART NO. | TUBE x MIP | CTN/MSTR |
|----------|------------|----------|
| F40040 | 3/8"x 1/4" | 1 |
| F40041 | 3/8"x 3/8" | 1 |

Female Flare Swivel

Style 70



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| F40125 | 1/4" | 1 |
| F40095 | 3/8" | 100/400 |
| F40096 | 1/2" | 20/250 |
| F40097 | 5/8" | 10/150 |

Flare Union

Style 42



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|------------|----------|
| F40123 | 3/16" | 1 |
| F40023 | 1/4" | 1 |
| F40024 | 5/16" | 1 |
| F40025 | 3/8" | 50/400 |
| F40026 | 1/2" | 10/200 |
| F40027 | 5/8" | 10/200 |
| F40100 | 3/4" | 10/150 |
| F40127 | 7/8" | 1 |
| F40028 | 3/8"x 1/4" | 1 |
| F40029 | 1/2"x 1/4" | 1 |
| F40030 | 1/2"x 3/8" | 10/200 |
| F40031 | 5/8"x 3/8" | 1 |
| F40032 | 5/8"x 1/2" | 1 |

Flare x MIP Half Union

Style 48



| PART NO. | TUBE x MIP | CTN/MSTR |
|----------|--------------|----------|
| F40062 | 3/16" x 1/8" | 1 |
| F40063 | 1/4" x 1/8" | 1 |
| F40064 | 1/4" x 1/4" | 10/200 |
| F40107 | 1/4" x 3/8" | 1 |
| F40108 | 1/4" x 1/2" | 1 |
| F40065 | 5/16" x 1/8" | 1 |
| F40066 | 5/16" x 1/4" | 1 |
| F40067 | 3/8" x 1/8" | 1 |
| F40068 | 3/8" x 1/4" | 50/500 |
| F40069 | 3/8" x 3/8" | 10/200 |
| F40070 | 3/8" x 1/2" | 10/200 |
| F40071 | 3/8" x 3/4" | 20/240 |
| F40072 | 1/2" x 1/4" | 1 |
| F40073 | 1/2" x 3/8" | 10/200 |
| F40074 | 1/2" x 1/2" | 10/200 |
| F40075 | 1/2" x 3/4" | 10/200 |
| F40109 | 5/8" x 3/8" | 1 |
| F40076 | 5/8" x 1/2" | 20/300 |
| F40077 | 5/8" x 3/4" | 20/200 |
| F40110 | 3/4" x 1/2" | 1 |
| F40112 | 3/4" x 3/4" | 1 |
| F40122 | 7/8" x 3/4" | 1 |

D

Flare Elbow

Style 55



| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| F40078 | 1/4" | 1 |
| F40079 | 3/8" | 1 |
| F40080 | 1/2" | 10/250 |
| F40081 | 5/8" | 1 |

Flare x FIP Elbow

Style 50



| PART NO. | TUBE x FIP | CTN/MSTR |
|----------|-------------|----------|
| F40104 | 1/4" x 1/4" | 1 |
| F40105 | 1/4" x 3/8" | 1 |
| F40056 | 3/8" x 1/4" | 1 |
| F40057 | 3/8" x 3/8" | 1 |
| F40058 | 3/8" x 1/2" | 1 |
| F40059 | 1/2" x 3/8" | 1 |
| F40060 | 1/2" x 1/2" | 1 |
| F40061 | 5/8" x 1/2" | 1 |
| F40106 | 5/8" x 3/4" | 1 |
| F40135 | 1/2" x 3/4" | 1/200 |

Flare x FIP Coupling

Style 46



| PART NO. | TUBE x FIP | CTN/MSTR |
|----------|--------------|----------|
| F40042 | 1/4" x 1/8" | 1 |
| F40043 | 1/4" x 1/4" | 1 |
| F40117 | 1/4" x 3/8" | 1 |
| F40118 | 1/4" x 1/2" | 1 |
| F40044 | 5/16" x 1/8" | 1 |
| F40045 | 5/16" x 1/4" | 1 |
| F40047 | 3/8" x 1/4" | 1 |
| F40048 | 3/8" x 3/8" | 30/300 |
| F40049 | 3/8" x 1/2" | 10/200 |
| F40050 | 3/8" x 3/4" | 1 |
| F40051 | 1/2" x 1/4" | 1 |
| F40052 | 1/2" x 3/8" | 30/300 |
| F40053 | 1/2" x 1/2" | 10/200 |
| F40054 | 1/2" x 3/4" | 20/240 |
| F40055 | 5/8" x 1/2" | 10/200 |
| F40101 | 5/8" x 3/4" | 1 |
| F40102 | 3/4" x 1/2" | 1 |
| F40103 | 3/4" x 3/4" | 1 |
| F40121 | 7/8" x 3/4" | 1 |

Flare x MIP Elbow

Style 49



| PART NO. | TUBE x MIP | CTN/MSTR |
|----------|--------------|----------|
| F40082 | 1/4" x 1/8" | 1 |
| F40083 | 1/4" x 1/4" | 1 |
| F40113 | 1/4" x 3/8" | 1 |
| F40084 | 5/16" x 1/8" | 1 |
| F40085 | 5/16" x 1/4" | 1 |
| F40086 | 3/8" x 1/8" | 1 |
| F40087 | 3/8" x 1/4" | 1 |
| F40088 | 3/8" x 3/8" | 32/384 |
| F40089 | 3/8" x 1/2" | 20/300 |
| F40090 | 3/8" x 3/4" | 1 |
| F40091 | 1/2" x 3/8" | 10/200 |
| F40114 | 1/2" x 1/4" | 1 |
| F40092 | 1/2" x 1/2" | 10/200 |
| F40093 | 1/2" x 3/4" | 1 |
| F40128 | 5/8" x 3/8" | 1 |
| F40094 | 5/8" x 1/2" | 1 |
| F40115 | 5/8" x 3/4" | 1 |
| F40111 | 3/4" x 1/2" | 1 |
| F40116 | 3/4" x 3/4" | 1 |

Space Heater Fittings

Nut



• 9/16"-24 Fine threaded flare

| PART NO. | OD | CTN/MSTR |
|----------|------------|----------|
| F41001 | 3/8" | 1 |
| F41002 | 3/8"x 1/4" | 1 |

Cap



• 9/16"-24 Fine threaded flare

| PART NO. | OD | CTN/MSTR |
|----------|------|----------|
| F41003 | 3/8" | 1 |

Union



• 9/16"-24 Fine threaded flare

| PART NO. | OD | CTN/MSTR |
|----------|------|----------|
| F41008 | 3/8" | 1 |

Female Coupling



• 9/16"-24 Fine threaded flare

| PART NO. | OD x FIP | CTN/MSTR |
|----------|------------|----------|
| F41004 | 3/8"x 3/8" | 1 |
| F41005 | 3/8"x 1/2" | 1 |

Male Half Union



• 9/16"-24 Fine threaded flare

| PART NO. | OD x MIP | CTN/MSTR |
|----------|------------|----------|
| F41006 | 3/8"x 3/8" | 1 |
| F41007 | 3/8"x 1/2" | 1 |

Tee



• 9/16"-24 Fine threaded flare

| PART NO. | OD | CTN/MSTR |
|----------|------|----------|
| F41009 | 3/8" | 1/100 |

Female Elbow



• 9/16"-24 Fine threaded flare

| PART NO. | OD x FIP | CTN/MSTR |
|----------|-------------|----------|
| F41011 | 3/8" x 1/2" | 1 |

Male Elbow



• 9/16"-24 Fine threaded flare

| PART NO. | OD x MIP | CTN/MSTR |
|----------|-------------|----------|
| F41012 | 3/8" x 3/8" | 1 |
| F41013 | 3/8" x 1/2" | 1 |

Gas Range Fittings

Flare x Male



| PART NO. | OD x MIP | CTN/MSTR |
|----------|------------------------|----------|
| F48108 | 5/8" (15/16-16) x 1/2" | 1 |
| F481012 | 5/8" (15/16-16) x 3/4" | 1 |

Flare x Female



| PART NO. | OD x FIP | CTN/MSTR |
|----------|------------------------|----------|
| F46108 | 5/8" (15/16-16) x 1/2" | 1 |
| F461012 | 5/8" (15/16-16) x 3/4" | 1 |

Flare Cap & Nut



| PART NO. | SIZE | CTN/MSTR |
|---------------|--------|----------|
| F401516 (cap) | 15/16" | 1 |
| F411516 (nut) | 15/16" | 1 |

D

Yellow Brass 90° Elbow



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P20002 | 1/8" | 1 |
| P20004 | 1/4" | 1 |
| P20006 | 3/8" | 1 |
| P20008 | 1/2" | 1 |

Yellow Brass 90° Male Elbow

D



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P13986 | 1/2" | 1 |

Yellow Brass 90° Street Elbow



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P16002 | 1/8" | 1 |
| P16004 | 1/4" | 200/600 |
| P16006 | 3/8" | 1 |
| P16008 | 1/2" | 1 |

Yellow Brass 45° Elbow



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P10452 | 1/8" | 1 |
| P10454 | 1/4" | 1 |

Yellow Brass 45° Street Elbow



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P12402 | 1/8" | 1 |
| P12404 | 1/4" | 1 |
| P12406 | 3/8" | 1 |
| P12408 | 1/2" | 1 |

Yellow Brass Tee



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P10012 | 1/8" | 1 |
| P10014 | 1/4" | 1 |
| P10016 | 3/8" | 1 |
| P10018 | 1/2" | 1 |

Yellow Brass Bell Reducer



| PART NO. | IPT | CTN/MSTR |
|----------|-------------|----------|
| P19042 | 1/4" x 1/8" | 1 |
| P19062 | 3/8" x 1/8" | 1 |
| P19064 | 3/8" x 1/4" | 1 |
| P19082 | 1/2" x 1/8" | 1 |
| P19084 | 1/2" x 1/4" | 1 |
| P19086 | 1/2" x 3/8" | 1 |
| P19128 | 3/4" x 1/2" | 1 |

Yellow Brass Coupling



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P10032 | 1/8" | 1 |
| P10034 | 1/4" | 1 |
| P10036 | 3/8" | 1 |
| P10038 | 1/2" | 1 |
| P10312 | 3/4" | 1 |

Yellow Brass Cap



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P10082 | 1/8" | 1 |
| P10084 | 1/4" | 1 |
| P10086 | 3/8" | 1 |
| P10088 | 1/2" | 1 |
| P10812 | 3/4" | 1 |

Yellow Brass Square Head Plug



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P10092 | 1/8" | 1 |
| P10094 | 1/4" | 84/1008 |
| P10096 | 3/8" | 1 |
| P10098 | 1/2" | 1 |
| P10912 | 3/4" | 1 |

Yellow Brass HEX Head Plug



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P12102 | 1/8" | 1 |
| P12104 | 1/4" | 1 |
| P12106 | 3/8" | 1 |
| P12108 | 1/2" | 1 |
| P12112 | 3/4" | 1 |

Yellow Brass Countersunk Plug



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P20092 | 1/8" | 1 |
| P20094 | 1/4" | 1 |
| P20096 | 3/8" | 1 |
| P20098 | 1/2" | 1 |

Yellow Brass Lock Nut



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P11102 | 1/8" | 1 |
| P11104 | 1/4" | 1 |
| P11106 | 3/8" | 1 |
| P11108 | 1/2" | 1 |

Yellow Brass HEX Bushing



| PART NO. | IPT | CTN/MSTR |
|----------|-------------|----------|
| P11042 | 1/4" x 1/8" | 1 |
| P11062 | 3/8" x 1/8" | 1 |
| P11064 | 3/8" x 1/4" | 90/1080 |
| P11082 | 1/2" x 1/8" | 40/320 |
| P11084 | 1/2" x 1/4" | 40/400 |
| P11086 | 1/2" x 3/8" | 40/480 |
| P11122 | 3/4" x 1/8" | 1 |
| P11124 | 3/4" x 1/4" | 1 |
| P11126 | 3/4" x 3/8" | 40/240 |
| P11128 | 3/4" x 1/2" | 1/400 |

Yellow Brass Face Bushing



| PART NO. | IPT | CTN/MSTR |
|----------|-------------|----------|
| P11964 | 3/8" x 1/4" | 1 |
| P11986 | 1/2" x 3/8" | 1 |
| P11928 | 3/4" x 1/2" | 1 |

Yellow Brass Close Nipple



| PART NO. | IPT | CTN/MSTR |
|----------|------|----------|
| P11202 | 1/8" | 1 |
| P11204 | 1/4" | 1 |
| P11206 | 3/8" | 1 |
| P11208 | 1/2" | 1 |
| P11212 | 3/4" | 1 |

Yellow Brass Long Nipple



| PART NO. | IPT | CTN/MSTR |
|----------|---------------|----------|
| P13224 | 1/8" x 1-1/2" | 1 |
| P13232 | 1/8" x 2" | 1 |
| P13424 | 1/4" x 1-1/2" | 1 |
| P13432 | 1/4" x 2" | 1 |
| P13624 | 3/8" x 1-1/2" | 1 |
| P13632 | 3/8" x 2" | 1 |

Yellow Brass HEX Nipple



| PART NO. | IPT | CTN/MSTR |
|----------|-------------|----------|
| P12202 | 1/8" | 1 |
| P12204 | 1/4" | 1 |
| P12206 | 3/8" | 50/450 |
| P12208 | 1/2" | 1 |
| P12212 | 3/4" | 1 |
| P12342 | 1/4" x 1/8" | 1 |
| P12362 | 3/8" x 1/8" | 1 |
| P12364 | 3/8" x 1/4" | 1 |
| P12384 | 1/2" x 1/4" | 1 |
| P12386 | 1/2" x 3/8" | 1 |
| P12328 | 3/4" x 1/2" | 1/200 |

D

Brass PEX Coupling



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76001LF | 1/2" | 100/1000 |
| C76002LF | 3/4" | 50/500 |
| C76003LF | 1" | 50/300 |
| C76004LF | 3/4" x 1/2" | 50/500 |
| C76005LF | 1" x 3/4" | 25/250 |

Brass PEX 90° Elbow

D



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76008LF | 1/2" | 100/500 |
| C76009LF | 3/4" | 50/250 |
| C76010LF | 1" | 25/100 |

Brass PEX x MIP 90° Elbow



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76013LF | 1/2" x 1/2" | 25/100 |

Brass PEX Equal Tee



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76014LF | 1/2" | 50/500 |
| C76015LF | 3/4" | 50/250 |
| C76016LF | 1" | 25/100 |

Brass PEX Tee



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76017LF | 1/2" x 1/2" x 3/4" | 50/250 |
| C76018LF | 3/4" x 1/2" x 1/2" | 50/250 |
| C76019LF | 3/4" x 1/2" x 3/4" | 25/250 |
| C76020LF | 3/4" x 3/4" x 1/2" | 25/250 |
| C76021LF | 1" x 3/4" x 3/4" | 25/100 |
| C76022LF | 1" x 1" x 1/2" | 25/100 |
| C76023LF | 1" x 1" x 3/4" | 25/100 |

Brass PEX x Female Sweat Adapter



• Lead Free

| PART NO. | PEX x FSF | CTN/MSTR |
|----------|-------------|----------|
| C76027LF | 1/2" x 1/2" | 100/500 |
| C76028LF | 3/4" x 3/4" | 50/250 |
| C76029LF | 1/2" x 3/4" | 25/250 |
| C76030LF | 1" x 1" | 25/200 |

Brass PEX x Male Adapter



• Lead Free

| PART NO. | PEX x MIP | CTN/MSTR |
|----------|-------------|----------|
| C76034LF | 1/2" x 1/2" | 25/400 |
| C76035LF | 1/2" x 3/4" | 25/200 |
| C76036LF | 3/4" x 3/4" | 50/250 |
| C76037LF | 1" x 1" | 50/250 |
| C76038LF | 1" x 3/4" | 25/100 |

Brass PEX x FIP Female Adapter



• Lead Free

| PART NO. | PEX x FIP | CTN/MSTR |
|----------|-------------|----------|
| C76041LF | 1/2" x 1/2" | 50/250 |
| C76042LF | 1/2" x 3/4" | 50/200 |
| C76043LF | 3/4" x 3/4" | 25/200 |
| C76044LF | 1" x 1" | 25/250 |

Brass PEX x Male Sweat Adapter



• Lead Free

| PART NO. | PEX x MALE | CTN/MSTR |
|----------|-------------|----------|
| C76047LF | 3/8" x 1/2" | 50/500 |
| C76048LF | 1/2" x 1/2" | 50/500 |
| C76049LF | 1/2" x 3/4" | 25/100 |
| C76050LF | 3/4" x 3/4" | 50/250 |
| C76051LF | 1" x 1" | 25/100 |

Brass PEX x FIP 90° Elbow with Swivel Plastic Nut



• Lead Free

| PART NO. | PEX x FIP | CTN/MSTR |
|----------|-------------|----------|
| C76060LF | 1/2" x 1/2" | 50/200 |

Brass PEX Ball Valve



• Lead Free

| PART NO. | PEX x PEX | CTN/MSTR |
|----------|-----------|----------|
| B63050LF | 1/2" | 10/100 |
| B63075LF | 3/4" | 10/100 |
| B63100LF | 1" | 6/48 |

Brass PEX Plug



• Lead Free

| PART NO. | PEX x FIP | CTN/MSTR |
|----------|-----------|----------|
| C76065LF | 1/2" | 100/1000 |
| C76066LF | 3/4" | 100/500 |
| C76067LF | 1" | 25/250 |

Brass PEX Crimp Ring



| PART NO. | PEX x FIP | CTN/MSTR |
|----------|-----------|----------|
| C76070 | 3/8" | 100/2000 |
| C76071 | 1/2" | 100/2000 |
| C76072 | 3/4" | 100/1000 |
| C76073 | 1" | 100/1000 |

Brass PEX x FIP Drop Ear 90° Elbow



- Lead Free

| PART NO. | PEX x FIP | CTN/MSTR |
|----------|-------------|----------|
| C76080LF | 1/2" x 1/2" | 25/200 |
| C76081LF | 3/4" x 1/2" | 25/200 |
| C76079LF | 1/2" x 1/2" | 25/200 |

Oetiker PEX Stainless Steel Clamp



- The original patented PEX assembly clamp designated by ASTM F 2098
- Ingenious stepless design provides uniform compression for a 360° watertight seal
- Available for 3/8", 1/2", 3/4" and 1" ASTM F 876/877 pex tubing sizes
- Specified for use with ASTM F 1807 and F 2159 insert fittings

TECHNICAL DATA

APPLICATION:
PLUMBING & HYDRONIC
HEATING
HOT AND COLD WATER

MAXIMUM OPERATING
TEMPERATURE: 180°F

MAXIMUM OPERATING
PRESSURE (PSI): 100

MATERIAL: STAINLESS
STEEL UNS S304000

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76074 | 3/8" | 100/2000 |
| C76075 | 1/2" | 100/2000 |
| C76076 | 3/4" | 50/2000 |
| C76077 | 1" | 50/1300 |

White Plastic PEX Equal Tee



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76700 | 1/2" | 50/400 |
| C76701 | 3/4" | 25/200 |

White Plastic PEX Reducing Tee



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76709 | 1/2" x 1/2" x 3/4" | 25/300 |
| C76710 | 3/4" x 1/2" x 1/2" | 25/300 |
| C76711 | 3/4" x 1/2" x 3/4" | 25/300 |
| C76712 | 3/4" x 3/4" x 1/2" | 25/300 |

White Plastic PEX Elbow



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76702 | 1/2" | 50/500 |
| C76703 | 3/4" | 25/350 |
| C76720 | 1" | 10/150 |

White Plastic PEX Coupling



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76704 | 1/2" | 50/1000 |
| C76705 | 3/4" | 50/600 |
| C76706 | 3/4" x 1/2" | 50/600 |
| C76722 | 1" | 25/200 |
| C76723 | 1" x 3/4" | 25/300 |

White Plastic PEX Adapter



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | PEX x MPT | CTN/MSTR |
|----------|-------------|----------|
| C76707 | 1/2" x 1/2" | 50/500 |
| C76708 | 3/4" x 3/4" | 25/300 |
| C76727 | 1" x 1" | 10/150 |

White Plastic PEX Plug



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76740 | 1/2" | 100/2000 |
| C76741 | 3/4" | 100/1000 |

Black Plastic PEX Equal Tee



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76762 | 1/2" | 50/400 |
| C76763 | 3/4" | 50/200 |

Black Plastic PEX Reducing Tee

D



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76764 | 1/2" x 1/2" x 3/4" | 25/300 |
| C76765 | 3/4" x 1/2" x 1/2" | 25/300 |
| C76766 | 3/4" x 1/2" x 3/4" | 25/300 |
| C76767 | 3/4" x 3/4" x 1/2" | 25/300 |

Black Plastic PEX Elbow



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76751 | 1/2" | 50/500 |
| C76752 | 3/4" | 50/350 |
| C76753 | 1" | 50/150 |

Black Plastic PEX Coupling



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76754 | 1/2" | 50/1000 |
| C76755 | 3/4" | 50/600 |
| C76756 | 3/4" x 1/2" | 50/600 |
| C76757 | 1" | 50/200 |
| C76758 | 1" x 3/4" | 50/300 |

Black Plastic PEX Adapter



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | PEX x MPT | CTN/MSTR |
|----------|-------------|----------|
| C76759 | 1/2" x 1/2" | 25/500 |
| C76760 | 3/4" x 3/4" | 25/300 |
| C76761 | 1" x 1" | 25/150 |

Black Plastic PEX Plug



- Listed by Warnock Hersey
- Meets ASTM F2159, F877 and CSA B1375
- Will not rust or corrode
- Unaffected by household cleaners and chemicals
- Smooth interior for better water flow
- Resists scale build-up
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76768 | 1/2" | 100/2000 |
| C76769 | 3/4" | 100/1000 |

PlumBite Push On Fittings

- Heat free method for joining Copper, CPVC and PEX tube and are designed to save time and money on installations
- To make an effective joint with PEX tube, the included liner must be used. (DO NOT SUBSTITUTE with other manufacturer's liner.)
- Push fit
- Reduced installation time
- Ideal for service and repair
- "O-ring" design for leak free seals
- EPDM O-ring seal
- 316 Stainless steel retaining ring
- Designed for use with ASTM B88 hard drawn and annealed copper tube, type K, L, or M, in the 1/2" through 3/4" size range; CPVC water tube per ASTM D2846/2846M and PEX tube that meets the requirements of ASTM F876 & F877
- Operate at temperatures from 0° to 250°F at a maximum working pressure of 200 PSI
- Sold in bag quantity only

| Type of Service | System Operating Conditions |
|--------------------------------------|--|
| FLUIDS | |
| Hot and Cold Potable Water | 32°F to 200°F, max. 200 PSI |
| Potable Water System Flushing | Compliant with major plumbing codes |
| Chilled Water w/Corrosion Inhibitors | 0°F to 250°F, max 200 PSI Ethylene Glycol - 50% max. concentration Propylene Glycol - 50% max. concentration |
| Hydronic Heating | 0°F to 250°F, max 200 concentration Ethylene Glycol - 50% max. concentration Propylene Glycol - 50% max. concentration |
| Rainwater/Greywater | 32° F to 250°F, max. 200 PSI |

Coupling



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76500LF | 1/2" | 5/100 |
| C76501LF | 3/4" | 5/100 |

Reducer Coupling



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76502LF | 3/4" x 1/2" | 15/60 |

Adapter C x F



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76503LF | 1/2" | 10/100 |
| C76504LF | 3/4" | 20/60 |
| C76553LF | 1" | 5/100 |

Adapter C x M



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76505LF | 1/2" | 10/200 |
| C76506LF | 3/4" | 5/100 |

90° Elbow



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76507LF | 1/2" | 10/150 |
| C76508LF | 3/4" | 5/80 |

Drop Ear 90° Elbow C x F



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76509LF | 1/2" | 10/100 |

Tee



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76510LF | 1/2" | 10/100 |
| C76511LF | 3/4" | 10/100 |
| C76512LF | 3/4" x 3/4" x 1/2" | 5/50 |
| C76513LF | 3/4" x 1/2" x 3/4" | 5/50 |
| C76514LF | 3/4" x 1/2" x 1/2" | 5/50 |

Cap



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76515LF | 1/2" | 10/200 |
| C76516LF | 3/4" | 5/150 |

Ball Valve



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76561LF | 1/2" | 10/60 |
| C76562LF | 3/4" | 10/40 |

Repair Coupling



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76530LF | 1/2" | 5/70 |
| C76531LF | 3/4" | 5/70 |
| C76532LF | 1" | 5/40 |

Supply Stop



• Lead Free

| PART NO. | SIZE | CTN QTY |
|----------|---------------------------|---------|
| C76570LF | Straight 1/2" x 3/8"OD | 1/120 |
| C76571LF | Angle 1/2" x 3/8"OD | 1/120 |

Removal Tool



| PART NO. | SIZE | CTN QTY |
|----------|------|---------|
| C76520 | 1/2" | 1/500 |
| C76521 | 3/4" | 5/250 |
| C76522 | 1" | 5/200 |

Twist To Lock Plastic Fittings

- Reduced installation time
- Ideal for service and repair
- "O-ring" design for leak-free seals
- Working temps and pressure:
180PSI@68°F, 100PSI@150°F, 45PSI@180°F

INSTRUCTIONS FOR USE

To Connect: Squarely cut tubing or pipe to desired length, removing all burrs. Push fitting onto the end of tube or pipe. Fitting will grip before it seals. Ensure that tubing or pipe is pushed into the fitting until the end is fully seated into the internal tube stop.



D To Lock Fitting: Twist the screw cap until colored line is no longer visible.



Plastic inserts are required for plastic pipe connections in heating installations. It is recommended to use pipe inserts for plastic pipe connections in standard residential plumbing (hot and cold water) installations.

Drop Ear Elbow CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76800 | 1/2" | 3/144 |

Enlarger Connector CTS STACK x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|-----------|----------|
| C76801 | 3/4" x 1" | 3/120 |

Female Adapter CTS x FIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76802 | 1/2" x 1/2" | 3/321 |
| C76803 | 1/2" x 3/4" | 3/480 |
| C76804 | 3/4" x 3/4" | 3/216 |
| C76805 | 1" x 1" | 3/36 |

Female Garden Hose Adapter CTS x FGH



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76806 | 1/2" x 3/4" | 3/168 |

Male Adapter CTS x MIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76807 | 1/2" x 1/2" | 3/330 |
| C76808 | 1/2" x 3/4" | 3/282 |
| C76809 | 3/4" x 3/4" | 3/192 |

Male Elbow CTS x MIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76810 | 1/2" x 1/2" | 3/168 |

Reducing Connector CTS x CTS Stem



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76811 | 1/2" x 3/4" | 3/300 |

Swivel Elbow Union CTS x FIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76812 | 1/2" x 1/2" | 3/160 |

Swivel Union Connector CTS x BC



| PART NO. | SIZE | CTN/MSTR |
|----------|-----------|----------|
| C76813 | 1/2" x BC | 3/300 |

Tube End Stop CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76814 | 1/2" | 3/336 |
| C76815 | 3/4" | 3/640 |
| C76816 | 1" | 3/135 |

Tube Elbow Union CTS x CTS Stem



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76817 | 1/2" x 1/2" | 3/345 |
| C76818 | 3/4" x 3/4" | 3/180 |

Elbow Union CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76819 | 1/2" | 3/480 |
| C76820 | 3/4" | 3/60 |
| C76821 | 1" | 3/138 |

Tube Tee Union Connector CTS x CTS x CTS Stem



| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76822 | 1/2" x 1/2" x 1/2" | 3/180 |

Stack Tube Tee Union CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76823 | 1/2" | 3/195 |
| C76824 | 3/4" | 3/102 |

Union Connector CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76825 | 3/8" | 3/351 |
| C76826 | 1/2" x 5/8" | 3/528 |
| C76827 | 1/2" | 3/480 |
| C76828 | 3/4" x 1/2" | 3/330 |
| C76829 | 3/4" | 3/288 |
| C76830 | 1" x 3/4" | 3/180 |
| C76831 | 1" | 3/165 |

Tee Union CTS x CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76832 | 1/2" | 3/150 |
| C76833 | 3/4" x 3/4" x 1/2" | 3/180 |
| C76834 | 3/4" | 3/90 |
| C76835 | 1" | 3/78 |
| C76836 | 1" x 3/4" x 3/4" | 3/81 |
| C76837 | 3/4" x 1/2" x 1/2" | 3/180 |

Hand Valve Union Connector CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76838 | 1/2" | 3/210 |
| C76839 | 3/4" | 3/120 |

D

Plastic Push On Fittings

- Quick and easy installation
- Very durable and fatigue resistant
- Manufactured from safe, non-toxic materials meeting the requirements of the US FDA, WRAS, ANSI/NSF-51, 61 and SK Zert
- All connections can be assembled and disassembled repeatedly



1. Cut the part of the tube to be inserted into the fitting to plane the end.
2. Make sure to use a clean tube without any foreign material or cracks.



3. When inserting the tube, remove any obstructions before fully inserting the tube. Make sure the tube is fully inserted.

4. Inserting the tube into the fitting only takes moderate force. The tube or fitting should not be scratched or damaged in the process, as this is the main cause for water leaks later on.



5. To make sure that the fitting is properly connected to the tube, pull it once. After pulling, insert a spanner under the collet and push the tube into the fitting once more for a complete insertion.



6. When no play is desired for the fitting and tube, use our company's LC to eliminate the play of the fitting.



7. Make sure to completely eliminate pressure before disassembling the fitting.

8. When disassembling the tube, push the clip in direction to the main assembly and then pull the tube out for easy disassembling.

9. Fittings and tubes can be reused.

Straight Needle Valve CTS x MIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76840 | 1/4" x 1/4" | 400/1600 |
| C76841 | 3/8" x 3/8" | 100/400 |

Straight Needle Valve CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76842 | 1/4" | 100/400 |
| C76843 | 3/8" | 150/600 |

Angle Valve CTS x FIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76844 | 1/4" x 1/4" | 300/1200 |
| C76845 | 3/8" x 3/8" | 100/400 |

Straight Valve CTS x MIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76846 | 1/4" x 1/4" | 50/600 |
| C76847 | 3/8" x 3/8" | 100/400 |

Straight Valve CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76848 | 1/4" | 150/600 |
| C76849 | 3/8" | 100/400 |

End Cap CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76850 | 1/4" | 500/3600 |
| C76851 | 3/8" | 600/2400 |
| C76852 | 1/2" | 400/1600 |

Plug CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|-----------|
| C76853 | 1/4" | 600/2400 |
| C76854 | 3/8" | 1000/4000 |
| C76855 | 1/2" | 500/2000 |

Union & Reducing Union CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76856 | 1/4" | 700/2800 |
| C76857 | 3/8" x 1/4" | 250/1000 |
| C76858 | 3/8" x 3/8" | 250/1000 |
| C76859 | 1/2" x 3/8" | 200/800 |

Bulkhead Union CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76860 | 1/4" x 1/4" | 200/800 |
| C76861 | 3/8" x 3/8" | 200/800 |
| C76862 | 1/2" x 3/8" | 100/400 |

Tee & Reducing Tee CTS x CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76863 | 1/4" | 400/1600 |
| C76864 | 3/8" x 3/8" x 1/4" | 200/800 |
| C76865 | 3/8" | 150/600 |
| C76866 | 1/2" x 1/2" x 3/8" | 100/400 |
| C76867 | 1/2" | 100/400 |

Elbow CTS x MIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76884 | 1/4" x 1/8" | 800/3200 |
| C76885 | 1/4" x 1/4" | 600/2400 |
| C76886 | 1/4" x 3/8" | 500/2000 |
| C76887 | 3/8" x 1/4" | 800/3200 |
| C76888 | 3/8" x 3/8" | 300/1200 |

Elbow & Reducing Elbow CTS x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| C76868 | 1/4" | 700/2800 |
| C76869 | 3/8" | 300/1200 |
| C76870 | 1/2" | 150/600 |

Elbow Adapter CTS x CTS Stem



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76889 | 1/4" x 1/4" | 500/2000 |
| C76890 | 3/8" x 3/8" | 200/800 |

Coupling CTS x FIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76871 | 1/4" x 1/8" | 400/1600 |
| C76872 | 1/4" x 1/4" | 600/2400 |
| C76873 | 3/8" x 1/4" | 300/1200 |

Connector CTS Stem x Tube ID



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76891 | 3/8" x 3/8" | 800/3200 |
| C76892 | 3/8" x 1/2" | 200/800 |
| C76893 | 1/2" x 1/2" | 400/1600 |

Kitchen Faucet Adapter Tee FIP x MIP x CTS



| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| C76874 | 1/2" x 1/2" x 1/4" | 100/400 |
| C76875 | 1/2" x 1/2" x 3/8" | 100/400 |

Connector CTS x MIP



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| C76876 | 1/4" x 1/8" | 800/3200 |
| C76877 | 1/4" x 1/4" | 800/3200 |
| C76878 | 1/4" x 3/8" | 600/2400 |
| C76879 | 3/8" x 1/4" | 400/1600 |
| C76880 | 3/8" x 3/8" | 400/1600 |
| C76881 | 3/8" x 1/2" | 200/800 |
| C76882 | 1/2" x 3/8" | 300/1200 |
| C76883 | 1/2" x 1/2" | 200/800 |

Red Brass Pipe Nipples - Lead Free



• Meets ASTM B687

| PART NO. | IPT | CTN/MSTR |
|----------|---------------|----------|
| N20000 | 1/8" x close | 200/800 |
| N20001 | 1/8" x 1-1/2" | 200/800 |
| N20002 | 1/8" x 2" | 200/800 |
| N20003 | 1/8" x 2-1/2" | 200/800 |
| N20004 | 1/8" x 3" | 200/800 |
| N20005 | 1/8" x 3-1/2" | 100/400 |
| N20006 | 1/8" x 4" | 100/400 |
| N20007 | 1/8" x 4-1/2" | 100/400 |
| N20008 | 1/8" x 5" | 100/400 |
| N20009 | 1/8" x 5-1/2" | 100/400 |
| N20010 | 1/8" x 6" | 100/400 |
| N20012 | 1/8" x 7" | 1/400 |
| N20014 | 1/8" x 8" | 1/400 |
| N20016 | 1/8" x 9" | 1/300 |
| N20018 | 1/8" x 10" | 1/300 |
| N20020 | 1/8" x 11" | 1/300 |
| N20022 | 1/8" x 12" | 1/200 |
| N21000 | 1/4" x close | 150/600 |
| N21001 | 1/4" x 1-1/2" | 100/800 |
| N21002 | 1/4" x 2" | 100/800 |
| N21003 | 1/4" x 2-1/2" | 100/800 |
| N21004 | 1/4" x 3" | 50/400 |
| N21005 | 1/4" x 3-1/2" | 50/400 |
| N21006 | 1/4" x 4" | 50/200 |
| N21007 | 1/4" x 4-1/2" | 50/200 |
| N21008 | 1/4" x 5" | 40/320 |
| N21009 | 1/4" x 5-1/2" | 40/320 |
| N21010 | 1/4" x 6" | 40/320 |
| N21012 | 1/4" x 7" | 1/150 |
| N21014 | 1/4" x 8" | 1/150 |
| N21016 | 1/4" x 9" | 1/100 |
| N21018 | 1/4" x 10" | 1/100 |
| N21020 | 1/4" x 11" | 1/100 |
| N21022 | 1/4" x 12" | 1/100 |
| N22000 | 3/8" x close | 100/400 |
| N22001 | 3/8" x 1-1/2" | 100/400 |
| N22002 | 3/8" x 2" | 80/320 |
| N22003 | 3/8" x 2-1/2" | 80/320 |
| N22004 | 3/8" x 3" | 50/200 |
| N22005 | 3/8" x 3-1/2" | 40/320 |
| N22006 | 3/8" x 4" | 40/320 |
| N22007 | 3/8" x 4-1/2" | 35/280 |
| N22008 | 3/8" x 5" | 30/120 |
| N22009 | 3/8" x 5-1/2" | 30/120 |
| N22010 | 3/8" x 6" | 30/120 |
| N22012 | 3/8" x 7" | 1/160 |
| N22014 | 3/8" x 8" | 1/160 |
| N22016 | 3/8" x 9" | 1/120 |
| N22018 | 3/8" x 10" | 1/120 |

Red Brass Pipe Nipples cont...

| PART NO. | IPT | CTN/MSTR |
|----------|---------------|----------|
| N22020 | 3/8" x 11" | 1/120 |
| N22022 | 3/8" x 12" | 1/110 |
| N23000 | 1/2" x close | 75/600 |
| N23001 | 1/2" x 1-1/2" | 60/480 |
| N23002 | 1/2" x 2" | 50/200 |
| N23003 | 1/2" x 2-1/2" | 35/280 |
| N23004 | 1/2" x 3" | 35/280 |
| N23005 | 1/2" x 3-1/2" | 25/100 |
| N23006 | 1/2" x 4" | 25/100 |
| N23007 | 1/2" x 4-1/2" | 25/100 |
| N23008 | 1/2" x 5" | 25/100 |
| N23009 | 1/2" x 5-1/2" | 25/100 |
| N23010 | 1/2" x 6" | 25/100 |
| N23012 | 1/2" x 7" | 1/100 |
| N23014 | 1/2" x 8" | 1/100 |
| N23016 | 1/2" x 9" | 1/100 |
| N23018 | 1/2" x 10" | 1/100 |
| N23020 | 1/2" x 11" | 1/100 |
| N23022 | 1/2" x 12" | 1/100 |
| N24000 | 3/4" x close | 40/320 |
| N24001 | 3/4" x 1-1/2" | 30/240 |
| N24002 | 3/4" x 2" | 30/240 |
| N24003 | 3/4" x 2-1/2" | 25/200 |
| N24004 | 3/4" x 3" | 25/100 |
| N24005 | 3/4" x 3-1/2" | 35/140 |
| N24006 | 3/4" x 4" | 35/140 |
| N24007 | 3/4" x 4-1/2" | 30/120 |
| N24008 | 3/4" x 5" | 30/120 |
| N24009 | 3/4" x 5-1/2" | 25/100 |
| N24010 | 3/4" x 6" | 25/100 |
| N24012 | 3/4" x 7" | 1/65 |
| N24014 | 3/4" x 8" | 1/65 |
| N24016 | 3/4" x 9" | 1/45 |
| N24018 | 3/4" x 10" | 1/45 |
| N24020 | 3/4" x 11" | 1/45 |
| N24022 | 3/4" x 12" | 1/45 |
| N25000 | 1" x close | 25/200 |
| N25002 | 1" x 2" | 25/200 |
| N25003 | 1" x 2-1/2" | 40/160 |
| N25004 | 1" x 3" | 40/160 |
| N25005 | 1" x 3-1/2" | 25/100 |
| N25006 | 1" x 4" | 25/100 |
| N25007 | 1" x 4-1/2" | 25/100 |
| N25008 | 1" x 5" | 20/80 |
| N25009 | 1" x 5-1/2" | 10/40 |
| N25010 | 1" x 6" | 10/40 |
| N25012 | 1" x 7" | 1/40 |
| N25014 | 1" x 8" | 1/40 |
| N25016 | 1" x 9" | 1/30 |
| N25018 | 1" x 10" | 1/30 |
| N25020 | 1" x 11" | 1/30 |

Red Brass Pipe Nipples cont...

| PART NO. | IPT | CTN/MSTR |
|----------|-----------------|----------|
| N25022 | 1" x 12" | 1/30 |
| N27000 | 1-1/4" x close | 25/100 |
| N27002 | 1-1/4" x 2" | 25/100 |
| N27003 | 1-1/4" x 2-1/2" | 10/80 |
| N27004 | 1-1/4" x 3" | 10/80 |
| N27005 | 1-1/4" x 3-1/2" | 1/40 |
| N27006 | 1-1/4" x 4" | 10/40 |
| N27007 | 1-1/4" x 4-1/2" | 10/40 |
| N27008 | 1-1/4" x 5" | 10/40 |
| N27009 | 1-1/4" x 5-1/2" | 10/40 |
| N27010 | 1-1/4" x 6" | 10/40 |
| N27012 | 1-1/4" x 7" | 1/25 |
| N27014 | 1-1/4" x 8" | 1/25 |
| N27016 | 1-1/4" x 9" | 1/20 |
| N27018 | 1-1/4" x 10" | 1/20 |
| N27020 | 1-1/4" x 11" | 1/20 |
| N27022 | 1-1/4" x 12" | 1/20 |
| N28000 | 1-1/2" x close | 25/100 |
| N28002 | 1-1/2" x 2" | 20/80 |
| N28003 | 1-1/2" x 2-1/2" | 15/60 |
| N28004 | 1-1/2" x 3" | 15/60 |
| N28005 | 1-1/2" x 3-1/2" | 15/60 |
| N28006 | 1-1/2" x 4" | 15/60 |
| N28007 | 1-1/2" x 4-1/2" | 15/60 |
| N28008 | 1-1/2" x 5" | 10/40 |
| N28009 | 1-1/2" x 5-1/2" | 10/40 |
| N28010 | 1-1/2" x 6" | 10/40 |
| N28012 | 1-1/2" x 7" | 1/20 |
| N28014 | 1-1/2" x 8" | 1/20 |
| N28016 | 1-1/2" x 9" | 1/15 |
| N28018 | 1-1/2" x 10" | 1/15 |
| N28020 | 1-1/2" x 11" | 1/15 |
| N28022 | 1-1/2" x 12" | 1/15 |
| N29000 | 2" x close | 15/60 |
| N29003 | 2" x 2-1/2" | 10/40 |
| N29004 | 2" x 3" | 10/40 |
| N29005 | 2" x 3-1/2" | 10/40 |
| N29006 | 2" x 4" | 10/40 |
| N29007 | 2" x 4-1/2" | 10/40 |
| N29008 | 2" x 5" | 1/25 |
| N29009 | 2" x 5-1/2" | 1/25 |
| N29010 | 2" x 6" | 1/25 |
| N29012 | 2" x 7" | 1/10 |
| N29014 | 2" x 8" | 1/10 |

Red Brass Pipe Nipples cont...

| PART NO. | IPT | CTN/MSTR |
|----------|-----------------|----------|
| N29016 | 2" x 9" | 1/10 |
| N29018 | 2" x 10" | 1/10 |
| N29020 | 2" x 11" | 1/10 |
| N29022 | 2" x 12" | 1/10 |
| N30000 | 2-1/2" x close | 1/40 |
| N30004 | 2-1/2" x 3" | 1/40 |
| N30005 | 2-1/2" x 3-1/2" | 1/20 |
| N30006 | 2-1/2" x 4" | 1/20 |
| N30007 | 2-1/2" x 4-1/2" | 1/20 |
| N30008 | 2-1/2" x 5" | 1/20 |
| N30009 | 2-1/2" x 5-1/2" | 1/20 |
| N30010 | 2-1/2" x 6" | 1/20 |
| N31000 | 3" x close | 1/20 |
| N31004 | 3" x 3" | 1/20 |
| N31005 | 3" x 3-1/2" | 1/10 |
| N31006 | 3" x 4" | 1/10 |
| N31007 | 3" x 4-1/2" | 1/10 |
| N31008 | 3" x 5" | 1/10 |
| N31009 | 3" x 5-1/2" | 1/10 |
| N31010 | 3" x 6" | 1/10 |

D

Bronze 90° Elbow

• Lead Free



| PART NO. | SIZE | CTN/MSTR |
|----------|-----------------|----------|
| B74001LF | 1/8" | 150/600 |
| B74002LF | 1/4" | 100/400 |
| B74003LF | 3/8" | 75/300 |
| B74004LF | 1/2" | 50/200 |
| B74005LF | 3/4" | 25/100 |
| B74006LF | 1" | 1/80 |
| B74007LF | 1-1/4" | 1/50 |
| B74008LF | 1-1/2" | 1/35 |
| B74009LF | 2" | 1/20 |
| B74343LF | 3/4" x 1/2" | 30/120 |
| B74344LF | 1" x 1/2" | 1 |
| B74345LF | 1" x 3/4" | 25/100 |
| B74347LF | 1-1/2" x 1-1/4" | 1/40 |

SPECIFICATIONS:
ANSI B16.15
ANSI B2.1 (PIPE THREADS)
FED WW-P-460
FED WW-U-516
150 PSI @400°F WSP
225 PSI WOG@ -20°F / 150°F

D

Bronze 90° Street Elbow

• Lead Free



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B74021LF | 1/8" | 200/800 |
| B74022LF | 1/4" | 100/400 |
| B74023LF | 3/8" | 60/240 |
| B74024LF | 1/2" | 50/200 |
| B74025LF | 3/4" | 25/100 |
| B74026LF | 1" | 1/50 |
| B74027LF | 1-1/4" | 1/40 |
| B74028LF | 1-1/2" | 1/35 |
| B74029LF | 2" | 1/20 |

Bronze 45° Elbow

• Lead Free



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B74042LF | 1/4" | 1 |
| B74044LF | 1/2" | 50/200 |
| B74045LF | 3/4" | 25/100 |
| B74046LF | 1" | 1/90 |

Bronze 45° Street Elbow

• Lead Free



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B74066LF | 1" | 1/80 |
| B74067LF | 1-1/4" | 1/50 |

Bronze Union

• Lead Free



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B74262LF | 1/4" | 60/240 |
| B74263LF | 3/8" | 30/120 |
| B74264LF | 1/2" | 25/100 |
| B74265LF | 3/4" | 20/80 |
| B74266LF | 1" | 1/50 |
| B74267LF | 1-1/4" | 1/35 |
| B74268LF | 1-1/2" | 1/25 |
| B74269LF | 2" | 1/18 |

Bronze Tee

• Lead Free



| PART NO. | SIZE | CTN/MSTR |
|----------|--------------------|----------|
| B74081LF | 1/8" | 120/480 |
| B74082LF | 1/4" | 75/300 |
| B74083LF | 3/8" | 50/200 |
| B74084LF | 1/2" | 25/100 |
| B74085LF | 3/4" | 1/85 |
| B74086LF | 1" | 1/35 |
| B74087LF | 1-1/4" | 1/35 |
| B74088LF | 1-1/2" | 1/24 |
| B74089LF | 2" | 1/15 |
| B74090LF | 2-1/2" | 8 |
| B74354LF | 1/2" x 3/8" | 35 |
| B74395LF | 3/4" x 1/4" | 25/100 |
| B74396LF | 3/4" x 3/8" | 25/100 |
| B74358LF | 3/4" x 1/2" x 3/4" | 1/100 |
| B74359LF | 3/4" x 1/2" | 25/100 |
| B74365LF | 1" x 3/4" | 1/70 |
| B74369LF | 1-1/4" x 3/4" | 1/35 |
| B74367LF | 1-1/2" x 1-1/4" | 1 |
| B74368LF | 2" x 1-1/2" | 1/15 |

Bronze Cap

• Lead Free



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B74181LF | 1/8" | 1 |
| B74182LF | 1/4" | 200/800 |
| B74183LF | 3/8" | 150/600 |
| B74184LF | 1/2" | 100/400 |
| B74185LF | 3/4" | 50/200 |
| B74186LF | 1" | 40/160 |
| B74187LF | 1-1/4" | 1/100 |
| B74188LF | 1-1/2" | 1/100 |
| B74189LF | 2" | 1/70 |

Bronze Locknut



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B74380LF | 1/2" | 150/600 |
| B74381 | 3/4" | 90/360 |
| B74382 | 1" | 60/240 |
| B74383 | 1-1/4" | 1 |
| B74384 | 1-1/2" | 1 |

Bronze Coupling/ Reducer



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|-----------------|----------|
| B74121LF | 1/8" | 200/800 |
| B74122LF | 1/4" | 150/600 |
| B74123LF | 3/8" | 100/400 |
| B74124LF | 1/2" | 50/200 |
| B74125LF | 3/4" | 5/100 |
| B74126LF | 1" | 1/100 |
| B74127LF | 1-1/4" | 1/175 |
| B74128LF | 1-1/2" | 1/50 |
| B74129LF | 2" | 1/30 |
| B74132LF | 4" | 1/6 |
| B74140LF | 1/4" x 1/8" | 150/600 |
| B74142LF | 3/8" x 1/4" | 90/360 |
| B74144LF | 1/2" x 1/4" | 75/300 |
| B74145LF | 1/2" x 3/8" | 70/280 |
| B74148LF | 3/4" x 1/2" | 45/180 |
| B74150LF | 1" x 3/4" | 25/100 |
| B74152LF | 1-1/4" x 3/4" | 1/90 |
| B74153LF | 1-1/4" x 1" | 1/80 |
| B74154LF | 1-1/2" x 1/2" | 1 |
| B74155LF | 1-1/2" x 3/4" | 1/80 |
| B74156LF | 1-1/2" x 1" | 1/65 |
| B74157LF | 1-1/2" x 1-1/4" | 60 |
| B74160LF | 2" x 1-1/4" | 1/40 |
| B74161LF | 2" x 1-1/2" | 1/35 |

Bronze Extension Piece



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B74370LF | 3/4" | 40/160 |

Bronze Cored Square Head Plug



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B74284LF | 1/2" | 150/600 |
| B74285LF | 3/4" | 100/400 |
| B74286LF | 1" | 50/200 |
| B74287LF | 1-1/4" | 140 |
| B74288LF | 1-1/2" | 120 |
| B74289LF | 2" | 1/75 |

Bronze Solid Square Head Plug



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B74301LF | 1/8" | 1 |
| B74302LF | 1/4" | 1/690 |
| B74303LF | 3/8" | 1/310 |
| B74304LF | 1/2" | 100/400 |
| B74305LF | 3/4" | 50/200 |
| B74306LF | 1" | 35/140 |

Bronze Countersunk Plug



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B74331LF | 3" | 1/32 |

Bronze Cross



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B74104LF | 1/2" | 25/100 |
| B74105LF | 3/4" | 1/60 |
| B74107LF | 1-1/4" | 1/24 |
| B74108LF | 1-1/2" | 1/22 |

Bronze HEX Bushing



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|-----------------|----------|
| B74200LF | 1/4" x 1/8" | 1 |
| B74201LF | 3/8" x 1/8" | 250/1000 |
| B74202LF | 3/8" x 1/4" | 250/1000 |
| B74203LF | 1/2" x 1/8" | 150/600 |
| B74204LF | 1/2" x 1/4" | 150/600 |
| B74205LF | 1/2" x 3/8" | 1/1000 |
| B74206LF | 3/4" x 1/8" | 75/300 |
| B74207LF | 3/4" x 1/4" | 80/320 |
| B74208LF | 3/4" x 3/8" | 85/340 |
| B74209LF | 3/4" x 1/2" | 90/360 |
| B74210LF | 1" x 1/4" | 50/200 |
| B74212LF | 1" x 1/2" | 50/200 |
| B74213LF | 1" x 3/4" | 50/200 |
| B74216LF | 1-1/4" x 1/2" | 1/120 |
| B74217LF | 1-1/4" x 3/4" | 1/120 |
| B74218LF | 1-1/4" x 1" | 1/120 |
| B74220LF | 1-1/2" x 3/8" | 1 |
| B74222LF | 1-1/2" x 3/4" | 1/85 |
| B74223LF | 1-1/2" x 1" | 1/115 |
| B74224LF | 1-1/2" x 1-1/4" | 1/120 |
| B74228LF | 2" x 3/4" | 1/60 |
| B74229LF | 2" x 1" | 1/60 |
| B74230LF | 2" x 1-1/4" | 1/65 |
| B74231LF | 2" x 1-1/2" | 1/65 |
| B74232LF | 2-1/2" x 2" | 1/40 |
| B74235LF | 4" x 3" | 1/12 |

Chrome Plated Nipples/Pipe Lengths



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|---------------|----------|
| N15100 | 3/8" x close | 50/400 |
| N15150 | 3/8" x 1-1/2" | 25/400 |
| N15200 | 3/8" x 2" | 50/400 |
| N15250 | 3/8" x 2-1/2" | 50/300 |
| N15300 | 3/8" x 3" | 50/300 |
| N15350 | 3/8" x 3-1/2" | 50/200 |
| N15400 | 3/8" x 4" | 25/100 |
| N15450 | 3/8" x 4-1/2" | 50/200 |
| N15500 | 3/8" x 5" | 50/200 |
| N15550 | 3/8" x 5-1/2" | 25/100 |
| N15600 | 3/8" x 6" | 25/100 |
| N15900 | 3/8" x 12" | 25/50 |
| N15948 | 3/8" x 48" | 1/10 |
| N15972 | 3/8" x 72" | 1/10 |
| N16100 | 1/2" x close | 50/400 |
| N16150 | 1/2" x 1-1/2" | 50/400 |
| N16200 | 1/2" x 2" | 50/400 |
| N16250 | 1/2" x 2-1/2" | 75/300 |
| N16300 | 1/2" x 3" | 75/300 |
| N16350 | 1/2" x 3-1/2" | 50/200 |
| N16400 | 1/2" x 4" | 25/100 |
| N16450 | 1/2" x 4-1/2" | 25/100 |
| N16500 | 1/2" x 5" | 1 |
| N16550 | 1/2" x 5-1/2" | 25/100 |
| N16600 | 1/2" x 6" | 25/100 |
| N16900 | 1/2" x 12" | 10/50 |
| N16918 | 1/2" x 18" | 1/10 |
| N16924 | 1/2" x 24" | 1/10 |
| N16936 | 1/2" x 36" | 1/10 |
| N16948 | 1/2" x 48" | 1/10 |
| N17100 | 3/4" x close | 50/100 |
| N17150 | 3/4" x 1-1/2" | 50/200 |
| N17300 | 3/4" x 3" | 1/30 |
| N17400 | 3/4" x 4" | 25/100 |
| N17600 | 3/4" x 6" | 25/100 |
| N18100 | 1" x close | 20/200 |
| N18200 | 1" x 2" | 20/200 |
| N18250 | 1" x 2-1/2" | 20/100 |
| N18300 | 1" x 3" | 25/100 |
| N18400 | 1" x 4" | 25/100 |
| N18500 | 1" x 5" | 10/50 |
| N18600 | 1" x 6" | 10/50 |

Chrome Plated 90° Elbow



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50001LF | 3/8" | 25/100 |
| B50002LF | 1/2" | 50/200 |
| B50003LF | 3/4" | 25/100 |
| B50004LF | 1" | 25/100 |

Chrome Plated 90° Street Elbow



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50094LF | 1/2" | 25/100 |
| B50098LF | 3/4" | 25/100 |
| B50103LF | 1" | 1/50 |

Chrome Plated 45° Elbow



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50011LF | 3/8" | 25/100 |
| B50012LF | 1/2" | 50/200 |
| B50013LF | 3/4" | 25/100 |

Chrome Plated Tee



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50031LF | 3/8" | 50/200 |
| B50032LF | 1/2" | 50/100 |
| B50033LF | 3/4" | 1/85 |

Chrome Plated Coupling



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50041LF | 3/8" | 25/400 |
| B50042LF | 1/2" | 50/200 |
| B50043LF | 3/4" | 25/100 |
| B50044LF | 1" | 25/100 |

Chrome Plated Reducer



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------------|----------|
| B50051LF | 1/2"x 3/8" | 70/280 |
| B50052LF | 3/4"x 1/2" | 45/180 |

D

Chrome Plated Bushing



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------------|----------|
| B50072LF | 1/2"x 3/8" | 50/200 |
| B50073LF | 3/4"x 1/2" | 90/360 |

Chrome Plated Union



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50092LF | 1/2" | 25/100 |
| B50097LF | 3/4" | 20/80 |
| B50100LF | 1" | 50 |

Chrome Plated Plug



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50096LF | 1/2" | 100/400 |
| B50099LF | 3/4" | 1 |

Chrome Plated Cap



• Lead Free

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B50081LF | 3/8" | 150/600 |
| B50082LF | 1/2" | 100/400 |
| B50083LF | 3/4" | 50/200 |

D

Male Hose To Male Pipe



| PART NO. | MHT x MPT | CTN/MSTR |
|----------|----------------------------|----------|
| G20002 | 3/4" x 1/2" | 20/200 |
| G20003 | 3/4" x 3/4" (1/2" FIP tap) | 20/200 |
| G20004 | 3/4" x 1/2" (1/2" SWT) | 50/200 |

Male Hose To Male Pipe - Lead Free



| PART NO. | MHT x MPT | CTN/MSTR |
|----------|----------------------------|----------|
| G20102 | 3/4" x 1/2" | 1/40 |
| G20103 | 3/4" x 3/4" (1/2" FIP tap) | 50/200 |

Male Hose To Male Hose



| PART NO. | MHT x MHT | CTN/MSTR |
|----------|----------------------------|----------|
| G20008 | 3/4" x 3/4" (1/2" FIP tap) | 20/200 |

Male Hose To Male Hose - Lead Free



| PART NO. | MHT x MHT | CTN. QTY. |
|----------|----------------------------|-----------|
| G20108 | 3/4" x 3/4" (1/2" FIP tap) | 1/40 |

Male Hose To Female Pipe



| PART NO. | MHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| G20010 | 3/4" x 1/2" | 100/500 |
| G20011 | 3/4" x 3/4" | 20/200 |

Male Hose To Female Pipe - Lead Free



| PART NO. | MHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| G20110 | 3/4" x 1/2" | 1/40 |
| G20111 | 3/4" x 3/4" | 1/40 |

Female Hose To Male Pipe



| PART NO. | FHT x MPT | CTN/MSTR |
|----------|----------------------------|----------|
| G20005 | 3/4" x 1/2" (1/2" SWT) | |
| G20015 | 3/4" x 1/2" | 50/250 |
| G20016 | 3/4" x 3/4" | 50/250 |
| G20017 | 3/4" x 3/4" (1/2" FIP tap) | 50/200 |

Female Hose To Male Pipe - Lead Free



| PART NO. | FHT x MPT | CTN/MSTR |
|----------|-------------|----------|
| G20115 | 3/4" x 1/2" | 50/200 |
| G20116 | 3/4" x 3/4" | 1/40 |

Female Hose To Female Pipe



| PART NO. | FHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| G20020 | 3/4" x 1/2" | 50/200 |
| G20021 | 3/4" x 3/4" | 50/200 |

Female Hose To Female Pipe - Lead Free



| PART NO. | FHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| G20120 | 3/4" x 1/2" | 1/40 |
| G20121 | 3/4" x 3/4" | 1/40 |

Female Hose To Female Hose Swivel



| PART NO. | FHT x FHT | CTN/MSTR |
|----------|-------------|----------|
| G20030 | 3/4" x 3/4" | 20/200 |

Female Hose To Female Hose Swivel - Lead Free



| PART NO. | FHT x FHT | CTN/MSTR |
|----------|-------------|----------|
| G20130 | 3/4" x 3/4" | 1/40 |

Female Hose To Female Pipe Swivel



| PART NO. | FHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| G20031 | 3/4" x 1/2" | 20/200 |
| G20032 | 3/4" x 3/4" | 125/250 |

Female Hose To Female Pipe Swivel - Lead Free



| PART NO. | FHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| G20131 | 3/4" x 1/2" | 1/40 |
| G20132 | 3/4" x 3/4" | 1/40 |

Hose Barb To Female Hose Swivel



| PART NO. | HB x FHT | CTN/MSTR |
|----------|-------------|----------|
| G20035 | 3/8" x 3/4" | 140 |
| G20036 | 1/2" x 3/4" | 20/245 |
| G20037 | 5/8" x 3/4" | 1 |
| G20038 | 3/4" x 3/4" | 1 |

Hose Barb To Female Hose Swivel - Lead Free



| PART NO. | HB x FHT | CTN/MSTR |
|----------|-------------|----------|
| G20136 | 1/2" x 3/4" | 50/200 |
| G20137 | 5/8" x 3/4" | 50/200 |
| G20138 | 3/4" x 3/4" | 50/200 |

Hose Barb To Male Hose



| PART NO. | HB x MHT | CTN/MSTR |
|----------|-------------|----------|
| G20040 | 3/8" x 3/4" | 1 |
| G20041 | 1/2" x 3/4" | 50/200 |
| G20042 | 5/8" x 3/4" | 1/200 |
| G20043 | 3/4" x 3/4" | 50/200 |

Hose Barb To Male Hose - Lead Free



| PART NO. | HB x MHT | CTN/MSTR |
|----------|-------------|----------|
| G20141 | 1/2" x 3/4" | 50/200 |
| G20142 | 5/8" x 3/4" | 50/200 |
| G20143 | 3/4" x 3/4" | 50/200 |

Male Pipe To Female Hose Swivel



| PART NO. | MPT x FHT | CTN/MSTR |
|----------|-------------|----------|
| G20045 | 1/4" x 3/4" | 1 |
| G20047 | 1/2" x 3/4" | 50/200 |

Hose WYE



| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| G20050 | 3/4" x 3/4" | 20/200 |

Hose WYE - Lead Free



| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| G20150 | 3/4" x 3/4" | 1/100 |

Garden Hose Shut Off



• Buna-N seals

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|---------------------------------|----------|
| G20051 | Dual shut off/green ABS | 100 |
| G20052 | Single shut off/green ABS | 1/200 |
| G20053 | Brass hose with shut off "wye" | 15/60 |
| G20054 | CP die cast with shut off "wye" | 20/100 |

Garden Hose Cap



| PART NO. | FHT | CTN/MSTR |
|----------|-----------------|----------|
| G20055 | 3/4" | 100/600 |
| G20056 | 3/4" with chain | 1/500 |

Garden Hose Cap - Lead Free



| PART NO. | FHT | CTN/MSTR |
|----------|------------------|----------|
| G20155 | 3/4" with washer | 1/500 |

Garden Hose Washer



| PART NO. | SIZE | CTN/MSTR |
|----------|-----------------|----------|
| G20057 | 3/4" vinyl | 1/5000 |
| G20057R | 3/4" red rubber | 1/2500 |

Garden Hose Filter Washer



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| G20060 | 3/4" | 2000 |

Evaporation Cooler Drain



| PART NO. | MHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| G20006 | 3/4" x 1/2" | 25/200 |

Hose Barb To Male Pipe

• Barb refers to hose I.D.



| PART NO. | BARB x MPT | CTN/MSTR |
|----------|--------------|----------|
| G25022 | 1/8" x 1/8" | 1 |
| G25032 | 3/16" x 1/8" | 1 |
| G25034 | 3/16" x 1/4" | 1 |
| G25042 | 1/4" x 1/8" | 1 |
| G25044 | 1/4" x 1/4" | 1 |
| G25046 | 1/4" x 3/8" | 1 |
| G25048 | 1/4" x 1/2" | 1 |
| G25052 | 5/16" x 1/8" | 500/1000 |
| G25054 | 5/16" x 1/4" | 1 |
| G25056 | 5/16" x 3/8" | 1 |
| G25062 | 3/8" x 1/8" | 1 |
| G25064 | 3/8" x 1/4" | 1 |
| G25066 | 3/8" x 3/8" | 1 |
| G25068 | 3/8" x 1/2" | 50/500 |
| G25612 | 3/8" x 3/4" | 1 |
| G25084 | 1/2" x 1/4" | 1 |
| G25086 | 1/2" x 3/8" | 1 |
| G25088 | 1/2" x 1/2" | 350 |
| G25812 | 1/2" x 3/4" | 1 |
| G25106 | 5/8" x 3/8" | 250/500 |
| G25108 | 5/8" x 1/2" | 1 |
| G25101 | 5/8" x 3/4" | 1 |
| G25128 | 3/4" x 1/2" | 1 |
| G25121 | 3/4" x 3/4" | 200 |
| G25161 | 1" x 3/4" | 1 |
| G25169 | 1" x 1" | 1 |

D

Hose Barb To Female Pipe

• Barb refers to hose I.D.



| PART NO. | BARB x FPT | CTN/MSTR |
|----------|--------------|----------|
| G26022 | 1/8" x 1/8" | 1 |
| G26032 | 3/16" x 1/8" | 1 |
| G26034 | 3/16" x 1/4" | 1 |
| G26042 | 1/4" x 1/8" | 1 |
| G26044 | 1/4" x 1/4" | 1 |
| G26046 | 1/4" x 3/8" | 1 |
| G26052 | 5/16" x 1/8" | 1 |
| G26054 | 5/16" x 1/4" | 1 |
| G26056 | 5/16" x 3/8" | 1 |
| G26062 | 3/8" x 1/8" | 1 |
| G26064 | 3/8" x 1/4" | 1 |
| G26066 | 3/8" x 3/8" | 1 |
| G26068 | 3/8" x 1/2" | 100/200 |
| G26084 | 1/2" x 1/4" | 1 |
| G26086 | 1/2" x 3/8" | 1 |
| G26088 | 1/2" x 1/2" | 1 |
| G26121 | 3/4" x 3/4" | 1 |
| G26161 | 1" x 3/4" | 1 |

Hose Barb To Male Pipe Elbow

• Barb refers to hose I.D.



| PART NO. | BARB x MPT | CTN/MSTR |
|----------|--------------|----------|
| G27042 | 1/4" x 1/8" | 1 |
| G27044 | 1/4" x 1/4" | 1 |
| G27054 | 5/16" x 1/4" | 1 |
| G27062 | 3/8" x 1/8" | 1 |
| G27064 | 3/8" x 1/4" | 1 |
| G27066 | 3/8" x 3/8" | 1 |
| G27068 | 3/8" x 1/2" | 1 |
| G27084 | 1/2" x 1/4" | 1 |
| G27086 | 1/2" x 3/8" | 1 |
| G27088 | 1/2" x 1/2" | 1 |
| G27106 | 5/8" x 3/8" | 1 |
| G27108 | 5/8" x 1/2" | 1 |

Barb To Barb Hose Splicers

• Barb refers to hose I.D.



| PART NO. | BARB | CTN/MSTR |
|----------|-------|----------|
| G29003 | 3/16" | 1 |
| G29004 | 1/4" | 1 |
| G29005 | 5/16" | 250/1000 |
| G29006 | 3/8" | 100/800 |
| G29008 | 1/2" | 1 |
| G29010 | 5/8" | 1 |

Hose Barb To Female Ball End Swivel

• Barb refers to hose I.D.



| PART NO. | BARB x NPSM | CTN/MSTR |
|----------|-------------|----------|
| G28044 | 1/4" x 1/4" | 1 |
| G28066 | 3/8" x 3/8" | 1 |
| G28088 | 1/2" x 1/2" | 1 |

Hose Barb Tee

• Barb refers to hose I.D.



| PART NO. | BARB x BARB X BARB | CTN/MSTR |
|----------|--------------------|----------|
| G24004 | 1/4" | 1 |
| G24006 | 3/8" | 1 |

Nylon Hose Barb Splicer



• Barb refers to hose I.D.

| PART NO. | BARB x BARB | CTN/MSTR |
|----------|---------------|----------|
| N10001 | 1/8" x 1/8" | 10/100 |
| N10002 | 1/4" x 1/4" | 10/100 |
| N10003 | 5/16" x 5/16" | 10/100 |
| N10004 | 3/8" x 3/8" | 10/100 |
| N10005 | 1/2" x 1/2" | 10/100 |
| N10006 | 5/8" x 5/8" | 10/100 |
| N10007 | 3/4" x 3/4" | 10/100 |
| N10008 | 1" x 1" | 5/50 |

Nylon Hose Barb Tee



• Barb refers to hose I.D.

| PART NO. | BARB x BARB | CTN/MSTR |
|----------|--------------------|----------|
| N11001 | 1/8" x 1/8" x 1/8" | 10/100 |
| N11002 | 1/4" x 1/4" x 1/4" | 10/100 |
| N11003 | 3/8" x 3/8" x 3/8" | 10/100 |
| N11004 | 1/2" x 1/2" x 3/8" | 10/100 |
| N11005 | 1/2" x 1/2" x 1/2" | 10/100 |
| N11006 | 5/8" x 5/8" x 5/8" | 10/100 |
| N11007 | 3/4" x 3/4" x 3/4" | 10/100 |
| N11008 | 1" x 1" x 1" | 5/50 |

Nylon Hose Barb Elbow



• Barb refers to hose I.D.

| PART NO. | BARB x BARB | CTN/MSTR |
|----------|-------------|----------|
| N12001 | 1/4" x 1/4" | 10/100 |
| N12002 | 3/8" x 3/8" | 10/100 |
| N12003 | 1/2" x 1/2" | 10/100 |
| N12004 | 5/8" x 5/8" | 10/100 |
| N12005 | 3/4" x 3/4" | 10/100 |
| N12006 | 1" x 1" | 5/50 |

Nylon Garden Hose Cap



| PART NO. | FHT | CTN/MSTR |
|----------|------|----------|
| N06001 | 3/4" | 10/100 |

Nylon Female Hose Barb Adapter



• Barb refers to hose I.D.

| PART NO. | BARB x FPT | CTN/MSTR |
|----------|-------------|----------|
| N15001 | 1/2" x 1/2" | 10/100 |

Nylon Hose Barb Adapter



• Barb refers to hose I.D.

| PART NO. | MPT x BARB | CTN/MSTR |
|----------|-------------|----------|
| N14001 | 1/4" x 1/4" | 10/100 |
| N14002 | 1/4" x 3/8" | 10/100 |
| N14003 | 3/8" x 1/4" | 10/100 |
| N14004 | 3/8" x 3/8" | 10/100 |
| N14005 | 3/8" x 1/2" | 10/100 |
| N14006 | 1/2" x 1/4" | 10/100 |
| N14007 | 1/2" x 3/8" | 10/100 |
| N14008 | 1/2" x 1/2" | 10/100 |
| N14009 | 1/2" x 5/8" | 10/100 |
| N14010 | 1/2" x 3/4" | 10/100 |
| N14011 | 3/4" x 3/8" | 10/100 |
| N14012 | 3/4" x 1/2" | 10/100 |
| N14013 | 3/4" x 5/8" | 10/100 |
| N14014 | 3/4" x 3/4" | 10/100 |
| N14015 | 3/4" x 1" | 5/50 |
| N14016 | 1" x 1/2" | 5/50 |
| N14017 | 1" x 5/8" | 5/50 |
| N14018 | 1" x 3/4" | 5/50 |
| N14019 | 1" x 1" | 5/50 |

Nylon Male Garden Hose To Female Pipe



| PART NO. | MHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| N18001 | 3/4" x 1/2" | 10/100 |
| N18002 | 3/4" x 3/4" | 10/100 |

Nylon Male Garden Hose To Male Pipe



| PART NO. | MHT x MPT | CTN/MSTR |
|----------|-------------|----------|
| N09001 | 3/4" x 1/2" | 10/100 |
| N09002 | 3/4" x 3/4" | 10/100 |

Nylon Female Garden Hose To Female Pipe



| PART NO. | FHT x FPT | CTN/MSTR |
|----------|-------------|----------|
| N07001 | 3/4" x 1/2" | 10/100 |

Nylon Male Insert Adapter



- For flexible polyethylene plastic pipe
- NSF listed

NSF

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I11001 | 1/2" | 10/100 |
| I11002 | 3/4" | 10/100 |
| I11003 | 1" | 10/100 |
| I11004 | 1-1/4" | 10/100 |
| I11005 | 1-1/2" | 10/100 |
| I11006 | 2" | 10/100 |

D

Nylon Insert Coupling



- For flexible polyethylene plastic pipe
- NSF listed

NSF

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I11007 | 1/2" | 10/100 |
| I11008 | 3/4" | 10/100 |
| I11009 | 1" | 10/100 |
| I11010 | 1-1/4" | 10/100 |
| I11011 | 1-1/2" | 10/100 |
| I11012 | 2" | 10/100 |

Nylon Insert Elbow



- For flexible polyethylene plastic pipe
- NSF listed

NSF

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I11013 | 1/2" | 10/100 |
| I11014 | 3/4" | 10/100 |
| I11015 | 1" | 10/100 |
| I11016 | 1-1/4" | 10/100 |
| I11017 | 1-1/2" | 10/100 |
| I11018 | 2" | 5/50 |

Nylon Insert Tee



- For flexible polyethylene plastic pipe
- NSF listed

NSF

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I11019 | 1/2" | 10/100 |
| I11020 | 3/4" | 10/100 |
| I11021 | 1" | 10/100 |
| I11022 | 1-1/4" | 10/100 |
| I11023 | 1-1/2" | 10/100 |
| I11024 | 2" | 5/50 |

Nylon Insert Combination Elbow



- For flexible polyethylene plastic pipe
- NSF listed

NSF

| PART NO. | SIZE | CTN. QTY. |
|----------|--------|-----------|
| I11025 | 1/2" | 10/100 |
| I11026 | 3/4" | 10/100 |
| I11027 | 1" | 10/100 |
| I11028 | 1-1/4" | 10/100 |

Poly Male Insert Adapter



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I10001 | 1/2" | 10/100 |
| I10002 | 3/4" | 10/250 |
| I10003 | 1" | 10/160 |
| I10004 | 1-1/4" | 10/80 |
| I10005 | 1-1/2" | 5/60 |
| I10006 | 2" | 5/40 |

Poly Female Insert Adapter



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I10007 | 1/2" | 10/400 |
| I10008 | 3/4" | 10/250 |
| I10009 | 1" | 10/160 |
| I10010 | 1-1/4" | 10/80 |

Poly Insert Coupling



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I10011 | 1/2" | 10/400 |
| I10012 | 3/4" | 10/250 |
| I10013 | 1" | 10/160 |
| I10014 | 1-1/4" | 10/80 |
| I10015 | 1-1/2" | 5/60 |
| I10016 | 2" | 5/40 |

Poly Reducing Insert Coupling



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|-----------------|----------|
| I10017 | 3/4" x 1/2" | 10/300 |
| I10018 | 1" x 1/2" | 10/220 |
| I10019 | 1" x 3/4" | 10/220 |
| I10020 | 1-1/4" x 1" | 10/100 |
| I10021 | 1-1/2" x 1-1/4" | 5/15 |
| I10022 | 2" x 1-1/2" | 5/15 |

Poly Male Insert Reducer



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| I10040 | 3/4" x 1/2" | 10/300 |
| I10041 | 1" x 3/4" | 10/220 |
| I10042 | 1-1/4" x 1" | 10/100 |

Poly Insert Elbow



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I10023 | 1/2" | 10/300 |
| I10024 | 3/4" | 10/180 |
| I10025 | 1" | 10/100 |
| I10026 | 1-1/4" | 5/60 |
| I10027 | 1-1/2" | 5/40 |
| I10028 | 2" | 5/25 |

Poly Insert Tee



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I10029 | 1/2" | 10/180 |
| I10030 | 3/4" | 10/100 |
| I10031 | 1" | 10/60 |
| I10032 | 1-1/4" | 5/40 |
| I10033 | 1-1/2" | 5/30 |
| I10034 | 2" | 5/15 |

Poly Insert x MIP Combination Elbow



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I10035 | 1/2" | 10/300 |
| I10036 | 3/4" | 10/200 |
| I10037 | 1" | 10/100 |
| I10038 | 1-1/4" | 5/50 |
| I10039 | 1-1/2" | 5/50 |

Poly Insert Reducing Tee



- For flexible polyethylene plastic pipe
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|----------------------|----------|
| I10043 | 3/4" x 3/4" x 1/2" | 1 |
| I10044 | 3/4" x 1/2" x 1/2" | 1 |
| I10045 | 1" x 1" x 1/2" | 1 |
| I10046 | 1" x 1" x 3/4" | 1 |
| I10047 | 1" x 3/4" x 3/4" | 1 |
| I10048 | 1-1/2" x 1-1/2" x 1" | 1 |
| I10049 | 2" x 2" x 1" | 1 |

Red Brass Male Insert Adapter



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I13001LF | 1/2" | 10/200 |
| I13002LF | 3/4" | 10/200 |
| I13003LF | 1" | 10/100 |
| I13004LF | 1 1/4" | 10/100 |
| I13005LF | 1 1/2" | 10/60 |
| I13006LF | 2" | 5/40 |

Red Brass Insert Coupling



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I13016LF | 3/4" | 1/100 |
| I13017LF | 1" | 1/100 |
| I13018LF | 1 1/4" | 1/100 |
| I13019LF | 1 1/2" | 1/100 |
| I13020LF | 2" | 10/100 |

D Red Brass Male Insert Reducer



• For flexible polyethylene plastic pipe

| PART NO. | INSERT x MPT | CTN/MSTR |
|----------|--------------|----------|
| I13007LF | 1" x 3/4" | 1/100 |

Red Brass Insert Tee



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I13021LF | 3/4" | 1/100 |
| I13022LF | 1" | 1/100 |
| I13023LF | 1 1/4" | 10/50 |

Red Brass Female Insert Adapter



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I13010LF | 3/4" | 10/100 |
| I13011LF | 1" | 1/200 |
| I13012LF | 1 1/4" | 1/100 |
| I13013LF | 1 1/2" | 1 |

Red Brass Insert Elbow



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I13024LF | 3/4" | 1/100 |
| I13025LF | 1" | 1/100 |
| I13026LF | 1 1/4" | 1/50 |

Red Brass Insert x MIP 90° Elbow



• For flexible polyethylene plastic pipe

| PART NO. | INSERT | MIP | CTN/MSTR |
|----------|--------|------|----------|
| I13031LF | 3/4" | 3/4" | 1/100 |
| I13032LF | 1" | 3/4" | 1/100 |
| I13033LF | 1" | 1" | 10/100 |

Red Brass Insert Male Rope Adapter



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|------------|----------|
| I13027LF | 1" | 1/100 |
| I13029LF | 1"x 1 1/4" | 1/100 |

Red Brass Insert x Sweat Adapters



• For flexible polyethylene plastic pipe

| PART NO. | INSERT | SWEAT | CTN/MSTR |
|----------|--------|-------|----------|
| I13036LF | 3/4" | 3/4" | 10/100 |
| I13037LF | 1" | 1" | 10/200 |

Steel Male Insert Adapter



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I12001 | 1/2" | 25/100 |
| I12002 | 3/4" | 25/100 |
| I12003 | 1" | 20/120 |
| I12004 | 1-1/4" | 20/80 |
| I12005 | 1-1/2" | 10/100 |
| I12006 | 2" | 10/40 |

Steel Female Insert Adapter



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I12007 | 1/2" | 1 |
| I12008 | 3/4" | 1 |
| I12009 | 1" | 10/30 |
| I12010 | 1-1/4" | 1 |
| I12011 | 1-1/2" | 10 |
| I12012 | 2" | 1 |

Steel Insert Coupling



• For flexible polyethylene plastic pipe

| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| I12013 | 1/2" | 1 |
| I12014 | 3/4" | 1/25 |
| I12015 | 1" | 1/20 |
| I12016 | 1-1/4" | 1/20 |
| I12017 | 1-1/2" | 10/60 |
| I12018 | 2" | 10 |

INSERT FITTINGS VS HOSE BARBS?

Insert Fittings only fit polyethylene plastic pipe (water service pipe).

Hose Barbs are designed to fit the inside diameter of various rubber hose sizes.

Both types of fittings are normally secured with hose gear clamps.

Brass Angle Compression Needle Valve



| PART NO. | COMP x MIP | CTN/MSTR |
|----------|-------------|----------|
| N10442LF | 1/4" x 1/8" | 50/500 |
| N10444LF | 1/4" x 1/4" | 1 |

Brass Straight Compression Needle Valve



| PART NO. | COMP x COMP | CTN/MSTR |
|----------|-------------|----------|
| N10544LF | 1/4" x 1/4" | 150/300 |
| N10566LF | 3/8" x 3/8" | 25/250 |

Brass Straight Compression Needle Valve



| PART NO. | COMP x MIP | CTN/MSTR |
|----------|-------------|----------|
| N10664LF | 3/8" x 1/4" | 1 |

Brass Pipe Needle Valve



| PART NO. | FIP x FIP | CTN/MSTR |
|----------|-------------|----------|
| N10944LF | 1/4" x 1/4" | 1 |

Brass Saddle Clamp



- Fits up to 3/4" iron pipe
- Fits up to 1" hard copper
- Unassembled

| PART NO. | FPT | CTN/MSTR |
|----------|------|----------|
| N01038 | 1/8" | 1 |

Brass Saddle Clamp With Valve



- Fits up to 3/4" iron pipe
- Fits up to 1" hard copper
- Unassembled

| PART NO. | OD | CTN/MSTR |
|----------|------|----------|
| N01039 | 1/4" | 1 |

Self Piercing Valve



- 1/4" OD compression outlet
- Fits 3/8" to 1.315" OD tube
- Lead Free

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|-----------|----------|
| S92001 | 1/4" | 50/100 |

Icemaker Or Humidifier Kit



- 1/4" tubing
- Self piercing valve
- Brass fittings
- Lead Free

| PART NO. | TUBE SIZE | CTN/MSTR |
|----------|--------------------------|----------|
| S92025 | 1/4" x 25' poly tubing | 1/10 |
| S92030 | 1/4" x 25' copper tubing | 1/10 |
| S92031 | 1/4" x 15' copper tubing | 1/10 |

**We Got It -
Gas Shut-Off Valve**

- Rated at 2 PSIG
- Cast bronze plug style

MADE IN THE
USA



Lever Handle

| | | |
|--------|--------|----|
| G17025 | 1/4" | 25 |
| G17037 | 3/8" | 1 |
| G17050 | 1/2" | 1 |
| G17075 | 3/4" | 1 |
| G17100 | 1" | 1 |
| G17125 | 1-1/4" | 1 |
| G17150 | 1-1/2" | 10 |
| G17200 | 2" | 5 |



Square Head

| | | |
|--------|----------|----|
| G18025 | 1/4" | 1 |
| G18037 | 3/8" | 1 |
| G18050 | 1/2" AGA | 50 |
| G18075 | 3/4" AGA | 50 |
| G18100 | 1" | 25 |
| G18125 | 1-1/4" | 1 |
| G18150 | 1-1/2" | 10 |
| G18200 | 2" | 5 |



Flat/Tee Head

| | | |
|--------|----------|----|
| G19025 | 1/4" | 1 |
| G19037 | 3/8" | 1 |
| G19050 | 1/2" AGA | 50 |
| G19075 | 3/4" AGA | 1 |
| G19100 | 1" | 25 |
| G19125 | 1-1/4" | 15 |
| G19150 | 1-1/2" | 10 |
| G19200 | 2" | 5 |

Flare x Flare



• 30 PSI

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| N01014 | 3/8" | 1 |

Female Pipe x Female Pipe



• 30 PSI

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| N01010 | 1/8" | 1 |
| N01011 | 1/4" | 1 |

Female Pipe x Male Pipe



• 30 PSI

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| N01027 | 1/8" | 1 |
| N01028 | 1/4" | 1 |
| N01029 | 3/8" | 1 |

Drain Cock Tee Handle with Bibb



• Hose x Male IPT

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| N01032 | 1/4" | 1/500 |

Drain Cock External Seat



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| N01033 | 1/8" | 1/1000 |
| N01034 | 1/4" | 1/1000 |
| N01035 | 3/8" | 5/200 |

Drain Cock



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| N01001 | 1/8" | 1 |
| N01002 | 1/4" | 1 |

Satin Brass Air Cock Female x Male Lever Handle HEX Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| A11011 | 1/8" x 1/8" | 1/100 |
| A11001 | 1/4" x 1/4" | 100/200 |

Satin Brass Air Cock Male x Spigot Tee Handle HEX Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|---------------|----------|
| A11002 | 1/4" x spigot | 100/200 |

Satin Brass Air Cock Female x Male Tee Handle HEX Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| A11003 | 1/4" x 1/4" | 1/200 |

Satin Brass Air Cock Female x Female Lever Handle Round Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| A11004 | 1/4" x 1/4" | 1/100 |

Satin Brass Air Cock Female x Female Tee Handle HEX Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| A11005 | 1/4" x 1/4" | 1/200 |

Satin Brass Air Cock Female x Female Tee Handle Round Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| A11016 | 1/8" x 1/8" | 1/50 |
| A11006 | 1/4" x 1/4" | 100/200 |

Satin Brass Air Cock Female x Female Lever Handle HEX Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| A11017 | 1/8" x 1/8" | 1/100 |
| A11007 | 1/4" x 1/4" | 1/100 |

Satin Brass Air Cock Female x Male Tee Handle Round Shoulder



• Spring bottoms

| PART NO. | SIZE | CTN/MSTR |
|----------|-------------|----------|
| A11008 | 1/4" x 1/4" | 100/200 |

Gas Ball Valve

- Forged brass body
- 3/8" x 3/4" one piece body
- 1"-2" two-piece body with plated steel handle
- Chrome plated brass ball
- Temperatures up to 175°F
- Threaded ends comply with ANSI B2.1
- CSA- certified for use with natural, manufactured, mixed, liquefied petroleum and LP gas/air mixtures up to 2 PSIG
- UL listed 757x (1/2" and 3/4")
- Made in Italy



Lever Handle, Female x Female



| PART NO. | SIZE | CTN/MSTR |
|---------------|------------|----------|
| B64375 | 3/8" FIP | 10/100 |
| B64050 | 1/2" FIP | 10/100 |
| B64075 | 3/4" FIP | 10/100 |
| B64100 | 1" FIP | 6/36 |
| B64125 | 1 1/4" FIP | 4/24 |
| B64150 | 1 1/2" FIP | 4/16 |
| B64200 | 2" FIP | 2/10 |

Tee Handle, Female x Female



| PART NO. | SIZE | CTN/MSTR |
|---------------|----------|----------|
| B65375 | 3/8" FIP | 10/100 |
| B65050 | 3/8" FIP | 10/100 |
| B65075 | 3/4" FIP | 10/100 |
| B65100 | 1" FIP | 6/36 |

Square Head, Female x Female



| PART NO. | SIZE | CTN/MSTR |
|---------------|----------|----------|
| B66375 | 3/8" FIP | 10/100 |
| B66050 | 1/2" FIP | 10/100 |
| B66075 | 3/4" FIP | 10/100 |

Two-Piece Gas Ball Valve

- Forged brass body
- Two-piece body
- Chrome plated brass ball
- Temperatures up to 125° F
- CSA- certified for use with natural, manufactured, mixed liquefied petroleum and L.P. gas/air mixtures up to 2 PSIG
- Made in Italy



| PART NO. | SIZE | CTN/MSTR |
|---------------|------|----------|
| B64450 | 1/2" | 10/50 |
| B64475 | 3/4" | 10/50 |

Texas Pattern Gas Ball Valve

- One-piece forged body
- Lever handle
- Female IPS x hose end x 1/8" MIP
- CSA- certified for use with natural, manufactured, mixed liquefied petroleum and L.P. gas/air mixtures up to 2 PSIG
- Made in Italy



| PART NO. | SIZE | CTN/MSTR |
|---------------|---------------------|----------|
| B69121 | 1/2" FIP x 1/8" MIP | 10/100 |

Lever Handle Gas Ball Valve

- Forged brass body
- One piece body construction
- 3/4" Chrome plated forged brass ball
- Temperatures up to 175°F
- Threaded ends comply with ANSI B2.1
- CSA- certified for use with natural, manufactured, mixed, liquefied petroleum and LP gas/air mixtures up to 2 PSIG
- Made in Italy



Flare x Female



| PART NO. | SIZE | CTN/MSTR |
|---------------|-------------------------|----------|
| B67375 | 3/8" flare x 1/2" FIP | 10/100 |
| B67050 | 1/2" flare x 1/2" FIP | 10/100 |
| B67937 | 15/16" flare x 1/2" FIP | 10/100 |
| B67975 | 15/16" flare x 3/4" FIP | 10/100 |

Flare x Male



| PART NO. | SIZE | CTN/MSTR |
|---------------|-----------------------|----------|
| B68001 | 1/2" flare x 1/2" MIP | 10/100 |

Flare x Flare



| PART NO. | SIZE | CTN/MSTR |
|---------------|-------------------------|----------|
| B68375 | 3/8" flare x 3/8" flare | 10/100 |
| B68050 | 1/2" flare x 1/2" flare | 10/100 |
| B68058 | 5/8" flare x 5/8" flare | 10/100 |

Gas Heater Valve

- Forged brass body
- One piece body construction
- Chrome plated forged brass ball
- Temperatures up to 175°F
- 9/16" - 24 Fine Thread Flare (for 3/8" tube)
- CSA certified for use with natural, manufactured, mixed, liquefied petroleum and LP gas/air mixtures up to 2 PSIG
- Made in Italy



| PART NO. | SIZE | CTN/MSTR |
|---------------|---------------------|----------|
| B69050 | 9/16"-24 x 1/2" FIP | 10/100 |

Brass Gas Ball Valve

- Two-piece forged brass body with chrome plated brass ball
- Double O-ring packing
- PTFE Seats
- 1/4 turn aluminum handle
- 1/2 PSI for indoor appliance connections per ANSI Z21.15/CGA 9.1
- Blowout-proof stem
- 5 PSI for indoor shutoff per CGA 91-002 & ASME B16.44
- CSA Listed



| Female x Female | | |
|-----------------|---------------------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67100 | 1/2" FIP x 1/2" FIP | 1/160 |
| B67101 | 3/4" FIP x 3/4" FIP | 1/100 |



| Flare x Female | | |
|----------------|--------------------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67102 | 3/8" FL x 1/2" FIP | 1/160 |
| B67103 | 1/2" FL x 1/2" FIP | 1/160 |

| Flare x Male | | |
|--------------|--------------------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67104 | 1/2" FL x 1/2" MIP | 1/160 |

| Flare | | |
|----------|-------------------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67105 | 3/8" FL x 3/8" FL | 1/160 |
| B67106 | 1/2" FL x 1/2" FL | 1/160 |

- Full-port design
- Forged brass body up to 4"
- Chrome plated brass ball
- Adjustable packing nut
- Non-sticking teflon seats
- 1/4 turn zinc plated steel handle
- 600 PSI, WOG (water, oil, gas)
- Working steam pressure: 150 PSI
- Blowout-proof stem
- Teflon packing for safety against leakage
- UPC Listed
- Lead Free



| Threaded | | |
|----------|--------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67200 | 3/8" | 20/100 |
| B67201 | 1/2" | 50/100 |
| B67202 | 3/4" | 30/60 |
| B67203 | 1" | 20/40 |
| B67204 | 1-1/4" | 12/24 |
| B67205 | 1-1/2" | 9/18 |
| B67206 | 2" | 6/12 |



| Sweat | | |
|----------|--------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67208 | 1/2" | 50/100 |
| B67209 | 3/4" | 30/60 |
| B67210 | 1" | 20/40 |
| B67211 | 1-1/4" | 12/24 |
| B67212 | 1-1/2" | 9/18 |
| B67213 | 2" | 6/12 |

Brass Ball & Waste Valve

- Full-port with waste design
- Forged brass body
- Chrome plated brass ball
- Adjustable packing nut
- Non-sticking teflon seats
- 1/4 turn zinc plated steel handle
- 600 PSI, WOG (water, oil, gas)
- Working steam pressure: 150 PSI
- Blowout-proof stem
- Teflon packing for safety against leakage
- NSF61 certified
- UPC Listed
- Lead Free



| Sweat | | |
|----------|------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67214 | 1/2" | 10/60 |
| B67215 | 3/4" | 10/60 |
| B67216 | 1" | 5/40 |



| Threaded | | |
|----------|------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67217 | 1/2" | 10/60 |
| B67218 | 3/4" | 10/60 |
| B67219 | 1" | 5/40 |

Brass Stop Valve

- Cast brass body
- Cast iron handle
- 125 PSI WOG to 100° F
- Maximum Temperature 180°F
- Lead Free



| Threaded | | |
|----------|------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67312 | 1/2" | 6/48 |
| B67313 | 3/4" | 6/48 |



| Stop & Waste Valve Threaded | | |
|-----------------------------|------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67315 | 3/4" | 10/100 |



| Sweat | | |
|----------|------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67316 | 1/2" | 6/48 |
| B67317 | 3/4" | 10/100 |

Brass Broiler Drain Valve

- Forged brass body
- Copper or threads to hose
- Cast iron handle
- Non-sticking teflon seats
- 125 PSI WOG to 100°F
- Maximum Temperature 180°F
- UPC Listed



| Male | | |
|----------|---------------------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67320 | 1/2" MIP x 3/4" MHT | 10/100 |
| B67321 | 3/4" MIP x 3/4" MHT | 10/100 |

- Forged brass body
- Threads to hose
- Cast iron handle
- 125 PSI WOG to 100°F
- Maximum Temperature 180°F



| Female | | |
|----------|---------------------|----------|
| PART NO. | SIZE | CTN/MSTR |
| B67322 | 1/2" FIP x 3/4" MHT | 10/100 |
| B67323 | 3/4" FIP x 3/4" MHT | 10/100 |

PVC Ball Valve Solvent End

- One piece body construction
- Standard port
- EPDM seats and o-rings
- Working pressure 150 psi at 73°F
- Quarter turn operation
- Not for compressed air
- Ideal for swimming pools, irrigation and water supply uses
- Solvent ends comply with ASTM D 2466
- Threaded ends comply with ANSI B2.1
- For cold water lines
- Large flow opening



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B90050 | 1/2" | 1/162 |
| B90075 | 3/4" | 1/80 |
| B90100 | 1" | 1/84 |
| B90125 | 1-1/4" | 1/50 |
| B90150 | 1-1/2" | 1/50 |
| B90200 | 2" | 1/24 |
| B90250 | 2-1/2" | 1/15 |
| B90300 | 3" | 1/2 |
| B90400 | 4" | 1/1 |

PVC Ball Valve with Threaded Ends

- One-piece body construction
- Standard port
- EPDM seats and o-rings
- Working pressure 150 psi at 73°F
- Quarter turn operation
- Not for compressed air
- Ideal for swimming pools, irrigation and water supply uses
- Solvent ends comply with ASTM D 2466
- Threaded ends comply with ANSI B2.1
- For cold water lines
- Large flow opening



| PART NO. | SIZE | CTN/MSTR |
|----------|--------|----------|
| B91050 | 1/2" | 1/162 |
| B91075 | 3/4" | 25/100 |
| B91100 | 1" | 1/84 |
| B91125 | 1-1/4" | 1/60 |
| B91150 | 1-1/2" | 1/40 |
| B91200 | 2" | 6/24 |
| B91250 | 2-1/2" | 1/16 |
| B91300 | 3" | 1/10 |
| B91400 | 4" | 1/1 |

CPVC Ball Valve

- Standard port
- For use on CPVC tubing size (OD)
- Teflon seats
- EPDM o-rings
- One piece body construction
- Large flow opening
- For hot or cold water lines up to 100 PSI at temperature up to 180°F
- Solvent ends comply with ASTM D2846
- Quarter turn operation
- NSF listed



| PART NO. | SIZE | CTN/MSTR |
|----------|----------------|----------|
| B92050 | 1/2" (5/8" OD) | 10/100 |
| B92075 | 3/4" (7/8" OD) | 10/100 |

Items marked with the Jones Stephens logo are "You Need It... We Got It" Items.

Radiator Coin Key Air Valve And Key



- 1/8" threads
- 125 PSI
- CARTON QUANTITIES ONLY

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|---------------------|----------|
| R20001 | Vent valve with key | 50/500 |
| R20002 | Key only | 100/5000 |
| R20003 | Valve only | 100/1000 |

Angle Air Valve



- Use on radiators in room with thermostat or on radiators that effect the thermostat

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20104 | #4 1/8" | 12/144 |

- Use on radiators near the boiler and in warm room

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20105 | #5 1/8" | 12/144 |

- Use on radiators furthest from the boiler (i.e. 3rd floor)

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20107 | #C 1/8" | 12/144 |

- Use on radiators needing a lot of venting (i.e. long branches or extra long radiators)

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20108 | #D 1/8" | 12/144 |

Straight Air Valve



- Use on radiators furthest from the boiler (i.e. 3rd floor)

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20109 | #C 1/8" | 12/144 |

- Use on radiators needing a lot of venting (i.e. long branches or extra long radiators)

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20110 | #D 1/8" | 12/144 |

- Use on radiators furthest from the boiler (i.e. 3rd floor)

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20111 | #C 1/4" | 12/144 |

- Use on radiators needing a lot of venting (i.e. long branches or extra long radiators)

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20112 | #D 1/4" | 12/144 |

- Used at end of short main or main running to warm side of building

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20113 | 3/4" x 1/2" | 12/144 |

Bronze Steam Radiator Angle Valve



| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20005 | 1/2" | 10/60 |
| R20006 | 3/4" | 6/48 |
| R20007 | 1" | 4/36 |
| R20008 | 1-1/4" | 2/24 |
| R20009 | 1-1/2" | 2/18 |

Angle Steam Vent



• Use on one-pipe steam systems - at the radiator

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20100 | 1/8" | 12/144 |

Straight Steam Vent

D



• Use on one-pipe steam systems - at the radiator

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-------------|----------|
| R20101 | 1/8" | 12/144 |
| R20102 | 1/4" | 12/144 |

Radiator Angle Air Valve



| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-----------------|----------|
| R20150 | 1/8" | 12/144 |
| R20151 | 1/8" adjustable | 12/144 |

Radiator Straight Air Valve



R20152
R20153



R20154

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|-----------------|----------|
| R20152 | 1/8" | 12/144 |
| R20153 | 1/8" adjustable | 12/144 |
| R20154 | 3/4" x 1/2" | 12/144 |

3 Screw Radiator Valve Handle



• Fit-all

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|----------------|----------|
| J40032 | 3 screw handle | 25/500 |

4-N-1 Radiator Valve Handle



• Fit-all

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|--------------|----------|
| J40033 | 4-n-1 handle | 25/500 |

Single Union PVC Swimming Pool Valve



- Teflon seats
- 150 psi working pressure
- EPDM o-rings seal on union end
- Suitable for swimming pools, spas and plumbing
- Full port
- Solvent ends

| PART NO. | SIZE | CTN/MSTR |
|---------------|--------|----------|
| B95150 | 1-1/2" | 8/32 |
| B95200 | 2" | 5/20 |

Dual Check Backflow Preventer



- Female by female
- Forged brass body
- 150 psi
- Acetyl-resin check modules
- Stainless steel spring
- 180° F maximum temperature
- Lead Free

| PART NO. | SIZE | CTN/MSTR |
|---------------|------|----------|
| B59001 | 3/4" | 1/100 |
| B59002 | 1" | 1/25 |

Inline PVC Check Valve



- Stainless steel spring
- EPDM seats
- Maintenance-free operation
- .5 psi required to open unit
- 200 psi static pressure rating at 77°F
- Use anywhere to stop backflow and siphoning
- Suitable for swimming pools, hot tubs, spas and solar installations

Solvent Ends

| PART NO. | SIZE | CTN/MSTR |
|---------------|--------|----------|
| C30050 | 1/2" | 30/120 |
| C30075 | 3/4" | 30/120 |
| C30100 | 1" | 16/64 |
| C30125 | 1-1/4" | 12/48 |
| C30150 | 1-1/2" | 8/32 |
| C30200 | 2" | 4/16 |

Threaded Ends



| PART NO. | SIZE | CTN/MSTR |
|---------------|--------|----------|
| C31050 | 1/2" | 30/120 |
| C31075 | 3/4" | 30/120 |
| C31100 | 1" | 16/64 |
| C31125 | 1-1/4" | 12/48 |
| C31150 | 1-1/2" | 8/32 |
| C31200 | 2" | 4/16 |

Forged Brass Hose Bibb



- Hard chrome ball
- Quarter-turn operation
- Teflon seats
- T-handle

| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| B60950 | 1/2" | 10/100 |
| B60975 | 3/4" | 10/100 |

Cast Brass Hose Bibb

D



- Lead Free

| PART NO. | MIP x MALE HOSE | CTN/MSTR |
|----------|-----------------|----------|
| B59050 | 1/2" x 3/4" | 10/100 |
| B59075 | 3/4" x 3/4" | 10/100 |
| B59100 | 1" x 1" | 6/36 |

Economy Hose Bibb Vacuum Breaker



- Brass
- 3/4" hose thread
- Vandal-proof breakoff screw
- ASSE 1011

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|------------------------------------|----------|
| G04004 | Economy Vacuum Breaker | 20/200 |
| G04003LF | Economy Vacuum Breaker - Lead Free | 20/200 |

Hose Faucet Anchor



- Long lasting solution to loosen exterior faucets
- Works with any wall material (brick, concrete, vinyl siding or stucco)
- For repair or new home applications
- Fits all exterior or faucet water lines
- Corrosion free

| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|--------------------|----------|
| B59000 | Hose faucet anchor | 1/100 |

Micro Size Gear Clamp

- CARTON QUANTITIES ONLY
- 5/16" band
- Made in USA

MADE IN THE
USA

Part Stainless



| PART NO. | TRADE SIZE | SIZE | CTN/MSTR |
|----------|------------|---------------|----------|
| G08004 | 4 | 1/4" - 5/8" | 10/1000 |
| G08006 | 6 | 5/16" - 7/8" | 10/1000 |
| G08008 | 8 | 3/8" - 1" | 10/500 |
| G08012 | 12 | 1/2" - 1-1/4" | 10/500 |
| G08016 | 16 | 1/2" - 1-1/2" | 10/500 |
| G08020 | 20 | 3/4" - 1-3/4" | 10/500 |
| G08024 | 24 | 1" - 2" | 10/500 |

All Stainless



| PART NO. | TRADE SIZE | SIZE | CTN/MSTR |
|----------|------------|---------------|----------|
| G09004 | 4 | 1/4" - 5/8" | 10/1000 |
| G09006 | 6 | 5/16" - 7/8" | 10/1000 |
| G09008 | 8 | 1/2" - 1" | 10/500 |
| G09012 | 12 | 1/2" - 1-1/4" | 10/500 |
| G09016 | 16 | 1/2" - 1-1/2" | 10/500 |
| G09020 | 20 | 3/4" - 1-3/4" | 10/500 |
| G09024 | 24 | 1" - 2" | 10/500 |

Ⓢ Items marked with the Jones Stephens logo are "You Need It...We Got It" Items.

Full Size Gear Clamp

- CARTON QUANTITIES ONLY
- 1/2" band
- Made in USA

MADE IN THE
USA

Part Stainless



| PART NO. | TRADE SIZE | SIZE | CTN/MSTR |
|----------|------------|-----------------|----------|
| G10006 | 6 | 3/8" - 7/8" | 10/200 |
| G10008 | 8 | 7/16" - 1" | 10/200 |
| G10010 | 10 | 1/2" - 1-1/16" | 10/500 |
| G10012 | 12 | 1/2" - 1-1/4" | 10/500 |
| G10016 | 16 | 3/4" - 1-1/2" | 10/500 |
| G10020 | 20 | 3/4" - 1-3/4" | 10/500 |
| G10024 | 24 | 1" - 2" | 10/500 |
| G10032 | 32 | 1-1/2" - 2-1/2" | 10/500 |
| G10036 | 36 | 7/8" - 2-3/4" | 10/500 |
| G10040 | 40 | 1-1/8" - 3" | 10/200 |
| G10052 | 52 | 1-7/8" - 3-3/4" | 10/100 |
| G10072 | 72 | 3-1/8" - 5" | 10/100 |
| G10080 | 80 | 3-5/8" - 5-1/2" | 10/100 |
| G10104 | 104 | 5" - 7" | 10/100 |

All Stainless



| PART NO. | TRADE SIZE | SIZE | CTN/MSTR |
|----------|------------|------------------|----------|
| G11006 | 6 | 3/8" - 7/8" | 10/200 |
| G11008 | 8 | 7/16" - 1" | 10/200 |
| G11010 | 10 | 1/2" - 1-1/16" | 10/500 |
| G11012 | 12 | 1/2" - 1-1/4" | 10/500 |
| G11016 Ⓢ | 16 | 11/16" - 1-1/2" | 10/500 |
| G11020 | 20 | 3/4" - 1-3/4" | 10/500 |
| G11024 | 24 | 1" - 2" | 10/500 |
| G11028 | 28 | 1-5/16" - 2-1/4" | 10/500 |
| G11032 | 32 | 1-9/16" - 2-1/2" | 10/500 |
| G11036 | 36 | 7/8" - 2-3/4" | 10/500 |
| G11040 | 40 | 1-1/8" - 3" | 10/200 |
| G11044 | 44 | 2-1/4" - 3 1/4" | 10/200 |
| G11048 | 48 | 1-5/8" - 3-1/2" | 10/200 |
| G11052 | 52 | 1-7/8" - 3-3/4" | 10/200 |
| G11056 | 56 | 2-1/8" - 4" | 10/100 |
| G11064 | 64 | 2-1/2" - 4-1/2" | 10/100 |
| G11072 | 72 | 3" - 5" | 10/100 |
| G11080 | 80 | 3-1/2" - 5-1/2" | 10/100 |
| G11088 | 88 | 4" - 6" | 10/100 |
| G11096 | 96 | 4-3/4" - 6-1/2" | 10/100 |
| G11104 | 104 | 5" - 7" | 10/100 |

D

“68” Series Stainless Steel Gear Clamp

- 9/16" band
- All stainless, 300 grade construction
- Ideal for well drilling and applications requiring marine grade stainless clamps
- CARTON QUANTITIES ONLY
- Made in USA

MADE IN THE
USA



| PART NO. | TRADE SIZE | SIZE | CTN/MSTR |
|----------|------------|-----------------|----------|
| G14006 | 6 | 3/8" - 7/8" | 10/200 |
| G14008 | 8 | 7/16" - 1" | 10/200 |
| G14010 | 10 | 1/2" - 1-1/16" | 10/500 |
| G14012 | 12 | 1/2" - 1-1/4" | 10/500 |
| G14016 | 16 | 11/16" - 1-1/2" | 10/500 |
| G14020 | 20 | 3/4" - 1-3/4" | 10/500 |
| G14024 | 24 | 1" - 2" | 10/500 |
| G14028 | 28 | 1-1/4" - 2-1/4" | 10/500 |
| G14032 | 32 | 1-1/2" - 2-1/2" | 10/500 |
| G14036 | 36 | 1-3/4" - 2-3/4" | 10/200 |
| G14040 | 40 | 1-1/8" - 3" | 10/200 |
| G14044 | 44 | 2-1/4" - 3-1/4" | 10/200 |
| G14048 | 48 | 1-5/8" - 3-1/2" | 10/200 |
| G14052 | 52 | 1-7/8" - 3-3/4" | 10/100 |
| G14056 | 56 | 2-1/8" - 4" | 10/100 |
| G14064 | 64 | 2-1/2" - 4-1/2" | 10/100 |
| G14072 | 72 | 3" - 5" | 10/100 |
| G14080 | 80 | 3-1/2" - 5-1/2" | 10/100 |
| G14088 | 88 | 4" - 6" | 10/100 |
| G14096 | 96 | 4-1/2" - 6-1/2" | 10/100 |
| G14104 | 104 | 5" - 7" | 10/100 |

Replacement Clamp For Flexible Coupling

- CARTON QUANTITIES ONLY
- Made in USA

MADE IN THE
USA



| PART NO. | DESCRIPTION | CTN/MSTR |
|----------|----------------------|----------|
| G15002 | 2" Replacement clamp | 10/200 |
| G15003 | 3" Replacement clamp | 10/100 |
| G15004 | 4" Replacement clamp | 10/100 |
| G15006 | 6" Replacement clamp | 1/100 |
| G15008 | 8" Replacement clamp | 1/50 |

D

Stainless Steel Gear Clamp

- 9/16" band
- All stainless
- Hanging bag
- CARTON QUANTITIES ONLY



| PART NO. | TRADE SIZE | SIZE | CTN/MSTR |
|----------|------------|-----------------|----------|
| G16006 | 6 | 3/8" - 7/8" | 200/2000 |
| G16008 | 8 | 7/16" - 1" | 100/1000 |
| G16010 | 10 | 1/2" - 1-1/16" | 100/1000 |
| G16012 | 12 | 1/2" - 1-1/4" | 100/1000 |
| G16016 | 16 | 11/16" - 1-1/2" | 100/1000 |
| G16020 | 20 | 3/4" - 1-3/4" | 100/1000 |
| G16024 | 24 | 1" - 2" | 1 |
| G16028 | 28 | 1-1/4" - 2-1/4" | 100/1000 |
| G16032 | 32 | 1-1/2" - 2-1/2" | 100/1000 |
| G16036 | 36 | 1-3/4" - 2-3/4" | 100/1000 |
| G16040 | 40 | 1-1/8" - 3" | 100/500 |
| G16044 | 44 | 2-1/4" - 3-1/4" | 100/500 |
| G16048 | 48 | 1-5/8" - 3-1/2" | 100/500 |
| G16052 | 52 | 1-7/8" - 3-3/4" | 100/500 |
| G16056 | 56 | 2-1/8" - 4" | 100/500 |
| G16064 | 64 | 2-1/2" - 4-1/2" | 100/500 |
| G16072 | 72 | 3" - 5" | 1 |
| G16080 | 80 | 3-1/2" - 5-1/2" | 50/200 |
| G16088 | 88 | 4" - 6" | 50/250 |
| G16096 | 96 | 4-1/2" - 6-1/2" | 50 |
| G16104 | 104 | 5" - 7" | 50/250 |

Asbestos-Free Full Face Gasket



- Meets ASTM F152, F36A and F146
- 1/16" thick
- Temperature rating of 750°F
- Manufactured of Garlock 4401

| PART NO. | SIZE | LBS. |
|----------|--------|------|
| G54075 | 3/4" | 150 |
| G54001 | 1" | 150 |
| G54013 | 1-1/4" | 150 |
| G54015 | 1-1/2" | 150 |
| G54002 | 2" | 150 |
| G54025 | 2-1/2" | 150 |
| G54003 | 3" | 150 |
| G54035 | 3-1/2" | 150 |
| G54004 | 4" | 150 |
| G54005 | 5" | 150 |
| G54006 | 6" | 150 |
| G54008 | 8" | 150 |
| G54010 | 10" | 150 |
| G54012 | 12" | 150 |

Red Rubber Full Face Gasket



- Meets ASTM D1330
- 1/16" thick
- Temperature rating of 350° F

| PART NO. | SIZE | LBS. |
|----------|--------|------|
| G51050 | 1/2" | 150 |
| G51075 | 3/4" | 150 |
| G51001 | 1" | 150 |
| G51013 | 1-1/4" | 150 |
| G51015 | 1-1/2" | 150 |
| G51002 | 2" | 150 |
| G51025 | 2-1/2" | 150 |
| G51003 | 3" | 150 |
| G51035 | 3-1/2" | 150 |
| G51004 | 4" | 150 |
| G51005 | 5" | 150 |
| G51006 | 6" | 150 |
| G51008 | 8" | 150 |
| G51010 | 10" | 150 |
| G51012 | 12" | 150 |

Asbestos-Free Ring Gasket



- Meets ASTM F152, F36A and F146
- 1/16" thick
- Temperature rating of 750°F
- Manufacture of Garlock 4401

| PART NO. | SIZE | LBS. |
|----------|--------|------|
| G53050 | 1/2" | 150 |
| G53075 | 3/4" | 150 |
| G53001 | 1" | 150 |
| G53013 | 1-1/4" | 150 |
| G53015 | 1-1/2" | 150 |
| G53002 | 2" | 150 |
| G53025 | 2-1/2" | 150 |
| G53003 | 3" | 150 |
| G53035 | 3-1/2" | 150 |
| G53004 | 4" | 150 |
| G53005 | 5" | 150 |
| G53006 | 6" | 150 |
| G53008 | 8" | 150 |
| G53010 | 10" | 150 |
| G53012 | 12" | 150 |

Red Rubber Ring Gasket



- Meets ASTM D1330
- 1/16" thick
- Temperature rating of 350° F

| PART NO. | SIZE | LBS. |
|----------|--------|------|
| G52075 | 3/4" | 150 |
| G52001 | 1" | 150 |
| G52013 | 1-1/4" | 150 |
| G52015 | 1-1/2" | 150 |
| G52002 | 2" | 150 |
| G52025 | 2-1/2" | 150 |
| G52003 | 3" | 150 |
| G52035 | 3-1/2" | 150 |
| G52004 | 4" | 150 |
| G52005 | 5" | 150 |
| G52006 | 6" | 150 |
| G52008 | 8" | 150 |
| G52010 | 10" | 150 |
| G52012 | 12" | 150 |

Asbestos-Free Full Face Gasket



- Meets ASTM F152, F36A and F146
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts
- Constructed of Garlock 4401

| PART NO. | PIPE SIZE | BOLT SIZE | BOLTS/ KIT |
|----------|-----------|---------------|------------|
| G54115 | 1-1/2" | 1/2" x 2-1/4" | 4 |
| G54102 | 2" | 5/8" x 2-3/4" | 4 |
| G54125 | 2-1/2" | 5/8" x 3" | 4 |
| G54103 | 3" | 5/8" x 3" | 4 |
| G54104 | 4" | 5/8" x 3" | 8 |
| G54105 | 5" | 3/4" x 3-1/4" | 8 |
| G54106 | 6" | 3/4" x 3-1/4" | 8 |
| G54108 | 8" | 3/4" x 3-1/2" | 8 |
| G54110 | 10" | 7/8" x 3-3/4" | 12 |
| G54112 | 12" | 7/8" x 4" | 12 |

D

Asbestos-Free Ring Gasket Kit



- Meets ASTM F152, F36A and F146
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts
- Constructed of Garlock 4401

| PART NO. | PIPE SIZE | BOLT SIZE | BOLTS/ KIT |
|----------|-----------|---------------|------------|
| G53101 | 1" | 1/2" x 2" | 4 |
| G53113 | 1-1/4" | 1/2" x 2-1/4" | 4 |
| G53115 | 1-1/2" | 1/2" x 2-1/4" | 4 |
| G53102 | 2" | 5/8" x 2-3/4" | 4 |
| G53125 | 2-1/2" | 5/8" x 3" | 4 |
| G53103 | 3" | 5/8" x 3" | 4 |
| G53104 | 4" | 5/8" x 3" | 8 |
| G53105 | 5" | 3/4" x 3-1/4" | 8 |
| G53106 | 6" | 3/4" x 3-1/4" | 8 |
| G53108 | 8" | 3/4" x 3-1/2" | 8 |
| G53110 | 10" | 7/8" x 3-3/4" | 12 |

Red Rubber Full Face Gasket Kit



- Meets ASTM D1330
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts

| PART NO. | PIPE SIZE | BOLT SIZE | BOLTS/ KIT |
|----------|-----------|---------------|------------|
| G51102 | 2" | 5/8" x 2-3/4" | 4 |
| G51125 | 2-1/2" | 5/8" x 3" | 4 |
| G51103 | 3" | 5/8" x 3" | 4 |
| G51135 | 3-1/2" | 5/8" x 3" | 8 |
| G51104 | 4" | 5/8" x 3" | 8 |
| G51105 | 5" | 3/4" x 3-1/4" | 8 |
| G51106 | 6" | 3/4" x 3-1/4" | 8 |
| G51108 | 8" | 3/4" x 3-1/2" | 8 |
| G51110 | 10" | 7/8" x 3-3/4" | 12 |
| G51112 | 12" | 7/8" x 4" | 12 |

Red Rubber Ring Gasket Kit



- Meets ASTM D1330
- Gaskets are 1/16" thick
- ASTM A307 hex bolts and heavy hex nuts

| PART NO. | PIPE SIZE | BOLT SIZE | BOLTS/ KIT |
|----------|-----------|---------------|------------|
| G52115 | 1-1/2" | 1/2" x 2-1/4" | 4 |
| G52102 | 2" | 5/8" x 2-3/4" | 4 |
| G52125 | 2-1/2" | 5/8" x 3" | 4 |
| G52103 | 3" | 5/8" x 3" | 4 |
| G52104 | 4" | 5/8" x 3" | 8 |
| G52105 | 5" | 3/4" x 3-1/4" | 8 |
| G52106 | 6" | 3/4" x 3-1/4" | 8 |
| G52108 | 8" | 3/4" x 3-1/2" | 8 |
| G52110 | 10" | 7/8" x 3-3/4" | 12 |

Insulation Kit with Poly Sleeves



- Use with flange connection kits
- To form dielectric connection use fiber washers

| PART NO. | SIZE | #SLEEVES | #WASHERS |
|----------|--------|----------|----------|
| G55150 | 1-1/2" | 4 | 8 |
| G55200 | 2" | 4 | 8 |
| G55250 | 2-1/2" | 4 | 8 |
| G55300 | 3" | 4 | 8 |
| G55350 | 4" | 8 | 16 |
| G55400 | 5" | 8 | 16 |
| G55450 | 6" | 8 | 16 |
| G55500 | 8" | 8 | 16 |
| G55550 | 10" | 12 | 24 |
| G55600 | 12" | 12 | 24 |

Asbestos-Free Ring Gasket Kit with Insulation Kit



| PART NO. | PIPE SIZE | BOLT SIZE | BOLTS/ KIT |
|----------|-----------|---------------|------------|
| G53203 | 3" | 5/8" x 3" | 4 |
| G53204 | 4" | 5/8" x 3" | 8 |
| G53206 | 6" | 3/4" x 3-1/4" | 8 |
| G53215 | 1-1/2" | 1/2" x 2-1/4" | 4 |
| G53225 | 2-1/2" | 5/8" x 3" | 4 |

Asbestos-Free Full Face Gasket Kit with Insulation Kit



| PART NO. | PIPE SIZE | BOLT SIZE | BOLTS/ KIT |
|----------|-----------|---------------|------------|
| G54215 | 1-1/2" | 1/2" x 2-1/4" | 4 |
| G54202 | 2" | 5/8" x 2-3/4" | 4 |
| G54225 | 2-1/2" | 5/8" x 3" | 4 |
| G54203 | 3" | 5/8" x 3" | 4 |
| G54204 | 4" | 5/8" x 3" | 8 |
| G54205 | 5" | 3/4" x 3-1/4" | 8 |
| G54206 | 6" | 3/4" x 3-1/4" | 8 |
| G54208 | 8" | 3/4" x 3-1/2" | 8 |
| G54210 | 10" | 7/8" x 3-3/4" | 12 |
| G54212 | 12" | 7/8" x 4" | 12 |

Red Rubber Sheet Packing/Gasket Material

- Priced per roll (approximately 100 pounds)
- FULL ROLLS ONLY



| PART NO. | DESCRIPTION | CTN QTY |
|----------|-----------------|---------|
| G55016 | 1/16"x 36"x 60' | 1 roll |
| G55018 | 1/8"x 36"x 30' | 1 roll |
| G55014 | 1/4"x 36"x 15' | 1 roll |

Red Rubber Sheet Packing/Gasket Material

D



- Single 3'x 5' sheet

| PART NO. | MATERIAL | THICKNESS | CTN QTY |
|----------|----------------------|-----------|---------|
| G55116 | Red Rubber (1 sheet) | 1/16" | 1 roll/ |
| G55118 | Red Rubber (1 sheet) | 1/8" | 1 roll |

Gasket and Washer Materials



- Make your own gaskets and washers
- 6"x 6" square in hanging display bag

| PART NO. | MATERIAL | THICKNESS | CTN QTY |
|----------|-------------------------|-----------|---------|
| G55001 | Red Rubber (1 sheet) | 1/16" | 1 |
| G55002 | Black Fiber (1 sheet) | 1/32" | 1 |
| G55003 | Cork/Rubber (1 sheet) | 1/16" | 1 |
| G55004 | Combo (1 sheet of each) | — | 1 |

Circulator Flange Gasket Pair



- SOLD IN PAIRS ONLY

| PART NO. | DESCRIPTION | CTN QTY |
|----------|--------------------------|---------|
| G55005 | Circulator Flange Gasket | 1 |

Water Hammer Arresters

- Maximum working temp: 250°F
- Maximum working pressure: 300psi
- Burst pressure: 2900psi
- Poly Bagged
- UPC Listed
- Lead Free



| FIXTURE | TYPE OF SUPPLY CONTROL | PUBLIC | | | PRIVATE | | |
|---------------------|------------------------|--------|-------|-------|---------|-------|-------|
| | | TOTAL | C.W. | H.W. | TOTAL | C.W. | H.W. |
| Water Closet | Flush Valve | 10 | 10 | -- | 6 | 6 | -- |
| Water Closet | Flush Tank | 5 | 5 | -- | 3 | 3 | -- |
| Pedestal Urinal | Flush Valve | 10 | 10 | -- | -- | -- | -- |
| Stall or Wall Unit | Flush Valve | 5 | 5 | -- | -- | -- | -- |
| Stall or Wall Unit | Flush Tank | 3 | 3 | -- | -- | -- | 1 |
| Lavatory | Faucet | 2 | 1-1/2 | 1-1/2 | 1 | 1 | 1-1/2 |
| Bath tub | Faucet | 4 | 2 | 3 | 2 | 1-1/2 | 1-1/2 |
| Shower Head | Mixing Valve | 4 | 2 | 3 | 2 | 1 | 2 |
| Bathroom Group | Flush Valve Closet | -- | -- | -- | 8 | 8 | 3 |
| Bathroom Group | Flush Tank Closet | -- | -- | -- | 6 | 6 | 3 |
| Separate Shower | Mixing Valve | -- | -- | -- | 2 | 1 | 2 |
| Service Sink | Faucet | 3 | 3 | 3 | -- | -- | -- |
| Laundry Tubs (3) | Faucet | -- | -- | -- | 3 | 3 | 3 |
| Combination Fixture | Faucet | -- | -- | -- | 3 | 3 | 3 |

Now apply the total fixture units to Table B to obtain your PDI size value.

| | | | | | | | |
|--------------------|----------------|------|-------|-------|--------|---------|---------|
| PDI SIZE ARRESTER: | AA | A | B | C | D | E | F |
| FIXTURE UNITS: | 1-5 | 1-11 | 12-32 | 33-60 | 61-113 | 114-154 | 155-330 |
| THREAD SIZE: | 1/2 | 1/2 | 3/4 | 3/4 | 1 | 1 | 1 |
| CATALOG NUMBER: | ALL A97 SERIES | | | | | | |

MIP AA



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| A97001 | 1/2" | 1 |

MSWT AA



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| A97002 | 1/2" | 1 |

CPVC AA



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| A97004 | 1/2" | 1 |

PEX TEE AA



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| A97007 | 1/2" | 1 |

OD TEE AA



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| A97009 | 3/8" | 1 |

MHT x FHS AA



| PART NO. | SIZE | CTN/MSTR |
|----------|------|----------|
| A97011 | 3/4" | 1 |