



 **MATCO-NORCA**
Global sourcing. National compliance. Local service.

NEW YORK • TEXAS • CALIFORNIA

Table Of Contents

ITEM NAME PAGE NUMBER

A

Aztec Boiler Drain	22
Aztec Garden Valve	22
Aztec Hose Bibb	22
Aztec Low Pressure Valves	22-24

B

Balancing Valves	37
------------------	----

Ball Valves

CPVC	11
CSA	4-5
Full Port	4-7
Hose Bibb	25
Locking Handles	4
Nickel Plated	5-6
Pex Ends	7
PVC	10-11
SS Thumb Grip Handles	4
Stainless Steel	5
Standard Port	5-7
UL/FM	4-5
Uni-Flange	7
With Drain	7

Boiler Drains

Aztec	22
Brass	21
Bolts	51-52

Butterfly Valves

B1- PVC Wafer Style	55
B1- Parts	55
B5- Wafer Style	56
B5- Lug Style	56
B5- Parts	57
B6- Wafer Style	58
B6- Lug Style	58
B6- Parts	59
B7- Wafer Style	59
Butterfly Valve	
Part Breakdown	54

C

Cast Iron Check Valves

AWWA	47
IBBM	46
Lever & Spring	46
Lever & Weight	47
Resilient Seat	46-47
UL/FM	47
Cast Iron Flanges	50

ITEM NAME PAGE NUMBER

C (continued)

Cast Iron Gate Valves

AWWA	40-42, 45
IBBM	43-45
NRS	40-44
OS&Y	43-45
Resilient Wedge	40-42, 45
Rising Stem	43-45
UL/FM	45
Cast Iron Globe Valve	45

Check Valves

Brass	17
Bronze	17-18
Inline	18-19
Neoprene Seat	17
PVC	19
Sump Pump	19
Y Pattern	18
Circulator Flange Kit	37
Coin Key Valves	30
CPVC Low Pressure Valves	34

D

Ductile Iron Gate Valves	42
--------------------------	----

E

Evaporator Cooler Valve	36
-------------------------	----

F

Flange Accessory Kits	51
Float Rod	36
Float Valve	36
Foot Valve	18

G

Gaskets	51
Gas Valves	
1 Piece CSA	8
2 Piece CSA	8
Log Lighter CSA	9

Gate Valves

Compression Ends	14
Cross Handle	12-13
Crown Handle	12
Curb Stop Handle	13
Federal Specification	13
NRS	12-14
OS&Y	13
Quick Opening	14

ITEM NAME PAGE NUMBER

G (continued)

Gate Valves (continued)

Rising Stem	13
Wheel Handle	12-13
With CPVC Stub Outs	14
With Drain	12

Globe Valves

Hard Seat	15
Long Bonnet	15
Soft Seat	15
Stop & Waste	20
Stops	20

Garden Valve

Aztec	22
Brass	27
Ground Key Stop	35

H

Hose Bibb	22, 25-26
-----------	-----------

L

Log Lighters - CSA	9
--------------------	---

M

Meter Valve	35
MJ Accessory Sets	52

O

Oil Barrel Faucet	37
Oil Tank Valve	37
Operating Nut	53

P

PVC Flanges	50
-------------	----

PVC Valves

Ball Valves	10-11
Check Valves	19
Low Pressure Valves	34

R

Radiator Valves

Angle Valve	29-30
Hot Water Radiator Valve	30
Radiator Gate Valve	29
Steam Radiator	29-30

ITEM NAME PAGE NUMBER

S

Silent Check Valve	48
--------------------	----

Sillcocks

Aztec	23
Brass	27
Frost Free	28
With Pex Ends	28

Stop Valve

Brass	20
Compression Ends	20
CPVC/PVC	34
Steam Air Valves	30

Supply Valves

Multi Turn

Compression Angle	31-32
Compression Straight	31-32
Dual Compression Angle	31
Flare Outlet Angle	32
Pex Compression Angle	32
Pex Compression Straight	32

Quarter Turn- Oval Handles

Compression Angle	33
Compression Straight	33
Dual Compression Angle	33
Pex Compression Angle	33
Pex Compression Straight	33

T

T-Wrench	52
----------	----

V

Vacuum Breaker

Brass	22
Chrome	22

W

Wafer Check Valve	48
Water Heater Drain Valves	30
Washing Machine Valves	35
Wheel Handles	53

Y

Y - Strainers

Bronze	16
Cast Iron	49

Committed To Quality

Matco-Norca continues our commitment in maintaining a high standard of quality for all the products we offer. Various products in this catalog are labeled with a designated approval or certification code. Below is a brief description of these approvals:



AWWA **American Water Works Association** - Promotes public health through improvement of the quality of water. Develops standards for valves, fittings and other equipment.



ISO **International Standard Organization** - A worldwide standards coordinating organization. An internationally recognized certification for manufacturers that comply with high standards of quality control. Developed standards ISO-9000 through ISO-9004.

UL **Underwriter's Laboratory** - Tests and qualifies valve and fitting products under UL standards for safety.



FM **Factory Mutual** - Develops standards and qualifies products for use by the general public.

ANSI **American National Standards Institute** - Organization that coordinates the work among U.S. Standards writing groups. Works in conjunction with other groups such as ISO, ASME, ASTM, etc.



ASTM **American Society for Testing of Materials** - Develops standards for materials, products, systems and services.



ASME **American Society of Mechanical Engineers** - Develops standards for materials and testing as well as finished products.

MSS **Mechanical Standardization Society of the Valve and Fittings Industry, Inc.** - A committee of manufacturers that develops technical codes and standards for the Valve & Fitting industry.



ASSE **American Society of Sanitary Engineering** - Develops standards and qualifies products for plumbing and sanitary installations.

CSA **Canadian Standards Association** - Develops standards, tests and qualifies products used in gas lines and gas appliance installations.



USC **University of Southern California** - Foundation for Cross-Connection Control and Hydraulic Research. List of Approved Backflow Prevention Assemblies.

Ball Valves - Full Port



759

BALL VALVE - FULL PORT- FORGED BRASS

MATCO-NORCA
MODEL
NUMBER

SIZE

INNER
CARTON
QUANTITY

MASTER
CARTON
QUANTITY

CSA Approved - 1/2" through 2" IPS Only, Lead Free Option Available

1/4" - 2" - 150SWP 600WOG 2-1/2" - 4" - 100SWP 400WOG

IPS

C x C

759T01	-	1/4"	15	120
759T02	-	3/8"	15	120
759T03	759C03	1/2"	15	120
759T04	759C04	3/4"	10	60
759T05	759C05	1"	8	48
759T06	759C06	1-1/4"	4	24
759T07	759C07	1-1/2"	2	24
759T08	759C08	2"	2	12
759T09	759C09	2-1/2"	2	6
759T10	759C10	3"	1	4
759T11	759C11	4"	1	2

Also Available with Stainless Steel Thumb Grip Handle: 1/2" - 1-1/4"
Handles Are Not Interchangeable

759T03TS	759C03TS	1/2"	15	120
759T04TS	759C04TS	3/4"	10	80
759T05TS	759C05TS	1"	8	48
759T06TS	-	1-1/4"	4	24



759T



759C



759TS



P759LH
Locking Handle
Now Available

750

BALL VALVE - FULL PORT- FORGED BRASS

1/4" - 2" - 150SWP 600WOG

2-1/2" - 4" - 100SWP 400WOG

IPS

C x C

750T01	-	1/4"	8	80
750T02	-	3/8"	8	80
750T03	750C03	1/2"	8	80
750T04	750C04	3/4"	8	64
750T05	750C05	1"	8	48
750T06	750C06	1-1/4"	4	24
750T07	750C07	1-1/2"	2	24
750T08	750C08	2"	2	12
750T09	750C09	2-1/2"	2	6
750T10	-	3"	2	4
750T11	-	4"	1	2



750T



750C



757

BALL VALVE - FULL PORT- FORGED BRASS - UL/FM CERTIFIED - LEAD FREE

CSA Approved - 1/2" through 2" IPS Only

1/4" - 2" - 150SWP 600WOG

IPS

757T01	1/4"	12	144
757T02	3/8"	12	144
757T03	1/2"	12	144
757T04	3/4"	10	70
757T05	1"	10	60
757T06	1-1/4"	6	36
757T07	1-1/2"	4	24
757T08	2"	4	6



757T



757C



Ball Valves - Full Port & Standard Port



758

BALL VALVE - FULL PORT - FORGED BRASS - MADE IN ITALY

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
1/4" - 2" - 150SWP 600WOG			
2-1/2" - 4" - 150SWP 400WOG			
IPS	C x C		
758T01	1/4"	10	150
758T02	3/8"	10	120
758T03	1/2"	10	120
758T04	3/4"	5	60
758T05	1"	4	48
758T06	1-1/4"	4	32
758T07	1-1/2"	2	24
758T08	2"	2	16
758T09	2-1/2"	1	8
758T10	3"	1	6
758T11	4"	1	5



755

BALL VALVE - FULL PORT - FORGED BRASS - UL/FM CERTIFIED 1/2" - 2"



1/4" - 2" - 150SWP 600WOG			
2-1/2" - 4" - 100SWP 400WOG			
Nickel Plated Heavy Duty			
IPS			
755T01	1/4"	10	150
755T02	3/8"	10	120
755T03	1/2"	20	120
755T04	3/4"	12	60
755T05	1"	10	30
755T06	1-1/4"	4	20
755T07	1-1/2"	4	16
755T08	2"	2	6
755T09	2-1/2"	1	5
755T10	3"	1	5
755T11	4"	1	4

760

BALL VALVE - STANDARD PORT - ONE PIECE - 316 STAINLESS STEEL



1/4" - 1-1/4" - 1000WOG			
1-1/2" - 2" - 800WOG			
IPS			
760T01	1/4"	60	250
760T02	3/8"	40	160
760T03	1/2"	20	80
760T04	3/4"	10	40
760T05	1"	10	40
760T06	1-1/4"	5	20
760T07	1-1/2"	4	16
760T08	2"	2	8

Ball Valves - Full Port & Standard Port



754N

BALL VALVE - FULL PORT - FORGED BRASS

MATCO-NORCA
MODEL
NUMBER

SIZE

INNER
CARTON
QUANTITY

MASTER
CARTON
QUANTITY

1/4" - 2" - 150SWP 600WOG

2-1/2" - 4" - 100SWP 400WOG

Rough
Brass

Nickel
Plated

IPS

C x C

754T01N

-

1/4"

30

120

754T02N

-

3/8"

30

120

754T03N

754C03N

1/2"

15

120

754T04N

754C04N

3/4"

10

90

754T05N

754C05N

1"

6

60

754T06N

754C06N

1-1/4"

6

36

754T07N

754C07N

1-1/2"

4

24

754T08N

754C08N

2"

2

16

754T09N

-

2-1/2"

1

8

754T10N

-

3"

1

6

754T11N

-

4"

1

4

Also Available with Stainless Steel Cross Handle - IPS Only

754T05NX

1"

5

60

752N

BALL VALVE - STANDARD PORT - FORGED BRASS

400WOG - Blow Out Proof Stem

IPS

C x C

752T01N

-

1/4"

6

240

752T02N

752C02N

3/8"

6

240

752T03N

752C03N

1/2"

6

120

752T04N

752C04N

3/4"

6

120

752T05N

752C05N

1"

6

60

752T06N

752C06N

1-1/4"

2

30

752T07N

752C07N

1-1/2"

2

30

752T08N

752C08N

2"

2

24

752T09N

-

2-1/2"

1

12

752T10N

-

3"

1

8

752T11N

-

4"

1

6

Also Available with Stainless Steel Cross Handle - IPS Only

752T03NX

1/2"

10

100

752T04NX

3/4"

10

100



300BV

LONG BONNET BRASS BALL VALVE

200WOG

300LC3BV

1/2" C x C

6

72

300LT3BV

1/2" IPS

6

72

300LC4BV

3/4" C x C

6

72

300LT4BV

3/4" IPS

6

72



Ball Valves - Full Port & Standard Port



752CMP

752CMP

BALL VALVE - STANDARD PORT - FORGED BRASS

400WOG

With Compression Ends For Copper Tube

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
752CMP3	1/2" nominal	25	100
752CMP4	3/4" nominal	15	60
752CMP5	1" nominal	10	40



752TUF



752CUF

752UF

BALL VALVE - FULL PORT - UNI-FLANGE WITH GASKET, 2 BOLTS & 2 NUTS

400WOG

IPS x Flange Copper x Flange

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
752T04UF	3/4"	1	24
752T05UF	1"	2	18
752T06UF	1-1/4"	1	12
752T07UF	1-1/2"	1	10



754DT



754DC

754D

BALL VALVE - FULL PORT - CAST BRASS - WITH DRAIN

400 WOG

IPS

C x C

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
754DT3	1/2"	20	80
754DT4	3/4"	10	40
754DT5	1"	4	16
754PCAP	Drain Cap	1	500



754PX03

754PX

BALL VALVE - FULL PORT - FORGED BRASS - PEX BARB ENDS

150SWP 600 WOG

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
754PX03	1/2" x 1/2" PEX	10	100
754PX04	3/4" x 3/4" PEX	10	100
754PX05	1" x 1" PEX	8	48



755MF



755MFZ

755MF

BALL VALVE - MALE X FEMALE - CAST BRONZE

150SWP 600WOG Test Cock

With Lever Handle

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
755MF00	1/8" MIP x 1/8" FIP	12	144
755MF0	1/8" MIP x 1/4" FIP	12	144
755MF1	1/4" MIP x 1/4" FIP	12	144

With Slotted Screw

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
755MFZ0	1/8" MIP x 1/4" FIP	50	200
755MFZ1	1/4" MIP x 1/4" FIP	20	200

Ask About Our Line Of Cast Brass Adapter Fittings



58LGAN

58LGAN GAS BALL VALVE - 1/2 PSIG AND 5G - TWO PIECE

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
FIP x FIP			
58LGA3N	1/2"	12	120
58LGA4N	3/4"	12	120



58LGA

58LGA GAS BALL VALVE - 1/2 PSIG AND 5G - MADE IN ITALY - TWO PIECE

FIP x FIP Lever	Tee Head	Flat Head	Size		
58LGA2			3/8"	12	144
58LGA3	58TGA3	58FGA3	1/2"	12	144
58LGA4	58TGA4	58FGA4	3/4"	12	144
58LGA5			1"	6	96



58LGAF

58LGAF GAS BALL VALVE - 1/2 PSIG AND 5G - TWO PIECE

FIP x Flare					
58LGAF32	1/2" FIP x 3/8" FL.	12	144		
58LGAF33	1/2" FIP x 1/2" FL.	12	144		
58LGAF39	1/2" FIP x 9/16" - 24	12	144		
58LGAF4	3/4" FIP x 15/16" - 24	12	144		



58LGFF

58LGFF GAS BALL VALVE - 1/2 PSIG AND 5G - TWO PIECE

Flare x Flare					
58LGFF2	3/8" O.D. x 3/8" O.D.	12	144		
58LGFF3	1/2" O.D. x 1/2" O.D.	12	144		



59LGA

59LGA GAS BALL VALVE- 1/2 PSIG AND 5G - MADE IN ITALY - ONE PIECE

FIP x FIP					
59LGA2	3/8"	1	100		
59LGA3	1/2"	12	96		
59LGA4	3/4"	20	80		



59LGAF

59LGAF GAS BALL VALVE - 1/2 PSIG AND 5G - MADE IN ITALY - ONE PIECE

FIP x Flare					
59LGAF32	1/2" FIP x 3/8" FL.	1	144		
59LGAF33	1/2" FIP x 1/2" FL.	12	144		
59LGAF34	3/4" FIP x 1/2" FL.	1	1		
59LGAF39	1/2" FIP x 9/16" - 24	12	144		



59LGFF

59LGFF GAS BALL VALVE - 1/2 PSIG AND 5G - MADE IN ITALY - ONE PIECE

Flare x Flare					
59LGFF2	3/8" O.D. x 3/8" O.D.	1	100		
59LGFF3	1/2" O.D. x 1/2" O.D.	12	144		
59LGFF4	5/8" O.D. x 5/8" O.D.	1	100		

Log Lighter Valves & Accessories

	MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
58ST LOG LIGHTER VALVES - COMPLETE KITS INCLUDE VALVE, ESCUTCHEON AND 3" KEY				
Valve Only				
	58-S03	1/2" Straight Valve	15	120
	58-A03	1/2" Angle Valve	15	120
Straight Valve - Complete Kit				
	58-STR03	1/2" With Chrome Plated Escutcheon & Key	1	25
	58-STR03P	1/2" With Polished Brass Escutcheon & Key	1	25
Angle Valve - Complete Kit				
	58-ANG03	1/2" With Chrome Plated Escutcheon & Key	1	25
	58-ANG03P	1/2" With Polished Brass Escutcheon & Key	1	25
58 LOG LIGHTER VALVE - ESCUTCHEONS & KEYS				
Escutcheons				
	58-300BN	Flat Pewter	1	1
	58-300SN	Flat Stain Nickel	20	120
	58-300CPD	Domed Chrome Plated	20	120
	58-300PBD	Domed Polish Brass	12	72
	58-300BND	Domed Pewter	1	1
	58-300SND	Domed Satin Nickel	20	72
	58-300CP	Flat Chrome Plated	20	120
	58-300PB	Flat Polished Brass	20	120
Keys				
	58-200CP	3" Chrome Plated for 1/4" Stem	1	400
	58-2516CP	3" Chrome Plated for 5/16" Stem	1	250
	58-208CP	8" Chrome Plated for 1/4" Stem	1	400
	58-210CP	10" Chrome Plated for 1/4" Stem	40	160
	58-212CP	12" Chrome Plated for 1/4" Stem	20	100
	58-200PB	3" Polished Brass for 1/4" Stem	50	400
	58-2516PB	3" Polished Brass for 5/16" Stem	1	250
	58-208PB	8" Polished Brass for 1/4" Stem	1	180
	58-212PB	12" Polished Brass for 1/4" Stem	20	120
	58-200BN	3" Pewter for 1/4" Stem	1	1
	58-208BN	8" Pewter for 1/4" Stem	1	400
	58-212BN	12" Pewter for 1/4" Stem	20	100
	58-212SN	12" Satin Nickel for 1/4" Stem	20	100

Ask About Our Line Of Cast Iron Threaded Fittings

PVC & CPVC Ball Valves



773

773 PVC BALL VALVE - SINGLE UNION - SOLVENT & THREADED

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
150 PSI			
SOLVENT THREADED			
773S07	773T07 1-1/2"	1	48
773S08	773T08 2"	1	24




772ST

772ST PVC BALL VALVE - TRUE UNION - SOLVENT & THREADED ENDS

Both Solvent & Threaded Ends In Box			
772ST03	1/2"	1	72
772ST04	3/4"	1	60
772ST05	1"	1	45
772ST06	1-1/4"	1	24
772ST07	1-1/2"	1	16
772ST08	2"	1	12

See below for 2-1/2" - 4" True Union Ball Valves

IPS & SLIP ENDS



772S

772T

772 PVC BALL VALVE - SOLVENT OR THREADED ENDS

Solvent or Threaded Ends In Box			
True Union 150 PSI			
SOLVENT THREADED			
772S09	772T09 2-1/2"	1	6
772S10	772T10 3"	1	6
772S11	772T11 4"	1	1



771S

771 CPVC BALL VALVE - COPPER TUBE SIZE - NSF - TEFLON SEATS

100PSI @ 180°F			
SOLVENT			
771S03	1/2"	1	100
771S04	3/4"	1	100
771S05	1"	5	40
771S06	1-1/4"	1	100
771S07	1-1/2"	1	48
771S08	2"	1	24



514T



514C



514TX



514TP



514

GATE VALVE - FULL PORT - CAST BRASS - SOLID WEDGE - HEAVY PATTERN

Prop 65 Compliant - 200WOG

Wheel Handle IPS	Wheel Handle C x C	Cross Handle IPS	Crown Handle IPS	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
514T01	-	-	-	1/4"	10	120
514T02	-	-	-	3/8"	10	120
514T03	514C03	514T03X	514T03P	1/2"	10	120
514T04	514C04	514T04X	514T04P	3/4"	10	80
514T05	514C05	514T05X	514T05P	1"	5	60
514T06	514C06	514T06X	514T06P	1-1/4"	5	40
514T07	514C07	514T07X	514T07P	1-1/2"	5	30
514T08	514C08	514T08X	514T08P	2"	2	24
514T09	514C09	514T09X	514T09P	2- 1/2"	1	10
514T10	514C10	514T10X	514T10P	3"	1	6
514T11	514C11	514T11X	-	4"	1	4

Replacement Handles Of Each Type Are Available.



503T

503

GATE VALVE - FULL PORT - MSS-SP-80 - BRONZE 85/5/5/5

150SWP 300WOG

IPS Only

503T03	1/2"	10	100
503T04	3/4"	6	60
503T05	1"	5	40
503T06	1-1/4"	5	30
503T07	1-1/2"	4	24
503T08	2"	4	16
503T09	2-1/2"	2	8
503T10	3"	1	6
503T11	4"	1	4



517T



517C

517

GATE VALVE WITH DRAIN - CAST BRASS - NON RISING STEM



200WOG 125SWP

IPS	C x C	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
-	517C03	1/2"	10	120
-	517C04	3/4"	10	90
517T05	517C05	1"	5	60

Bronze Gate Valves With Federal Specification



501T

501

GATE VALVE - OS&Y - Rising Stem - BRONZE



175CWP

IPS Only

501T04

501T05

501T06

501T07

501T08

SIZE

INNER
CARTON
QUANTITY

MASTER
CARTON
QUANTITY

3/4"

6

60

1"

16

48

1-1/4"

12

36

1-1/2"

2

8

2"

1

6



511T



511C

511

GATE VALVE - FEDERAL SPECIFICATION 54 CLASS A TYPE 1- NON RISING STEM - MSS-SP-80 - BRONZE

150SWP 300WOG

IPS

C x C

511T03

511C03

1/2"

10

80

511T04

511C04

3/4"

10

60

511T05

511C05

1"

5

40

511T06

511C06

1-1/4"

5

30

511T07

511C07

1-1/2"

4

24

511T08

511C08

2"

2

12

511T10

-

3"

1

4



512T



512C

512

GATE VALVE - FEDERAL SPECIFICATION 54 CLASS A TYPE 1- RISING STEM - MSS-SP-80 - BRONZE

150SWP 300WOG

IPS

C x C

512T03

512C03

1/2"

1

80

512T04

512C04

3/4"

1

60

512T05

512C05

1"

1

40

512T06

512C06

1-1/4"

1

30

512T07

512C07

1-1/2"

1

24

512T08

512C08

2"

1

12

512T09

-

2-1/2"

1

8

512T10

-

3"

1

4



513T



513TX



513CS

513

GATE VALVE - FULL PORT - HEAVY-DUTY - NON RISING STEM - MSS-SP-80 - BRONZE

125SWP 200WOG

IPS Only

Wheel
Handle

Cross
Handle

Curb Stop
Handle

513T03

-

-

1/2"

10

120

513T04

513T04X

-

3/4"

5

50

513T05

-

-

1"

5

40

513T06

513T06X

-

1-1/4"

4

24

513T07

-

-

1-1/2"

4

24

513T08

513T08X

513T08CS

2"

1

6

-

513T09X

-

2-1/2"

1

10

-

513T10X

-

3"

1

6

Replacement Handles Of Each Type Are Available.

Ask About Our Line Of Compression Couplings



519T

519 GATE VALVE WITH COMPRESSION ENDS - CAST BRASS FOR COPPER PIPE - NON RISING STEM



200WOG

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
519T03	1/2" nominal	10	120
519T04	3/4" nominal	10	90
519T05	1" nominal	5	60



519TP

519TP GATE VALVE - CAST BRASS - COMPRESSION WITH CPVC STUB-OUTS - COPPER TUBE SIZE

200WOG

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
519T03TP	1/2"	12	72
519T04TP	3/4"	10	90



730T

730 QUICK OPENING GATE VALVE - LEVER HANDLE - WITHOUT SPRING - CAST BRONZE - MADE IN ITALY

200WOG IPS

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
730T03	1/2"	20	100
730T04	3/4"	20	100
730T05	1"	10	50
730T06	1-1/4"	10	50
730T07	1-1/2"	6	30
730T08	2"	4	20
730T09	2-1/2"	2	12
730T10	3"	2	10
730T11	4"	1	5

Globe Valves



200

200

GLOBE VALVE - BRASS - HARD SEAT

MATCO-NORCA
MODEL
NUMBER

SIZE

INNER
CARTON
QUANTITY

MASTER
CARTON
QUANTITY

200WOG

IPS

200T02	3/8"	10	100
200T03	1/2"	10	100
200T04	3/4"	5	60
200T05	1"	5	40
200T06	1-1/4"	5	30
200T07	1-1/2"	4	24
200T08	2"	2	16



240T

240T

ANGLE CONTROL VALVE - GLOBE PATTERN - BRASS - SOFT SEAT - CROSS HANDLE

200WOG

IPS

240T04	3/4"	8	40
240T05	1"	4	24
240T06	1-1/4"	2	10
240T07	1-1/2"	2	10
240T08	2"	2	10



240TH

240H

ANGLE CONTROL VALVE - GLOBE PATTERN - BRASS - SOFT SEAT - WHEEL HANDLE

200WOG

IPS

240T04H	3/4"	2	40
240T06H	1-1/4"	2	24
240T07H	1-1/2"	2	24
240T08H	2"	2	24



200LT



200ALC

200L/200AL

GLOBE VALVE - LONG BONNET - BRASS - SOFT SEAT

200WOG

Straight Pattern

200LT3	1/2" IPS	12	72
200LT4	3/4" IPS	12	72
200LC3	1/2" C x C	12	72
200LC4	3/4" C x C	12	72

Angle Pattern

200ALT3	1/2" IPS	12	72
200ALC3	1/2" C x C	12	72

Bronze Y Strainers



143T



143C

143 Y-STRAINER - BRONZE - 40 MESH STAINLESS STEEL SCREEN - MADE IN ITALY

MATCO-NORCA
MODEL
NUMBER

SIZE

INNER
CARTON
QUANTITY

MASTER
CARTON
QUANTITY

Blow Off Tap - Less Plug - Compact Design
400WOG

IPS	C x C	Size	Tap & Plug Size	Brass Plug		
143T02	-	3/8"	1/4"	B-PL01	1	200
143T03	143C03	1/2"	1/4"	B-PL01	1	120
143T04	143C04	3/4"	1/4"	B-PL01	1	100
143T05	143C05	1"	1/2"	B-PL03	1	60
143T06	143C06	1-1/4"	1/2"	B-PL03	1	30
143T07	143C07	1-1/2"	3/4"	B-PL04	1	24
143T08	143C08	2"	1"	B-PL05	1	16

Up to 100 mesh screens available, sold separately.

Y Strainers with solid caps are available.

Brass Plugs are available for purchase by tap size, part numbers listed above.

145 Y-STRAINER - CAST BRONZE - BRASS PLUG - 18 MESH STAINLESS SCREEN

300WOG 150SWP



145T



145C

IPS	C x C	Size	Tap & Plug Size		
145T01	145C01	1/4"	1/8"	12	48
145T02	145C02	3/8"	1/8"	12	48
145T03	145C03	1/2"	1/4"	12	48
145T04	145C04	3/4"	1/4"	8	48
145T05	145C05	1"	3/8"	8	32
145T06	145C06	1-1/4"	3/8"	8	24
145T07	145C07	1-1/2"	1/2"	2	16
145T08	145C08	2"	1/2"	2	8
145T09	-	2-1/2"	1-1/4"	1	6
145T10	-	3"	1-1/2"	1	4

Swing Check Valves Brass & Bronze



521T



521C

521 SWING CHECK VALVE - CAST BRASS - BRASS SEAT



MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
200WOG			
IPS			
	C x C		
521T02	-	12	120
521T03	521C03	12	120
521T04	521C04	10	80
521T05	521C05	5	60
521T06	521C06	5	40
521T07	521C07	5	30
521T08	521C08	2	24
521T09	521C09	1	15
521T10	521C10	1	6
521T11	521C11	1	6

521N SWING CHECK VALVE - CAST BRASS - NEOPRENE SEAT



521N



200WOG			
IPS			
521N02	3/8"	1	120
521N03	1/2"	10	120
521N04	3/4"	10	80
521N05	1"	5	60
521N06	1-1/4"	1	40
521N07	1-1/2"	5	20
521N08	2"	1	24
521N09	2-1/2"	1	15
521N10	3"	1	6
521N11	4"	1	6

530 SWING CHECK VALVE - CAST BRONZE 85/5/5/5 - BRONZE DISC



530

300WOG			
IPS			
530T02	3/8"	12	120
530T03	1/2"	12	120
530T04	3/4"	10	80
530T05	1"	5	60
530T06	1-1/4"	5	40
530T07	1-1/2"	5	30
530T08	2"	2	24
530T09	2-1/2"	1	15
530T10	3"	1	6
530T11	4"	1	6

Check Valves Foot Valve



532T

	MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
532	SWING CHECK VALVE Y PATTERN - BRONZE 85/5/5/5			
	300WOG			
	IPS			
	532T03	1/2"	10	90
	532T04	3/4"	10	80
	532T05	1"	10	60
	532T06	1-1/4"	5	30
	532T07	1-1/2"	4	24
	532T08	2"	2	16



525T

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525

525



527

527

FOOT VALVE - STAINLESS STEEL SCREEN - BRONZE 85/5/5/5

200WOG

IPS

527T03

1/2"

1

100

527T04

3/4"

1

80

527T05

1"

1

60

527T06

1-1/4"

1

40

527T07

1-1/2"

1

30

527T08

2"

1

20

PVC Check Valves Sump Pump Check Valve



522S



522T

522

PVC SWING CHECK VALVE - PVC FLAPPER - RUBBER SEAT

MATCO-NORCA
MODEL
NUMBER

SIZE

INNER
CARTON
QUANTITY

MASTER
CARTON
QUANTITY

SOLVENT

THREADED

522S04	-	3/4"	10	120
522S05	522T05	1"	8	80
-	522T06	1-1/4"	6	60



523S



523T

523

PVC INLINE CHECK VALVE - 304 SS SPRING - 1/2 PSI CRACK PRESSURE - ONE PIECE

200WOG

SOLVENT

THREADED

523S03	523T03	1/2"	1	120
523S04	523T04	3/4"	1	120
523S05	523T05	1"	1	80
523S06	523T06	1-1/4"	1	60
523S07	523T07	1-1/2"	1	60
523S08	523T08	2"	1	40



524S



524T

524

PVC INLINE CHECK VALVE - 1/2 PSI CRACK PRESSURE - SINGLE UNION

SOLVENT

THREADED

524S03	524T03	1/2"	12	144
524S04	524T04	3/4"	6	72
524S05	524T05	1"	1	60
524S06	524T06	1-1/4"	1	48
524S07	524T07	1-1/2"	1	40
524S08	524T08	2"	1	24



529


529

SUMP PUMP CHECK VALVE - FLEXIBLE RUBBER CONNECTIONS - STAINLESS STEEL CLAMPS

529-0808	2" x 2"	10	50
529-0706	1-1/2" x 1-1/4"	10	50

Ask About Our Line Of Flexible Rubber Couplings

Stop Valves - Globe Style



201

STOP VALVE - GLOBE STYLE - BRASS - SOFT SEAT



125WOG



IPS CxC IPS With Cross Handle

201T03 201C03 201X03 1/2"
201T04 201C04 201X04 3/4"

INNER
CARTON
QUANTITY

MASTER
CARTON
QUANTITY

12

72

12

72

Replacement Handles Available



202

STOP & WASTE VALVE - GLOBE STYLE - BRASS - SOFT SEAT



125WOG



IPS C x C

202T03 202C03 1/2"
202T04 202C04 3/4"

12

72

12

72

Waste Cap Available



201A

ANGLE STOP VALVE - GLOBE STYLE - BRASS - SOFT SEAT



125WOG



201AT3 1/2" IPS
201AC3 1/2" CxC

12

72

12

72



201/202CM

STOP VALVE - COMPRESSION END FOR COPPER TUBE - BRASS NUT & FERRULE

125WOG

with Waste Cap

201CMP 202CMP 1/2" nominal
201CM4 202CM4 3/4" nominal

12


72

12

72

Waste Cap Available

201CMP



221/TF

STOP VALVE - BRASS - CPVC CONNECTION

Copper Tube Size

221 - Valve With CPVC Stub-Outs

221CP3 1/2"
221CP4 3/4"

12

72

12

72

TF - CPVC Transition Fittings

TF03 1/2"
TF04 3/4"

20

100

12

72

MATCO-NORCA
Global sourcing. National compliance. Local service.



BOILER DRAIN - 3/4" HOSE OUTLET - ANGLE SPOUT - WITH STUFFING BOX



205X03

1/2" MIP

12

72



BOILER DRAIN - 3/4" HOSE OUTLET - WITH STUFFING BOX

205TR3

12



BOILER DRAIN - 3/4" HOSE OUTLET - ANGLE SPOUT - WITH STUFFING BOX



72



BOILER DRAIN - 3/4" NOSE OUTLET - LESS STUFFING BOX



12

Vacuum Breaker Aztec Low Pressure Valves

	MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
646AS	HOSE BIBB VACUUM BREAKER - BRASS - WITH BREAK-AWAY SET SCREW			
		Conforms To ASSE 1011 Hose Connection		
	646AS4	3/4" Brass Finish	12	144
	646ASC	3/4" Chrome Plated	12	144
				
				

646AS4

AZ646R	AZTEC HOSE BIBB WITH TEE HANDLE			
	AZ646R03	1/2" MIP	12	72
	AZ646R04	3/4" MIP	12	72

AZ646R

	AZ203	AZTEC BENT NOSE GARDEN VALVE WITH STUFFING BOX - GRAPHITE PACKING			
		AZ203TF3	1/2"	12	
		AZ203TF4	3/4"	12	
		AZ203TF5	1"	12	
AZ203TF					

AZ203TF

		AZ205				AZTEC BOILER DRAIN WITH STUFFING BOX - GRAPHITE PACKING			
			125WOG						
			AZ205C034	3/4" Copper Fitting & 1/2" Copper Sweat	12	72			
			AZ205TF3	1/2" FIP	12	72			
			AZ205TF4	3/4" FIP	12	72			
			AZ205TM3	1/2" MIP	12	72			
			AZ205TM4	3/4" MIP	12	72			

AZ205C034

AZ205TF

AZ205TM

Aztec Low Pressure Valves Sillcocks & Frost Free Sillcock

GRAPHITE

AZ206

AZTEC SILLCOCK WITH STUFFING BOX - BRASS - GRAPHITE PACKING



AZ206C034



AZ206T



MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
AZ206C034	3/4" Copper Fitting & 1/2" Copper Sweat	12	72
AZ206T03	1/2" IPS	12	72
AZ206T04	3/4" IPS	12	72

GRAPHITE

AZ206/VB

AZTEC SILLCOCK WITH VACUUM BREAKER - BRASS - GRAPHITE PACKING



AZ206T/VB



AZ206T03/VB	1/2" FIP	12	72
AZ206T04/VB	3/4" FIP	12	72

GRAPHITE

AZ206/LK

AZTEC SILLCOCK WITH VACUUM BREAKER - LOOSE KEY - GRAPHITE PACKING



AZ206LK



AZ206T03LK	1/2" FIP	12	72
AZ206T04LK	3/4" FIP	12	72

GRAPHITE

AZ212

AZTEC FROST-FREE ANTI-SYPHON SILLCOCK WITH VACUUM BREAKER - GRAPHITE PACKING



AZ212



AZ212004	4"	1	24
AZ212006	6"	1	24
AZ212008	8"	1	24
AZ212010	10"	1	24
AZ212012	12"	1	24
AZ212014	14"	1	24

Ask About Our Line Of Frost Free Sillcocks

Aztec Low Pressure Valves

		MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
		AZ207 AZTEC No Kink Hose Bibb - BRASS - GRAPHITE PACKING			
			AZ207C04	3/4" Copper Fitting and 1/2" Copper Sweat	12 72
			AZ207TF3	1/2" FIP	12 72
			AZ207TF4	3/4" FIP	12 72
					AZ207TM3
	AZ207TM4			3/4" MIP	12 72
	AZ207TR3			1/2" CTS Compression With Nut & Ferrule	12 72

GRAPHITE		AZ207				AZTEC LOOSE KEY VALVE - NO KINK - BRASS - GRAPHITE PACKING			
			AZ207TF3LK	1/2" FIP	12	72			
			AZ207TF4LK	3/4" FIP	12	72			
			AZ207TM3LK	1/2" MIP	12	72			
			AZ207TM4LK	3/4" MIP	12	72			

		AZTEC NO KINK VALVE WITH VACUUM BREAKER - BRASS - GRAPHITE PACKING				
			AZ207TF3/VB	1/2" FIP	12	72
			AZ207TF4/VB	3/4" FIP	12	72
			AZ207TM3/VB	1/2" MIP	12	72
			AZ207TM4/VB	3/4" MIP	12	72
AZ207TF/VB AZ207TM/VB						

Hose Bibbs Ball Valve Hose Bibb



646R

646R HOSE BIBB - MALE - CAST BRASS

125WOG

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
646R03	1/2" MIP & 1/2" SWT x 3/4" Hose	12	72
646R04	3/4" MIP x 3/4" Hose	12	72
646R05	1" MIP x 1" Hose	12	48
P646R03H	Replacement Handle for 1/2"	1	100



646BV

646BV BALL VALVE HOSE BIBB - FORGED BRASS - 1/4 TURN - 3/4" HOSE OUTLET

125WOG

646BV03	1/2" MIP & 1/2" SWT	12	24
646BV04	3/4" MIP	12	24
P646BVC43H	Replacement Handles	1	1000



207TM



207TF



207C

207 NO KINK HOSE BIBB - 3/4" HOSE OUTLET

125WOG

MIP	Inlet		
207TM3	1/2"	12	72
207TM4	3/4"	12	72
FIP			
207TF3	1/2"	12	72
207TF4	3/4"	12	72
Sweat			
207C04	1/2" Sweat & 3/4" Copper Fitting	12	72

Specialty Brass Hose Bibbs

		MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
FY HOSE BIBB - BRASS - TEE HANDLES					
		FY-675	Chrome Plated Hose Bibb Plain End Outlet 1/2" FIP Inlet- Flanged	12	72
		FY-680	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" FIP Inlet- Flanged	12	72
		FY-681	Chrome Plated Hose Bibb Plain End Outlet 1/2" MIP Inlet-Adj. Flange	12	72
		FY-682	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" MIP Inlet-Adj. Flange	12	72
		FY-685	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" FIP Inlet	12	72
		FY-686	Rough Brass Hose Bibb 3/4" Hose End Outlet 1/2" FIP Inlet- Flanged	12	144
		FY-690	Chrome Plated Hose Bibb 3/4" Hose End Outlet 1/2" MIP Inlet	12	72
		FY-690RC	Rough Chrome Hose Bibb 3/4" Hose End 1/2" Male Iron Pipe	12	72
		FY-691	Chrome Plated Hose Bibb Plain End Outlet 1/2" MIP Inlet	12	72
		FY-690RC			
		FY-691PB	Polished Brass Hose Bibb (not shown) Plain End Outlet 1/2" MIP Inlet	12	72
		FY-692	Rough Brass Hose Bibb Plain Outlet 1/2" MIP Inlet	12	72
		FY-695	Chrome Plated Hose Bibb (not shown) 3/4" Hose End Outlet 3/4" MIP Inlet	12	144

Brass Sillcocks Garden Valves



206 SILLCOCK - 3/4" HOSE OUTLET - BRASS BODY



125WOG

FIP	Sweat	Inlet		
206T03	206C03	1/2"	12	72
206T04	206C04	3/4"	12	72



206H SILLCOCK - HEAVY PATTERN - 3/4" HOSE OUTLET - BRASS BODY -WITH STUFFING BOX



125WOG

FIP	Inlet		
206T03H	1/2" FIP	12	72
206T04H	3/4" FIP	12	72



206VB SILLCOCK - WITH ASSE 1.011 VACUUM BREAKER

125WOG

FIP	Inlet		
206T03VB	1/2" FIP	12	72



206HLK SILLCOCK - LOOSE KEY - HEAVY PATTERN - FEMALE - 3/4" HOSE OUTLET

FIP	Inlet		
206T03HLK	1/2" FIP	12	72
206T04HLK	3/4" FIP	12	72




203 GARDEN VALVE - BENT NOSE - FEMALE - 3/4" HOSE OUTLET

Bent Nose	Inlet		
203TF3	1/2" FIP	12	72
203TF4	3/4" FIP	12	72
203TF5	1" FIP	12	72
Inverted Nose			
203IF4	3/4" FIP	12	72
Loose Key			
203TL3	1/2"	12	72
203TL4	3/4"	12	72
203TL5	1"	12	72
Key Only			
203TLK		1	200

Frost Free Sillcocks

209 FROST FREE SILLCOCK - 3/4" HOSE OUTLET



209



150WOG

1/2" IPS & 1/2" SWT

SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
Length		
4"	1	24
6"	1	24
8"	1	24
10"	1	24
12"	1	24
14"	1	24

3/4" MIP & 1/2" FIP

SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
Length		
4"	1	24
6"	1	24
8"	1	24
10"	1	24
12"	1	24
14"	1	24

209PX FROST FREE SILLCOCK - PEX - 3/4" HOSE OUTLET



209PX



150WOG

1/2" PEX x 3/4" MHT

SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
4"	1	24
6"	1	24
8"	1	24
10"	1	24
12"	1	24
14"	1	24



212 FROST FREE SILLCOCK - ANTI SYPHON - 3/4" HOSE OUTLET



212



150WOG

1/2" IPS & 1/2" SWT

SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
Length		
4"	1	24
6"	1	24
8"	1	24
10"	1	24
12"	1	24
14"	1	24



212KIT - Replacement Kit Available

212PX FROST FREE SILLCOCK - PEX - ANTI SYPHON - 3/4" HOSE OUTLET



212PX



150WOG

1/2" PEX x 3/4" MHT

SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
4"	1	24
6"	1	24
8"	1	24
10"	1	24
12"	1	24
14"	1	24

Steam Radiator Angle & Gate Valves Convactor Valve



BARVY

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
BARVY STEAM RADIATOR ANGLE VALVE - BRASS - HEAVY PATTERN			
BARVY-0500	1/2" FIP With Nut & Tailpiece	10	60
BARVY-0750	3/4" FIP With Nut & Tailpiece	6	48
BARVY-1000	1" FIP With Nut & Tailpiece	4	36
BARVY-1250	1-1/4" FIP With Nut & Tailpiece	2	24
BARVY-1500	1-1/2" FIP With Nut & Tailpiece	2	16
Economy Model			
BARVY-1001N	1" FIP With Nut & Tailpiece	4	36
BARVY-1251N	1-1/4" FIP With Nut & Tailpiece	4	24



BARV

BARV STEAM RADIATOR ANGLE VALVE - BRONZE - HEAVY PATTERN			
BARV-0500	1/2" FIP With Nut & Tailpiece	10	60
BARV-0750	3/4" FIP With Nut & Tailpiece	6	48
BARV-1000	1" FIP With Nut & Tailpiece	4	36
BARV-1250	1-1/4" FIP With Nut & Tailpiece	2	24
BARV-1500	1-1/2" FIP With Nut & Tailpiece	2	18
BARV-2000	2" FIP With Nut & Tailpiece	1	8



SGV

SGV STEAM RADIATOR GATE VALVE - BRASS			
SGV-1001	1" FIP With Nut & Tailpiece	4	36
SGV-1251	1-1/4" FIP With Nut & Tailpiece	4	24



BSGV

BSGV STEAM RADIATOR GATE VALVE - BRONZE - HEAVY PATTERN			
BSGV-0500	1/2" FIP With Nut & Tailpiece	6	120
BSGV-0750	3/4" FIP With Nut & Tailpiece	6	48
BSGV-1000	1" FIP With Nut & Tailpiece	4	36
BSGV-1250	1-1/4" FIP With Nut & Tailpiece	4	24
BSGV-1500	1-1/2" FIP With Nut & Tailpiece	4	24



BCV

BCV CONVECTOR VALVE - BRONZE			
BCV-1000	1" FIP With FIP Union	2	24
BCV-1250	1-1/4" FIP With FIP Union	2	20

Radiator Valve - Air Valve Drain Valve



AHV

AHV ANGLE HOT WATER RADIATOR VALVE - BRASS

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
AHV-0500	1/2" FIP With Nut & Tailpiece	1	60
AHV-0750	3/4" FIP With Nut & Tailpiece	1	60
AHV-1000	1" FIP With Nut & Tailpiece	4	36
AHV-1250	1-1/4" FIP With Nut & Tailpiece	2	24
AHV-0500C	1/2" SWT With Nut & Tailpiece	1	60
AHV-0750C	3/4" SWT With Nut & Tailpiece	1	60

CK/KEY COIN KEY AIR VALVE



CK-100



KEY-100



HAV-125

CK-100	Coin Key Air Valve Nickle Plated	1/8"	100	1000
CKU-102	Key Air Valve	1/8"	100	1000
KEY-100	Key For Air Valve	1/8"	100	2000
HAV-125	Auto Vent HW & Steam	1/8"	50	500

AVA/AVS/ADJ CHROME PLATED STEAM AIR VALVE



AVA-125



AVS-125



ADJ-180

AVA-125	1/8" Angle - MIP	12	144
AVS-125	1/8" Straight - MIP	1	144
AVS-250	1/4" Straight - MIP	1	144
AVS-750	3/4" MIP & 1/2 FIP Straight	1	144
ADJ-180	1/8" Angle MIP Adjustable	12	144

205WH WATER HEATER DRAIN VALVE - HEAVY BRASS



205WH4

205WH3	1/2" x 1-1/4" Long 1/2" MIP & 1/2" SWT Inlet	12	72
205WH4	3/4" x 2-1/4" Long 3/4" MIP & 1/2" FIP Inlet	12	72

Ask About Our Line Of Pump & Well Products

Multi-Turn Supply Valves

		MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
29		SUPPLY VALVES - MULTI-TURN - WITH COMPRESSION OUTLET - ANGLE			
			29-1001	CP 3/8" FIP X 3/8" OD Compression	10 200
29-1001			29-1003	CP 1/2" FIP x 3/8" OD Compression	10 200
	29-1003B		29-1003B	Unplated 1/2" FIP x 3/8" OD	10 200
			29-1009	CP 1/2" SWT x 3/8" OD Compression	10 200
29-1009			29-1009B	Unplated 1/2" SWT x 3/8" OD	10 200
	29-1019		29-1019	CP 5/8" OD Compression x 3/8" OD Compression	10 200
			29-1019B	Unplated 5/8" OD Compression x 3/8" OD Compression	10 200
29-1019CPVC			29-1019CPVC	CP 5/8" OD CPVC x 3/8" OD	10 200
	29-1040		29-1040	CP 1/2" SWT x 3/8" OD Compression With 5" Extension and Bell Escutcheon	10 100

29 SUPPLY VALVES - MULTI-TURN - WITH DUAL COMPRESSION OUTLET - ANGLE						
			29-2001	CP 5/8" OD x 3/8" OD x 3/8" OD	10	200
29-2001			29-2001B	Unplated 5/8" OD x 3/8" OD x 3/8" OD	10	200
	29-2001B					

29		SUPPLY VALVES - MULTI-TURN - WITH COMPRESSION OUTLET - STRAIGHT				
			29-1002	CP 3/8" FIP x 3/8" OD Compression	10	200
29-1004			29-1004	CP 1/2" FIP x 3/8" OD Compression	10	200
			29-1010	CP 1/2" SWT x 3/8" OD Compression	10	200
	29-1010		29-1010B	CP 1/2" SWT x 3/8" OD Compression - Unplated	10	200
29-1010B			29-1014	CP 5/8" OD Compression x 3/8" OD Compression	10	200
			29-1020	CP 1/2" OD Compression x 3/8" OD Compression	10	200
			29-1041	CP 1/2" SWT x 3/8" OD Compression With 5" Extension and Bell Escutcheon	10	100
29-1041	29-1014		29-1014CPVC	CP 5/8" OD CPVC x 3/8" OD Straight Stop	10	200
			29-1575	CP 5/8" OD Compression x 5/8" OD Compression	10	200
			29-2051	CP 1/2" FIP x 3/8" OD Flare	10	200
29-2051	29-1014CPVC		29-2061	CP 1/2" FIP x 1/2" OD Flare	10	200

Multi-Turn Supply Valves



29-1001N



29-1009N



29-1019N

29 SUPPLY VALVES - ECONOMY - MULTI-TURN - WITH COMPRESSION OUTLET - ANGLE



MATCO-NORCA MODEL NUMBER	SIZE		INNER CARTON QUANTITY	MASTER CARTON QUANTITY
29-1001N	CP 3/8" FIP Inlet x 3/8" OD Compression		10	200
29-1003N	CP 1/2" FIP x 3/8" OD Compression		10	200
29-1009N	CP 1/2" NOM SWT Inlet x 3/8" OD Compression		10	200
29-1019N	CP 5/8" OD Comp x 3/8" OD Compression		10	200



29-1004PX

29 SUPPLY VALVES - PEX - MULTI-TURN - WITH COMPRESSION OUTLET - STRAIGHT



MATCO-NORCA MODEL NUMBER	SIZE		INNER CARTON QUANTITY	MASTER CARTON QUANTITY
29-1004PX	CP 1/2" PEX x 3/8" OD Compression		10	200



29-1003PX



29-2001PX

29 SUPPLY VALVES - PEX - MULTI-TURN - WITH COMPRESSION OUTLET - ANGLE



MATCO-NORCA MODEL NUMBER	SIZE		INNER CARTON QUANTITY	MASTER CARTON QUANTITY
29-1003PX	CP 1/2" PEX x 3/8" OD Compression		10	200
29-2001PX	CP 1/2" PEX x 3/8" OD Compression - x 3/8" OD Comp		10	200



29-2050

29 SUPPLY VALVES - MULTI-TURN - WITH FLARE OUTLET - ANGLE



MATCO-NORCA MODEL NUMBER	SIZE		INNER CARTON QUANTITY	MASTER CARTON QUANTITY
29-2050	CP 1/2" FIP x 3/8" OD Flare		10	200
29-2060	CP 1/2" FIP x 1/2" OD Flare		10	200
29-2070	CP 3/8" FIP x 3/8" OD Flare		10	200

Quarter Turn Supply Valves

	MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
26 SUPPLY VALVES - QUARTER TURN - OVAL HANDLE - WITH COMPRESSION OUTLET - ANGLE				
 26-1001  26-1003  26-1009  26-1019  26-1041  26-1009  26-1041		26-1001 3/8" FIP x 3/8" OD Compression	10	200
		26-1003 1/2" FIP x 3/8" OD Compression	10	200
		26-1009 1/2" Sweat x 3/8" OD Compression	10	200
		26-1019 5/8" OD Compression x 3/8" OD Compression	20	200
		26-1041 1/2" Sweat x 3/8" OD Compression With 5" Chrome Extension & Bell Escutcheon	10	200

26 SUPPLY VALVES - QUARTER TURN - DUAL HANDLE - WITH COMPRESSION OUTLET - STRAIGHT				
 26-1002  26-1004  26-1010  26-1014  26-1040		26-1002 3/8" FIP x 3/8" OD Compression	20	240
		26-1004 1/2" FIP x 3/8" OD Compression	10	200
		26-1010 1/2" Sweat x 3/8" OD Compression	10	200
		26-1014 5/8" OD Compression x 3/8" OD Compression	10	200
		26-1040 1/2" Sweat x 3/8" OD Compression With 5" Chrome Extension & Bell Escutcheon	20	240

26 SUPPLY VALVES - PEX - QUARTER TURN - OVAL HANDLE - WITH COMPRESSION OUTLET - STRAIGHT				
 26-1004PX		26-1004PX 1/2" PEX x 3/8" OD Compression - Straight	10	200

26 SUPPLY VALVES - PEX - QUARTER TURN - OVAL HANDLE - WITH COMPRESSION OUTLET - ANGLE				
 26-1003PX		26-1003PX 1/2" PEX x 3/8" OD Compression	10	200

26 SUPPLY VALVES - QUARTER TURN - OVAL HANDLE - WITH DUAL COMPRESSION OUTLET - ANGLE				
 26-2001		26-2001 5/8" OD Compression x 3/8" OD Compression	20	240

PVC, CPVC & Celcon Low Pressure Valves

		MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
N-M Non METALLIC VALVES - PVC & CELCON - LOW PRESSURE					
		Stop Valve - PVC - Solvent - 100WOG			
		201PV03	1/2"	12	72
		Stop Valve - PVC - Solvent - 100WOG			
		201PV04	3/4"	12	72
	202PV	Stop & Waste Valve - PVC - Solvent - 100WOG			
		202PV03	1/2"	12	72
		Stop & Waste Valve - PVC - Solvent - 100WOG			
		202PV04	3/4"	12	72
		Stop Valve - Celcon - Threaded - 150WOG			
		201CE03	1/2"	12	144
		Stop Valve - Celcon - Threaded - 150WOG			
		201CE04	3/4"	12	144
	202CE03	Stop & Waste Valve - Celcon - Threaded - 150WOG			
		202CE03	1/2"	12	144
		Stop & Waste Valve - Celcon - Threaded - 150WOG			
		202CE04	3/4"	12	144
		Hose Bibb - Celcon - Threaded - 150WOG			
		646CE03	1/2"	12	144
		Hose Bibb - Celcon - Threaded - 150WOG			
		646CE04	3/4"	12	144
		Boiler Drain - Celcon - Threaded - 150WOG			
		205CE03	1/2"	12	144
		Boiler Drain - Celcon - Threaded - 150WOG			
		205CE04	3/4"	12	144
	207CE	No-Kink Boiler Drain - Celcon - Threaded - 150WOG			
		207CE03	1/2"	12	144
		No-Kink Boiler Drain - Celcon - Threaded - 150WOG			
		207CE04	3/4"	12	144

N-M Non METALLIC VALVES - CPVC - LOW PRESSURE

		Stop Valve - CPVC - Solvent - 100WOG			
		201CP04	3/4"	12	144
		Stop & Waste Valve - CPVC - Solvent - 100WOG			
		202CP04	3/4"	12	144

Miscellaneous: Ground Key Stop Meter Valve - Washing Machine Valves



201G

201G GROUND KEY STOP - BRONZE - WITH DRAIN

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
IPS			
201G03	1/2"	6	36
201G04	3/4"	4	36
201G05	1"	4	24



434-0404



434-0404D

434 METER VALVE - BRASS

Angle Valve - Flare x IPS			
434-0403	3/4" FL x 1/2" IPS	6	36
434-0404	3/4" FL x 3/4" IPS	6	36
434-0504	1" FL x 3/4" IPS	6	24
434-0505	1" FL x 1" IPS	4	24
Angle Valve With Drain			
434-0403D	3/4" FL x 1/2" IPS	4	36
434-0404D	3/4" FL x 3/4" IPS	6	36
434-0504D	1" FL x 3/4" IPS	6	24
434-0505D	1" FL x 1" IPS	4	24



205WCMP



205WF3

205W WASHING MACHINE VALVES - NICKEL PLATED W/TEE HANDLE

205WCMP	1/2" Comp Inlet x 3/4" Hose Outlet Washing Machine Valve	1	72
205WF3	1/2" FIP Inlet x 3/4" Hose Outlet Washing Machine Valve	12	72



WSI

WSI WASHING MACHINE VALVE - BALL TYPE - DUAL CLOSE - BRONZE

WSI-050	Dual 1/2" IPS & Sweat Inlet x Dual Hose Outlet Wash Machine Valve	1	40
WSC-051	Oval 1/2" SWT Inlet x Dual Hose Outlet Wash Machine Valve	1	40

Miscellaneous: Float Valve Float Rod - Evaporater Cooler Valve



FV-404

MATCO-NORCA			INNER	MASTER	
MODEL	SIZE		CARTON	CARTON	
NUMBER			QUANTITY	QUANTITY	
FV	FLOAT VALVE - BRONZE				
	Straight Thread Male Inlet - Plain Outlet				
		Rod Size			
	FV-303P	1/2"	1/4" x 20"	12	72
	FV-404P	3/4"	1/4" x 20"	6	36
	Straight Thread Male Inlet - Strt Thread Male Outlet				
	FV-303	1/2"	1/4" x 20"	1	72
	FV-404	3/4"	1/4" x 20"	6	48
	Female Inlet - Plain Outlet				
	FV-505	1"	5/16" x 18"	4	36
	FV-606	1-1/4"	3/8" x 16"	2	20
FV-707	1-1/2"	3/8" x 16"	2	16	
FV-808	2"	3/8" x 16"	2	12	



FR12-1

FR		FLOAT ROD - BRASS				
		Length		Rod Size		
	FR12-1	12"	1/4" x 20"	5	500	
	FR12-15	12"	5/16" x 18"	5	250	
	FR12-2	12"	3/8" x 16"	1	200	



EFV-01

EFV	EVAPORATER COOLER VALVE			
	EFV-01	1/4" Compression Inlet x 1/4" FIP Outlet	20	80

Miscellaneous: Oil Tank Valve - Oil Barrel Faucet Ball Style Balancing Valve - Circulator Flange



OTV100



OTV200

MATCO-NORCA MODEL NUMBER	SIZE	INNER CARTON QUANTITY	MASTER CARTON QUANTITY
OTV OIL TANK VALVE - BRASS - HARD SEAT			
OTV-100	1/2" MIP X 3/8" MIP	6	72
OTV-200	1/2" MIP X 3/8" FL.	1	72



59 PSL4



59 DB04

59 OIL BARREL FAUCET - LOCKING LEVER			
59PSL4	3/4" MIP x Plain Spout Bronze	1	36
59TSL4	3/4" MIP x HPT Spout Bronze	1	36
59DB04	3/4" MIP x Plain Spout - Zamac	10	100



759SDS

759SDS BALL STYLE BALANCING VALVE			
600WOG			
759C04SDS	3/4" C x C With Screwdriver Stop	10	60



PBVC04C

PBVC BRASS PURGE & BALANCING VALVE			
PBV04C	3/4" Sweat x 1/2" FIP With Drain Outlet	12	60



CIF04

CIF CIRCULATOR FLANGE KITS - CAST IRON - WITH BOLTS & NUTS			
Complete with 2 Flanges, 4 bolts, 4 Nuts			
CIF04	3/4"	1	30
CIF05	1"	1	30
CIF06	1-1/4"	1	30





Cast Iron Gate Valves Resilient Wedge - Non-Rising Stem



200WW

200WW

FLANGED CAST IRON GATE VALVE - RESILIENT WEDGE - NRS

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
AWWA C509 200CWP Handwheel Standard/Op Nut Optional Fusion Bonded Epoxy		
200W08W	2"	31
200W10W	3"	53
200W11W	4"	77
200W13W	6"	135
200W14W	8"	209
200W15W	10"	333
200W16W	12"	462
14" and 16" Sizes Of This Product Are Available As:		
100W17	14"	750
100W18	16"	1026



200MW

200MW

MECHANICAL JOINT CAST IRON GATE VALVE - RESILIENT WEDGE - NRS

AWWA C509 200CWP Op. Nut Standard/Handwheel Optional Fusion Bonded Epoxy		
200M10W	3"	53
200M11W	4"	77
200M13W	6"	135
200M14W	8"	209
200M15W	10"	333
200M16W	12"	462
14" and 16" Sizes Of This Product Are Available As:		
100M17	14"	739
100M18	16"	942



200FJW

200FJW

FLANGED X MJ CAST IRON GATE VALVE - RESILIENT WEDGE - NRS

AWWA C509 200CWP Op. Nut Standard/Handwheel Optional Fusion Bonded Epoxy		
200FJ10W	3"	53
200FJ11W	4"	77
200FJ13W	6"	135
200FJ14W	8"	209
200FJ15W	10"	333
200FJ16W	12"	462

Cast Iron Gate Valves Resilient Wedge - Non-Rising Stem



10RW

10RW

RING-TITE CAST IRON GATE VALVE - RESILIENT WEDGE - NRS

200CWP 2" - 8" 150CWP 10" - 12"

3 Bosses - 1 Tapped USC Approved
Epoxy Coated

HANDWHEEL

OP. NUT

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
10RW08	2"	25
10RW09	2-1/2"	31
10RW10	3"	42
10RW11	4"	64
10RW12	5"	97
10RW13	6"	108
10RW14	8"	191
10RW15	10"	286
10RW16	12"	393



10RS-N

10RS

THREADED CAST IRON GATE VALVE - RESILIENT WEDGE - NRS

200CWP

Epoxy Coated

HANDWHEEL

OP. NUT

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
10RS08	2"	18
10RS09	2-1/2"	20
10RS10	3"	26
10RS11	4"	44
10RS12	5"	77
10RS13	6"	95



10RT

10RT

RING - TITE CAST IRON GATE VALVE - RESILIENT WEDGE - NRS

200CWP

3 Bosses - 1 Tapped Epoxy Coated

Op. Nut Standard/Handwheel Optional

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
10RT08	2"	20
10RT09	2-1/2"	22
10RT10	3"	33
10RT11	4"	46
10RT13	6"	90
10RT14	8"	154



100RTW

100RTW

RING-TITE CAST IRON GATE VALVE - RESILIENT WEDGE - NRS

AWWA C509

200CWP

Op. Nut Standard/Handwheel Optional

Fusion Bonded Epoxy

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
100RT10W	3"	49
100RT11W	4"	73
100RT13W	6"	141
100RT14W	8"	220

See 200RTD For 10" and 12" Sizes On Page 42

Ductile Iron Gate Valves Resilient Wedge - Non-Rising Stem



200WD

200WD FLANGED DUCTILE IRON GATE VALVE - RESILIENT WEDGE - NRS

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
AWWA C515	250CWP	
Handwheel Standard/Op Nut Optional	Fusion Bonded Epoxy	
200WD08	2"	28
200WD09	2-1/2"	37
200WD10	3"	45
200WD11	4"	69
200WD13	6"	119
200WD14	8"	203
200WD15	10"	282
200WD16	12"	412

See 100W For 14" and 16" Sizes in Cast Iron On Page 40



200MD

200MD MECHANICAL JOINT DUCTILE IRON GATE VALVE - RESILIENT WEDGE - NRS - LESS ACCESSORIES

AWWA C515	250CWP	
Op. Nut Standard/Handwheel Optional	Fusion Bonded Epoxy	
200MD08	2"	28
200MD10	3"	44
200MD11	4"	56
200MD13	6"	98
200MD14	8"	160
200MD15	10"	245
200MD16	12"	311

See 100M For 14" and 16" Sizes in Cast Iron On Page 40



200RTD

200RTD RING-TITE DUCTILE IRON GATE VALVE - RESILIENT WEDGE - NRS

AWWA C515	250CWP	
Available Open Left Or Open Right	Fusion Bonded Epoxy	
200RTD08	2"	25
200RTD09	2-1/2"	31
200RTD10	3"	38
200RTD11	4"	54
200RTD13	6"	104
200RTD14	8"	171
200RTD15	10"	289
200RTD16	12"	447



200TVD

200TVD DUCTILE IRON TAPPING GATE VALVE - RESILIENT WEDGE - NRS

AWWA C515	250CWP	
Available Open Left Or Open Right	Fusion Bonded Epoxy	
200TVD10	3"	48
200TVD11	4"	63
200TVD13	6"	108
200TVD14	8"	173
200TVD15	10"	262
200TVD16	12"	374

Cast Iron Gate Valves IBBM - Iron Body Bronze Mounted



100F

100F

FLANGED CAST IRON GATE VALVE - IBBM - NRS

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
125WSP	200WOG	
3 Bosses	Handwheel Standard/Op Nut Optional	
MSS-SP70	WW-V-58-CL1	Bituminous Coated
100F08	2"	26
100F09	2-1/2"	35
100F10	3"	44
100F11	4"	77
100F12	5"	97
100F13	6"	128
100F14	8"	220
100F15	10"	315
100F16	12"	483
100F17	14"	807
100F18	16"	1077
100F19	18"	1301



105F

105F

FLANGED CAST IRON GATE VALVE OS&Y - IBBM - RISING STEM

125WSP	200WOG		
MSS-SP70	WW-V-58-CL1	Bituminous Coated	3 Bosses
105F08	2"	29	
105F09	2-1/2"	37	
105F10	3"	50	
105F11	4"	86	
105F12	5"	115	
105F13	6"	150	
105F14	8"	249	
105F15	10"	374	
105F16	12"	524	
105F17	14"	816	
105F18	16"	1187	
105F19	18"	1413	
105F20	20"	2104	
105F24	24"	3184	



105S

105S

THREADED CAST IRON GATE VALVE OS&Y - IBBM - RISING STEM

125WSP	200WOG	
MSS-SP70	WW-V-58-CL1	Bituminous Coated
105S08	2"	25
105S09	2-1/2"	27
105S10	3"	40
105S11	4"	66
105S13	6"	135

Cast Iron Gate Valves IBBM - Iron Body Bronze Mounted



200F

200F

FLANGED CAST IRON GATE VALVE - IBBM - NRS

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

125WSP 200WOG
MSS-SP-70 Bituminous Coated
Handwheel Standard/Op Nut Optional

200F09	2-1/2"	39
200F10	3"	47
200F11	4"	66
200F13	6"	139
200F14	8"	201
200F15	10"	295



205F

205F

FLANGED CAST IRON GATE VALVE - OS&Y - IBBM - RISING STEM

125WSP 200WOG
Bituminous Coated

205F10	3"	51
205F11	4"	75
205F13	6"	141
205F14	8"	223
205F15	10"	322

Cast Iron Gate Valves Cast Iron Globe Valve



105W

105W FLANGED CAST IRON GATE VALVE OS&Y - RESILIENT WEDGE - RISING STEM

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
AWWA C509	200CWP	
3 Bosses - 1 Tapped	Fusion Bonded Epoxy	
105W10	3"	64
105W11	4"	93
105W13	6"	157
105W14	8"	269
105W15	10"	436
105W16	12"	597
105W17	14"	827
105W18	16"	1135



105U

105U FLANGED CAST IRON GATE VALVE OS&Y - RESILIENT WEDGE - RISING STEM - UL/FM CERTIFIED

	175CWP		
	3 Bosses - 1 Tapped	N.Y.C. APPROVED	USC Approved
	Fusion Bonded Epoxy		
105U09	2-1/2"	50	
105U10	3"	66	
105U11	4"	97	
105U13	6"	164	
105U14	8"	283	
105U15	10"	456	
105U16	12"	754	

205U - Economy Style Now Available
Stocked in 2" - 12" Sizes



150F

150F FLANGED CAST IRON GLOBE VALVE - OS&Y - IBBM - RISING STEM

125WSP	200CWP	
MSS-SP-85	Bituminous Coated	
150F09	2-1/2"	49
150F10	3"	60
150F11	4"	99
150F13	6"	187
150F14	8"	315

Cast Iron Swing Check Valves IBBM & Resilient Seat



115F

115F

FLANGED CAST IRON SWING CHECK VALVE - IBBM

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
125SWP 200WOG One Boss MSS-SP-71 Bituminous Coated		
115F08	2"	20
115F09	2-1/2"	31
115F10	3"	42
115F11	4"	69
115F12	5"	80
115F13	6"	115
115F14	8"	231
115F15	10"	357
115F16	12"	498



115S

115S

THREADED CAST IRON SWING CHECK VALVE - IBBM

125SWP 200WOG MSS-SP-71 Bituminous Coated		
115S08	2"	14
115S09	2-1/2"	18
115S10	3"	27
115S11	4"	53
115S12	5"	79

120F

FLANGED CAST IRON SWING CHECK VALVE - RESILIENT SEAT



120F

200CWP MSS-SP-71 One Boss Epoxy Coated		
120F08	2"	20
120F09	2-1/2"	31
120F10	3"	41
120F11	4"	69
120F12	5"	79
120F13	6"	115
120F14	8"	230
120F15	10"	356
120F16	12"	497

120S

THREADED CAST IRON SWING CHECK VALVE - RESILIENT SEAT



120S



120SS

200CWP MSS-SP-71 Epoxy Coated		
120S08	2"	14
120S09	2-1/2"	18
120S10	3"	27
120S11	4"	53
120S13	6"	99
With Outside Lever & Spring		
120SS10	3"	28
120SS11	4"	54

Cast Iron Swing Check Valves Resilient Seat



120W

120W FLANGED CAST IRON SWING CHECK VALVE - RESILIENT SEAT

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
AWWA C508 200CWP One Boss Fusion Bonded Epoxy		
120W10	3"	56
120W11	4"	75
120W13	6"	144
120W14	8"	275
120W15	10"	435
120W16	12"	594



120WC



P120WSK

120WC FLANGED CAST IRON CHECK VALVE - RESILIENT SEAT - OUTSIDE LEVER AND WEIGHT

AWWA C508 One Boss	200CWP Fusion Bonded Epoxy	SO 9001:2000	
	Right Mounted		
120WC10	120WC10R	3"	57
120WC11	120WC11R	4"	84
120WC13	120WC13R	6"	156
120WC14	120WC14R	8"	294
120WC15	-	10"	466
120WC16	-	12"	627
120WC17	-	14"	873
120WC18	-	16"	1025

P120WSK Spring Kit Available For 120WC

P120WLW Replacement Lever & Weight Available for 120WC

Cast Iron
Check Valve



120U

120U FLANGED CAST IRON SWING CHECK VALVE - RESILIENT SEAT - UL/FM CERTIFIED



175CWP One Boss	N.Y.C. Approved	Fusion Bonded Epoxy	Drain On Bottom
120U09		2-1/2"	44
120U10		3"	51
120U11		4"	79
120U13		6"	152
120U14		8"	312
120U15		10"	462
120U16		12"	660

Ask About Our Line Of Cast Iron Flanges

Wafer Style Check Valve



CVC

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

CVC

WAFER CHECK VALVE - DOUBLE BRONZE DISC - NBR SEAT

Class 125 200WOG

Cast Iron Body - SS Springs & Shaft

CVC - 2	2"	4
CVC - 2.5	2-1/2"	5
CVC - 3	3"	8
CVC - Dis4	4"	13
CVC - 5	5"	16
CVC - 6	6"	20
CVC - 8	8"	38
CVC - 10	10"	57
CVC - 12	12"	92
CVC - 14	14"	121
CVC - 16	16"	165

SC

SILENT WAFER CHECK VALVE - POPPET STYLE - BRONZE DISC AND SEAT

Class 125 200WOG

C.I. Body - SS Spring



SC

SC-2	2"	7
SC-2.5	2-1/2"	9
SC-3	3"	15
SC-4	4"	25
SC-5	5"	32
SC-6	6"	56
SC-8	8"	100
SC-10	10"	140
SC-12	12"	340

Cast Iron Y Strainers



140F

140F	FLANGED CAST IRON Y STRAINER		App. WEIGHT lbs.
	MATCO-NORCA MODEL NUMBER	SIZE	
	125SWP 200WOG Bituminous Coated		
	140F08	2"	20
	140F09	2-1/2"	31
	140F10	3"	42
	140F11	4"	73
	140F12	5"	107
	140F13	6"	121
	140F14	8"	198
	140F16	12"	539



140S

140S	THREADED CAST IRON Y STRAINER		App. WEIGHT lbs.
	MATCO-NORCA MODEL NUMBER	SIZE	
	400PSI @150°F - 250PSI@406°F Bituminous Coated		
	140S01	1/4"	1
	140S02	3/8"	1
	140S03	1/2"	1
	140S04	3/4"	2
	140S05	1"	3
	140S06	1-1/4"	5
	140S07	1-1/2"	7
	140S08	2"	12
	140S09	2-1/2"	27
	140S10	3"	38

Cast Iron Flanges - Companion, Reducing, Blind, PVC Van Stone Flanges

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

CICF

CAST IRON COMPANION FLANGE



CICFB



CICFG

Black	Galv.	Flange x O.D	# Of Holes	Weight
CICFB07	CICFG07	1-1/2" x 5"	4	3
CICFB08	CICFG08	2" x 6"	4	4
CICFB09	CICFG09	2-1/2" x 7"	4	6
CICFB10	CICFG10	3" x 7-1/2"	4	8
CICFB11	CICFG11	4" x 9"	8	12
CICFB12	CICFG12	5" x 10"	8	14
CICFB13	CICFG13	6" x 11"	8	17
CICFB14	CICFG14	8" x 13-1/2"	8	26
CICFB15	CICFG15	10" x 16"	12	38
CICFB16	CICFG16	12" x 19"	12	57

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

CIRF

CAST IRON REDUCING FLANGE



CIRFB



CIRFG

Black	Galv.	Flange x IPS	IPS x O.D.	# Of Holes	Weight
CIRFB32	CIRFG32	3" x 2"	2" x 7-1/2"	4	9
CIRFB42	CIRFG42	4" x 2"	2" x 9"	4	14
CIRFB43	CIRFG43	4" x 3"	3" x 9"	8	13
CIRFB54	CIRFG54	5" x 4"	4" x 10"	8	16
CIRFB62	CIRFG62	6" x 2"	2" x 11"	8	26
CIRFB63	CIRFG63	6" x 3"	3" x 11"	8	23
CIRFB64	CIRFG64	6" x 4"	4" x 11"	8	21
CIRFB65	CIRFG65	6" x 5"	5" x 11"	8	19
CIRFB82	CIRFG82	8" x 2"	2" x 13-1/2"	8	44
CIRFB83	CIRFG83	8" x 3"	3" x 13-1/2"	8	40
CIRFB84	CIRFG84	8" x 4"	4" x 13-1/2"	8	37
CIRFB85	CIRFG85	8" x 5"	5" x 13-1/2"	8	34
CIRFB86	CIRFG86	8" x 6"	6" x 13-1/2"	8	31

CIBF

CAST IRON BLIND FLANGE



CIBF

Black	Nominal. Size	Flange x O.D	# Of Holes	Weight
CIBFB08	2"	2" x 6"	4	5
CIBFB09	2-1/2"	2-1/2" x 7"	4	7
CIBFB10	3"	3" x 7-1/2"	4	9
CIBFB11	4"	4" x 9"	8	16
CIBFB13	6"	6" x 11"	8	25
CIBFB14	8"	8" x 13-1/2"	8	42
CIBFB15	10"	10" x 16"	12	65
CIBFB16	12"	12" x 19"	12	85

PVCF

PVC VAN STONE FLANGE - (SCH 80) SOCKET (SWIVEL)



PVCF

		# Of Holes	Weight
PVCF08	2"	4	1
PVCF10	3"	4	2
PVCF11	4"	8	3
PVCF12	5"	8	4
PVCF13	6"	8	4
PVCF14	8"	8	6
PVCF15	10"	12	11
PVCF16	12"	12	20

Accessories - Gaskets, Bolts & Bolt & Gasket Sets

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

GSNA

BOLT AND GASKET SET - 1/16" NON-ASBESTOS RING



GSNA

Plain Bolts

Plated Bolts

GSNAP2	GSNAG2	2"	1
GSNAP2.5	GSNAG2.5	2-1/2"	1
GSNAP3	GSNAG3	3"	1
GSNAP4	GSNAG4	4"	1
GSNAP5	GSNAG5	5"	1
GSNAP6	GSNAG6	6"	1
GSNAP8	GSNAG8	8"	1
GSNAP10	GSNAG10	10"	2
GSNAP12	GSNAG12	12"	2
GSNAP14	GSNAG14	14"	3
GSNAP16	GSNAG16	16"	3

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

GSFF

BOLT AND GASKET SET - 1/8" FULL FACE RED RUBBER



GSFF

Plain Bolts

Plated Bolts

GSFFP2	GSFFG2	2"	1
GSFFP2.5	GSFFG2.5	2-1/2"	1
GSFFP3	GSFFG3	3"	1
GSFFP4	GSFFG4	4"	1
GSFFP5	GSFFG5	5"	1
GSFFP6	GSFFG6	6"	1
GSFFP8	GSFFG8	8"	1
GSFFP10	GSFFG10	10"	2
GSFFP12	GSFFG12	12"	2
GSFFP14	GSFFG14	14"	3
GSFFP16	GSFFG16	16"	3

Accessories

GNA GFF

1/16" NON-ASBESTOS RING GASKET 1/8" FULL FACE RED RUBBER GASKET



GNA



GFF

GNA2	GFF2	2"
GNA2.5	GFF2.5	2-1/2"
GNA3	GFF3	3"
GNA4	GFF4	4"
GNA5	GFF5	5"
GNA6	GFF6	6"
GNA8	GFF8	8"
GNA10	GFF10	10"
GNA12	GFF12	12"
GNA14	GFF14	14"
GNA16	GFF16	16"

SBG

PLATED STUD BOLT, NUT AND WASHER SET



SBG

For Wafer Butterfly Valves

	Fits Sizes	Quantity and Bolt Size
SBG2	2" & 2-1/2"	(4) 5/8" x 6"
SBG3	3"	(4) 5/8" x 7"
SBG4	4"	(8) 5/8" x 7"
SBG6	5", 6" & 8"	(8) 3/4" x 7"
SBG10	10" & 12"	(12) 7/8" x 8"
SBG14	14"	(12) 1" x 8"
SBG16	16"	(16) 1" x 10"
SBG20	20"	(20) 1-1/8" x 12"

Ask About Our Line Of Flexible Rubber Couplings

Mechanical Joint Accessory Kits T-Handle For Cast & Ductile Valves



100MJ

100MJ

MJ Accessory Kit- Fits Ductile Iron & C-900 Pipe Includes - STD T-Head Bolts, MJ Gasket and D.I. Gland

MATCO-NORCA MODEL NUMBER	SIZE	App. WEIGHT lbs.
100MJ2	2"	5
100MJ3	3"	7
100MJ4	4"	8
100MJ6	6"	12
100MJ8	8"	15
100MJ10	10"	20
100MJ12	12"	25
100MJ14	14"	25
100MJ16	16"	25

Accessory Kits are Priced Per Each



100MJX

100MJX

MJ Transition Accessory Kit - Fits (IPS) PVC & Steel Pipe Includes - STD T-Head Bolts, Transition Gasket and D.I. Gland

100MJX2	2"	5
100MJX3	3"	7
100MJX4	4"	8
100MJX6	6"	12
100MJX8	8"	15
100MJX10	10"	20
100MJX12	12"	25



EMKL

EMKL

T-WRENCH FOR 2" OPERATING NUT

EMKL36	36"
EMKL60	60"

Wheel Handles & Operating Nuts For Iron Gate Valves

WH

WHEEL HANDLES FOR CAST IRON GATE VALVES



P-2WH



P-WH-U

MATCO-NORCA MODEL #	SIZE	FITS MODEL #	SIZE	FITS MODEL #
P-WH-A	2", 2-1/2"	10RS/W/T		
P-WH-B	3"	10RS/W/T	2", 2-1/2"	100F/S
P-WH-C	4"	10RS/W/T	3"	100F/S
P-WH-D			4"	100F/S
P-WH-E	5", 6"	10RS/W/T	5", 6"	100F/S
P-WH-F	8"	10RS/W/T	8"	100F/S
P-WH-G	10"	10RS/W/T	10"	100F
P-WH-H	12"	10RS/W/T	12"	100F
P-WH-U3	2-1/2, 3"	105U		
P-WH-U4	4"	105U		
P-WH-U6	6"	105U		
P-WH-U8	8"	105U		
P-WH-U10	10"	105U		
P-WH-U12	12"	105U		
P-WH-W2	2", 2-1/2"	100W		
P-WH-W3	3"	100W/M		
P-WH-W6	6", 8"	100W/M		
P-WH-W10	10", 12"	100W/M		
P105FA	2"	105F/S	2", 2-1/2"	12RW
P105FB	2-1/2"	105F/S	3"	12RW
P105FC	3"	105F/S/W	4"	12RW
P105FD	4"	105F/S/W	5", 6"	12RW
P105FE	5"	105F/S		
P105FG	6"	105F/S/W		
P105FH	8"	105F/S/W		
P105FI	10"	105F/S/W		
P105FJ	12"	105F/S/W		
P-2WH10	3"	200W/M/FJ	3"	100RT
P-2WH11	4"	200W/M/FJ	4"	100RT
P-2WH13	6"	200W/M/FJ	6"	100RT
P-2WH14	8"	200W/M/FJ	8"	100RT
P-2WH15	10"	200W/M/FJ	10"	100RT

Wheel Handles For Ductile Iron Valves Also Available.

OP

2" OPERATING NUT FOR NRS CAST IRON GATE VALVES



P-100NB



P-100NL



P-100NJ

MATCO-NORCA MODEL #	SIZE	FITS MODEL #	SIZE	FITS MODEL #
P-100NA	2", 2-1/2"	10RS/W/T		
P-100NB	3"	10RS/W/T	2", 2-1/2"	100F/S
P-100NC	4"	10RS/W/T	3"	100F/S
P-100ND			4"	100F/S
P-100NE	5", 6"	10RS/W/T	5", 6"	100F/S
P-100NF	8"	10RS/W/T	8"	100F/S
P-100NG	10"	10RW	10"	100F
P-100NH	12"	10RW	12"	100F
P-100NI	2"-4"	100W	3", 4"	100M
P-100NJ	6", 8"	100W	6", 8"	100M
P-100NK	10", 12"	100W	10", 12"	100M
P-100NL	14"	100F	14"	100W/M
P-100NM	16"	100F		
P-100NN			14"	100W/M
P-100NO	18"	100F	14"	100W/M
P-100NP			16"	100W/M
P-200NI	2"-4"	100RT	2"-4"	200W/M
P-200NJ	6"-12"	100RT	6", 8", 10"	200W/M
P-200NK			10"-12"	200W/M




P-200DNC

OP

2" OPERATING NUT FOR DUCTILE IRON VALVE.

P-200DNA	2"
P-200DNB	3"
P-200DNC	4"
P-200DND	6-8"
P-200DNE	8"
P-200DNF	10"
P-200DNG	12"

PART NUMBER BREAKDOWN



Butterfly Valve
Part # Breakdown

B1 PVC Butterfly Valves & Parts

MATCO-NORCA MODEL NUMBER		SIZE	App. WEIGHT lbs.
B1	PVC WAFER BUTTERFLY VALVE - 200PSI		
		B1-RLO 10 Position Lock Lever Operated	
		2"	4
		2-1/2"	4
		3"	7
		4"	8
		6"	11
		B1-RWG Gear Operated	
		8"	28
		10"	36
		12"	65
Comes with Stainless Steel Stem, EPDM Liner, Polypropylene Disc. See Butterfly Valve Part # Breakdown Page 54.			

B1-RLO

B1-RWG

B1 PARTS

B1L LEVER HANDLE FOR B1 BUTTERFLY VALVE



BIL4



BIL11

Replacement Handles For B1 Butterfly Valve
Available in:

- 3"
- 4"
- 6"

Two Types Of Handles Available (Shown Here)

B5 Butterfly Valves - Gear or 10 Position Lock Lever Operated

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

B5-RLO

CAST IRON WAFER BUTTERFLY VALVE - 200PSI



B5-RLO

B5-RLO2	2"	9
B5-RLO2.5	2-1/2"	11
B5-RLO3	3"	12
B5-RLO4	4"	15
B5-RLO5	5"	19
B5-RLO6	6"	22
B5-RLO8	8"	39
B5-RLO10	10"	55
B5-RLO12	12"	75

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

B5-LGL

CAST IRON LUG BUTTERFLY VALVE - 200PSI



B5-LGL

B5-LGL2	2"	10
B5-LGL2.5	2-1/2"	12
B5-LGL3	3"	13
B5-LGL4	4"	20
B5-LGL5	5"	24
B5-LGL6	6"	26
B5-LGL8	8"	45
B5-LGL10	10"	64
B5-LGL12	12"	86

B5-RWG

CAST IRON WAFER BUTTERFLY VALVE



B5-RWG

2" - 12" Valves Are Rated 200 PSI
14" - 36" Valves Are Rated 150 PSI

B5-RWG2	2"	18
B5-RWG2.5	2-1/2"	20
B5-RWG3	3"	21
B5-RWG4	4"	24
B5-RWG5	5"	29
B5-RWG6	6"	31
B5-RWG8	8"	59
B5-RWG10	10"	75
B5-RWG12	12"	102
B5-RWG14	14"	125
B5-RWG16	16"	207
B5-RWG18	18"	251
B5-RWG20	20"	349
B5-RWG24	24"	448
B5-RWG30	30"	1155
B5-RWG36	36"	1859

B5-LGG

CAST IRON LUG BUTTERFLY VALVE



B5-LGG

2" - 12" Valves Are Rated 200 PSI
14" - 36" Valves Are Rated 150 PSI

B5-LGG2	2"	21
B5-LGG2.5	2-1/2"	21
B5-LGG3	3"	24
B5-LGG4	4"	29
B5-LGG5	5"	33
B5-LGG6	6"	35
B5-LGG8	8"	64
B5-LGG10	10"	83
B5-LGG12	12"	113
B5-LGG14	14"	149
B5-LGG16	16"	244
B5-LGG18	18"	282
B5-LGG20	20"	374
B5-LGG24	24"	662
B5-LGG30	30"	1250
B5-LGG36	36"	2050

Available with Nickel Plated Ductile Disc, Stainless Steel Disc, or Aluminum Bronze Disc.
Available with BUNA, EPDM, or Viton Liner. See Butterfly Valve Part # Breakdown Page 54.

Ask About Our Line Of PVC Van Stone Flanges

B5 Butterfly Valve Parts & Accessories

MATCO-NORCA MODEL NUMBER

SIZE

B5L

LEVER HANDLE FOR B5 BUTTERFLY VALVE



B5L3	3"
B5L4	4"
B5L6	6"
B5L8	8"
B5L10	10"
B5L12	12"

B5IND

INDEX PLATE FOR B5 BUTTERFLY VALVE



Chrome Plated

B5IND23	2" - 3"
B5IND810	8 - 10"
B5IND12	12"

Stainless Steel Plated

B5IND3S	3"
B5IND4S	4"
B5IND6S	6"

B5GRNUT

GEAR NUT FOR B5 BUTTERFLY VALVE



B5GRNUT6	2" - 6"
B5GRNUT10	10"
B5GRNUT12	8" - 12"
B5GRNUT14	14"
B5GRNUT16	16"
B5GRNUT18	18"
B5GRNUT20	20"
B5GRNUT24	24"

B5 CPLG

SOCKET COUPLING FOR B5 BUTTERFLY VALVE



B5CPLG6	2" - 6"
B5CPLG12	10" - 12"

MATCO-NORCA MODEL NUMBER

SIZE

B5G

GEAR FOR B5 BUTTERFLY VALVE



With Handwheel & Pin

B5G23	2" - 3"	B5G14	14"
B5G4	4"	B5G16	16"
B5G56	5" - 6"	B5G18	18"
B5G8	8"	B5G24	24"
B5G10	10"		
B5G12	12"		
B5G12R	12" Rounded		

B5WH

HAND WHEEL FOR B5 BUTTERFLY VALVE



B5-WH2	2" - 6"
B5-WH8	8" - 12"
B5-WH16	16"
B5-WH18	18"
B5-WH30	30"
B5-WH36	36"

B5X

STEM EXTENSION FOR B5 BUTTERFLY VALVE



Matco-Norca Product Number	Fits Valve Size	Length Of Extensions
B5-X** A	2" - 3"	24"
B5-X** B	4"	36"
B5-X** C	5" - 6"	48"
B5-X** D	8"	60"
B5-X** E	10"	72"
B5-X** F	12"	
B5-X** G	14"	
B5-X** H	16"	
B5-X** I	18"	
B5-X** J	20"	
B5-X** K	24"	

Example: **B5-X24-A** =
24" Extension For
2" - 3" Butterfly Valve

**Place Holder For Length of Extension.

Flat & Round Extensions Also Available

B6 Butterfly Valves - Gear or 10 Position Lock Lever Operated

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

B6-RLO

CAST IRON WAFER BUTTERFLY VALVE - 200PSI



B6-RLO

B6-RLO2	2"	7
B6-RLO2.5	2-1/2"	9
B6-RLO3	3"	10
B6-RLO4	4"	13
B6-RLO5	5"	17
B6-RLO6	6"	19
B6-RLO8	8"	31
B6-RLO10	10"	45
B6-RLO12	12"	74

MATCO-NORCA
MODEL
NUMBER

SIZE

App.
WEIGHT
lbs.

B6-LGL

CAST IRON LUG BUTTERFLY VALVE - 200PSI



B6-LGL

B6-LGL2	2"	10
B6-LGL2.5	2-1/2"	11
B6-LGL3	3"	13
B6-LGL4	4"	22
B6-LGL5	5"	26
B6-LGL6	6"	33
B6-LGL8	8"	42
B6-LGL10	10"	63
B6-LGL12	12"	92

B6-RWG

CAST IRON WAFER BUTTERFLY VALVE - 200PSI



B6-RWG

B6-RWG2	2"	17
B6-RWG2.5	2-1/2"	18
B6-RWG3	3"	19
B6-RWG4	4"	22
B6-RWG5	5"	27
B6-RWG6	6"	29
B6-RWG8	8"	55
B6-RWG10	10"	68
B6-RWG12	12"	101

B6-LGG

CAST IRON LUG BUTTERFLY VALVE - 200PSI



B6-LGG

B6-LGG2	2"	20
B6-LGG 2.5	2-1/2"	21
B6-LGG3	3"	22
B6-LGG4	4"	31
B6-LGG5	5"	36
B6-LGG6	6"	43
B6-LGG8	8"	63
B6-LGG10	10"	86
B6-LGG12	12"	118

Available with Nickel Plated Ductile Disc.

Available with Buna Liner. See Butterfly Valve Part # Breakdown Page 54.

B6 Butterfly Valve Parts B7 Butterfly Valve

MATCO-NORCA
MODEL
NUMBER

App.
WEIGHT
lbs.

B6L LEVER HANDLE FOR B6 BUTTERFLY VALVE



B6L3	2 & 3"
B6L4	4"
B6L6	6"
B6L8	8"
B6L10	10"
B6L12	12"

B6IND INDEX PLATE FOR B6 BUTTERFLY VALVE



B6IND26	2" - 6"
B6IND812	8" - 12"

MATCO-NORCA
MODEL
NUMBER

App.
WEIGHT
lbs.

B6G GEAR FOR B6 BUTTERFLY VALVE



With Handwheel & Pin

B6G23	2 - 3"
B6G4	4"
B6G56	5 - 6"
B6G8	8"
B6G10	10"
B6G12	12"

B7 BUTTERFLY VALVE



B7-RLO

B7 CAST IRON WAFER BUTTERFLY VALVE - DOUBLE STEM - 200PSI - SHORT NECK

B7-RL02	2"	8
B7-RL02.5	2-1/2"	10
B7-RL03	3"	11
B7-RL04	4"	15
B7-RL05	5"	20
B7-RL06	6"	22
B7-RL08	8"	36
B7-RL010	10"	51
B7-RL012	12"	71

Available with Nickel Plated Ductile Disc, or Aluminum Bronze Disc.
Available with Buna Liner. See Butterfly Valve Part # Breakdown Page 54.

Matco-Norca Offers An Extensive Line Of Fittings & Nipples-



**150# Malleable
Fittings**



**300# Malleable
Fittings**



**Cast Iron Threaded
Fittings**



**Forged Steel
Fittings**



**Steel Merchant
Couplings**



**Steel Plugs
& Bushings**



**Brass
Fittings**



**Chrome Plated
Brass Fittings**



**Pex
Fittings**



**Cast Brass Sweat
Adapter Fittings**



**Copper
Fittings**



**Dielectric
Unions**



**No Hub
Couplings**



**Flexible Rubber
Couplings**




**Steel Nipples
Schedule 40
Black & Galv.**



**Steel Nipples
Schedule 80
Black & Galv.**



**Seamless Nipples
Black**



**Brass
Nipples**



**Dielectric
Nipples**



**Chrome Plated
Brass Nipples**

**For More Information Ask For Our Fittings & Nipples Catalog
Or Visit Our Website At www.matco-norca.com**

Terms & Conditions Of Sale

TERMS & CONDITIONS OF SALE

ACCEPTANCE

Orders, whether verbal or written, are subject to acceptance by Matco-Norca, Inc. Hereinafter referred to as the seller at its Brewster, N.Y. office. No terms or conditions of buyers order contrary to seller's terms and conditions shall be binding upon seller unless specifically agreed upon by seller in writing. Sellers acceptance of orders shall occur by written acknowledgement or tender of delivery of goods and or services the subject hereof (goods), which ever occurs first.

PRICES AND SALES POLICY

Until written confirmation of this contract has been received by buyer, all prices are subject to change without prior notice. We reserve the right to adjust orders to standard package quantities unless otherwise stated on buyers purchase order. We reserve the right to make product improvement without notice. If seller determines buyer's credit is unsatisfactory or there is reasonable doubt concerning buyer's ability to pay, payment in advance may be required or buyer shall provide security for such payment in an amount and form acceptable to seller. Unless otherwise specified by seller, terms are 2% 10 days/net 30 days.

Cash discounts apply to the value of goods at the net invoiced value before transportation charges, taxes and additional duties. Unearned cash discounts will be charged back as an unpaid balance to the buyers account. Any past due amount is subject to a finance charge of 1-1/2% per month (18% per year) on the total past due balance in accordance with the Truth-in-lending Act in Title 1 of the Federal Consumer Protection Act effective July 1, 1969.

TAXES

All prices are exclusive of taxes and excises. Sales, use and other taxes, by whomsoever levied, are to be paid by the buyer and unless invoiced, are to be paid by buyer direct to the appropriate governmental agency. Buyers are required to furnish seller with a copy of their tax exemption or resale certificate, otherwise applicable state sales taxes will be charged.

DELIVERY AND SHIPMENT OF MATERIALS

All goods are sold F.O.B. sellers warehouse. Delivery of material to a common carrier shall constitute delivery thereof to buyer and risk of loss shall pass to buyer at such time. Claims for damage to or loss of material in transit shall be filed by buyer direct with carrier. Buyer assumes all risks and liability for the results obtained by the use of material delivered hereunder. No claim of any kind, whether as to material delivered or for nondelivery or late delivery of material and whether based on negligence or otherwise, shall be greater in amount than the purchase price of the material in respect to which such claim is made. In no event shall seller be liable for indirect or consequential damages or for anticipated profits or loss of use of equipment.

RETURNS AND CANCELLATIONS

Permission in writing and return authorization must be obtained from seller before any goods are returned. All returns must be prepaid, no collect shipments will be accepted. All returns made for reasons other than defects are subject to a restocking charge. Discontinued goods are not returnable.

Cancellation of orders may be made only with the sellers written consent and shall be subject to cancellation charges.

GOVERNING LAW

The entering into, construction, interpretation, performance and discharge of the terms set forth herewith shall be governed in accordance with the laws of the State of New York.

LIMITED ONE YEAR WARRANTY

Seller warrants the material to be free of defects in material and workmanship, under normal use, proper maintenance and proper operation, for a period of one year from date of delivery to a common carrier for shipment to buyer or his designated agent. The obligation of the seller is limited to (1) repair of the material, or (2) replacement of any component or components proven defective in material or workmanship, or (3) refund of the purchase price. Seller shall have no liability for the cost of removal or reinstallation with respect to any replaced or repaired product. The election of said remedies shall be determined by seller in its sole discretion and shall be considered final disposition.

All implied warranties, including the implied warranties of merchantability and fitness for a particular purpose, are hereby disclaimed and excluded. This warranty is in lieu of all other warranties, guarantees, agreements and similar obligations or seller, in no event shall seller be liable for consequential or incidental damages.

CLAIMS

No later than ten (10) days from receipt of material buyer will report, in writing, all claims for any damage, defects or shortages. All claims, including for alleged damaged or defective material, shortage negligence or any other cause whatsoever ("defective performance"), shall deemed waived unless made in writing within the ten (10) day period. However, any defective performance not discoverable within said ten (10) day period (including that discoverable only in processing or in further manufacturing) shall be deemed waived unless made in writing and received by seller in writing within ninety (90) days after receipt or within ten (10) days after buyer learns of the alleged defect, whichever occurs first. Seller's liability shall in no event exceed the purchase price of the material in respect to which the claim is made, or at the election of seller at its sole discretion, and to repair or replacement of such material. Seller shall not be liable for, and buyer assumes all responsibility for, all personal injury and property damage resulting from handling, possession, use or resale of the material by buyer. In no event shall seller be liable for incidental or consequential damages, whether buyer's claim is in contract, negligence, or otherwise. If claim is made, buyer shall permit seller at seller's option to reinspect the material at buyer's plant or if seller so directs, buyer shall return the material at buyer's expense to seller's facility for reinspection. No material may be returned to seller without prior written permission from seller.

FORCE MAJEURE

Anything in this agreement to the contrary notwithstanding, it is expressly agreed that seller shall not be liable for any damages resulting from, and buyer shall not have the right to cancel this order because of any delays caused in whole or in part by fires, floods, windstorms, tornadoes, wars, riots, insurrections, strikes, lockouts sit-downs, slow-downs, or other labor trouble, causing cessation or interruption of operation or by accident, material shortages, labor or fuel shortages, or inability to procure labor or materials, either on the part of the seller, or because any plant, plants or any portion thereof belonging to seller have been commandeered by the legally constituted public authority, or because of any priorities or preferences established for the manufacture, assembly or allotment of materials by order, decree, or to otherwise of the United States, or by any department, bureau, commission, committee, agent or administrator of any legally constituted public authority in any plant of seller, or any of its suppliers, or resulting from any other cause beyond the control of seller.

Quick Find Index

ITEM NUMBER	PAGE NUMBER	ITEM NUMBER	PAGE NUMBER	ITEM NUMBER	PAGE NUMBER	ITEM NUMBER	PAGE NUMBER
10		201	20	500 (continued)		B	
10RS	41	201A	20	521N	17	B1	55
10RT	41	201CE	34	522	19	B5	56-57
10RW	41	201CP	34	523	19	B6	58-59
20		201G	35	524	19	B7	59
26	33	201PV	34	525	18	BARV	29
29	31-32	202	20	527	18	BARVY	29
50		202CE	34	529	19	BCV	29
58	8,9	202CM	20	530	17	BSGV	29
59	8	202CP	34	532	18	C	
59DB	37	202PV	34	600		CIBF	50
59PS	37	203	27	646AS	22	CICF	50
59TS	37	204	21	646BV	25	CIF	37
100		205	21	646CE	34	CIRF	50
100F	43	205CE	34	646R	25	CK	30
100M	40	205CM	21	700		CVC	48
100MJ	52	205F	21, 44	730	14	E	
100MJX	52	205U	45	750	4	EFV	36
100RTW	41	205W	35	752CMP	7	EMKL	52
100W	40	205WH	30	752N	6	F	
105F	43	206	27	752UF	7	FR	36
105S	43	206H	27	754D	7	FV	36
105U	45	206HLK	27	754N	6	FY	26
105W	45	206VB	27	754PX	7	G	
115F	46	207	25	755	5	GFF	51
115S	46	207CE	34	755MF	7	GNA	51
120F	46	209	28	757	4	GSFF	51
120S	46	209PX	28	758	5	GSNA	51
120U	47	212	28	759	4	K	
120W	47	212PX	28	759SDS	37	KEY	30
120WC	47	221	20	760	5	O	
140F	49	240H	15	770	10	OP	53
140S	49	240T	15	770G	10	OTV	37
143	16	300		770N	10	P	
145	16	300BV	6	771	11	PBVC	37
150F	45	400		772	11	PVCF	50
200		434	35	772ST	11	S	
200	15	500		773	11	SBG	51
200AL	15	501	13	A		SC	48
200F	44	503	12	ADJ	30	SGV	29
200FJW	40	511	13	AHV	30	T	
200L	15	512	13	AVA	30	TF	20
200MD	42	513	13	AVS	30	W	
200MW	40	514	12	AZ203	22	WH	53
200RTD	42	517	12	AZ205	22	WSI	35
200TVD	42	519	14	AZ206	23		
200WD	42	519TP	14	AZ207	24		
200WW	40	521	17	AZ212	23		
				AZ646	22		

MATCO-NORCA

Global sourcing. National compliance. Local service.



www.matco-norca.com

mail@matco-norca.com

NEW YORK
TEXAS
CALIFORNIA

PO Box 27, Rt. 22, Brewster NY 10509
1150 Silber Rd., Houston TX 77055
5593 Fresca Dr., La Palma CA 90623

• Toll Free: 800-431-2082
• Toll Free: 800-935-5456
• Toll Free: 866-532-8306

• Fax: 845-278-9056
• Fax: 713-680-2999
• Fax: 866-532-8307