

# COPPER FITTINGS



▶ As originators of the solder-type copper fittings, our commitment to providing the highest quality fittings in the industry holds a special place. Today, our expansive line of Streamline® Copper Fittings are one of the industry's most complete offerings of fittings for copper piping systems from one source. Our many years of engineering know-how and experience are reflected in the fine quality and workmanship of each copper fitting we manufacture.



- Copper Fittings

***Streamline®***


# COPPER FITTINGS



Streamline® Copper Solder-Joint Fittings for supply/pressurized systems have been the leading brand of copper fittings for over 80 years. Available in wrought copper, our product selection has grown to become the most extensive in the industry. We are the acknowledged experts at engineering and manufacturing precision solder-joint copper fittings. Quality, consistency and reliability have made the Streamline® brand trusted and specified all around the world.



- UL Recognized to 700 PSI (select diameters)
- Constructed of high-grade copper or bronze materials
- Made to applicable ASME standards B16.15, B16.18, B16.22, B16.24, B16.50, B1.20.1
- Wrot fittings meet NSF 61G



## Adapter • Female

C x F  
WC-402



(CONTINUED FROM PREVIOUS COLUMN)

| Item No. | Diameter        | Each Wt. | Inner Qty. | Master Carton |
|----------|-----------------|----------|------------|---------------|
| W 01204  | 1/4" x 1/2"     | 0.1000   | 100        | 300           |
| W 01205  | 1/4" x 3/8"     | 0.0500   | 100        | 700           |
| W 01206  | 1/4" x 1/4"     | 0.0400   | 100        | 900           |
| W 01207  | 1/4" x 1/8"     | 0.0400   | 100        | 1,500         |
| W 01214  | 3/8" x 3/8"     | 0.0600   | 50         | 750           |
| W 01215  | 3/8" x 1/4"     | 0.0400   | 50         | 750           |
| W 01216  | 3/8" x 1/8"     | 0.0300   | 100        | 1,500         |
| W 01223  | 1/2" x 3/4"     | 0.1600   | 50         | 300           |
| W 01224  | 1/2" x 1/2"     | 0.1000   | 50         | 500           |
| W 01225  | 1/2" x 3/8"     | 0.0700   | 50         | 750           |
| W 01226  | 1/2" x 1/4"     | 0.0600   | 50         | 750           |
| W 01230  | 5/8" x 3/4"     | 0.1600   | 25         | 250           |
| W 01231  | 5/8" x 1/2"     | 0.1000   | 50         | 500           |
| W 01232  | 5/8" x 3/8"     | 0.0700   | 50         | 500           |
| W 01233  | 5/8" x 1/4"     | 0.0600   | 50         | 500           |
| W 01238  | 3/4" x 3/4"     | 0.1500   | 50         | 500           |
| W 01239  | 3/4" x 1/2"     | 0.0900   | 50         | 500           |
| W 01245  | 7/8" x 1"       | 0.2700   | 25         | 250           |
| W 01246  | 7/8" x 3/4"     | 0.1400   | 25         | 250           |
| W 01247  | 7/8" x 1/2"     | 0.1100   | 25         | 250           |
| W 01261  | 1-1/8" x 1-1/4" | 0.2800   | 10         | 100           |

(CONTINUED NEXT COLUMN)

| Item No. | Diameter        | Each Wt. | Inner Qty. | Master Carton |
|----------|-----------------|----------|------------|---------------|
| W 01263  | 1-1/8" x 1"     | 0.2500   | 25         | 250           |
| W 01264  | 1-1/8" x 3/4"   | 0.2200   | 25         | 250           |
| W 01265  | 1-1/8" x 1/2"   | 0.2500   | 20         | 200           |
| W 01270  | 1-3/8" x 1-1/2" | 0.5000   | 10         | 100           |
| W 01271  | 1-3/8" x 1-1/4" | 0.4500   | 10         | 100           |
| W 01272  | 1-3/8" x 1"     | 0.3300   | 10         | 100           |
| W 01278  | 1-5/8" x 2"     | 0.7400   | —          | 60            |
| W 01279  | 1-5/8" x 1-1/2" | 0.5300   | 10         | 100           |
| W 01280  | 1-5/8" x 1-1/4" | 0.3900   | 5          | 50            |
| W 01287  | 2-1/8" x 2"     | 0.5700   | —          | 50            |
| W 01288  | 2-1/8" x 1-1/2" | 0.7400   | 5          | 50            |
| W 01296  | 2-5/8" x 2-1/2" | 1.2200   | —          | 25            |
| W 01297  | 3-1/8" x 3"     | —        | —          | 15            |



### Return Bend

C x C  
Wrot Style #: WE-512



| Item No.  | Diameter        | Each Wt. | Inner Qty. | Master Qty. |
|-----------|-----------------|----------|------------|-------------|
| W 06025 † | 3/8" x 4-1/2"   | 0.1000   | 25         | 150         |
| W 06020 † | 3/8" x 1-1/2"   | 0.0200   | 25         | 850         |
| W 06048 † | 1/2" x 6"       | 0.2100   | —          | 100         |
| W 06045 † | 1/2" x 4"       | 0.1400   | —          | 200         |
| W 06041 † | 1/2" x 3"       | 0.1100   | 25         | 250         |
| W 06036 † | 1/2" x 2"       | 0.0600   | 50         | 300         |
| W 06035 † | 1/2" x 12-9/32" | 0.0800   | 50         | 300         |
| W 06032 † | 1/2" x 1-1/2"   | 0.0600   | 50         | 500         |
| W 06069 † | 5/8" x 6"       | 0.3000   | 5          | 30          |
| W 06062 † | 5/8" x 3-3/8"   | 0.1800   | 10         | 100         |
| W 06060 † | 5/8" x 3"       | 0.1600   | 25         | 150         |
| W 06058 † | 5/8" x 2-1/2"   | 0.1400   | 25         | 250         |
| W 06056 † | 5/8" x 2-1/4"   | 0.1300   | 25         | 250         |
| W 06053 † | 5/8" x 1-7/8"   | 0.1100   | 25         | 250         |
| W 06051 † | 5/8" x 19/16"   | 0.1000   | 25         | 250         |
| W 06084 † | 3/4" x 4"       | 0.2500   | —          | 120         |
| W 06081 † | 3/4" x 3-3/8"   | 0.2400   | 10         | 90          |
| W 06077 † | 3/4" x 2-1/2"   | 0.1700   | 10         | 100         |
| W 06074 † | 3/4" x 2-1/8"   | 0.1600   | 10         | 100         |
| W 06073 † | 3/4" x 2"       | 0.1500   | 10         | 100         |
| W 06099 † | 7/8" x 12"      | 0.8800   | —          | 15          |
| W 06095 † | 7/8" x 3-3/8"   | 0.2900   | 10         | 100         |
| W 06092 † | 7/8" x 2-1/2"   | 0.2300   | 10         | 100         |
| W 60111 † | 1-1/8" x 3-1/4" | 0.4900   | 5          | 50          |
| W 60110 † | 1-1/8" x 3"     | 0.4700   | 5          | 50          |
| W 60121 † | 1-3/8" x 3-3/4" | 0.6500   | 5          | 50          |
| W 60131 † | 1-5/8" x 4-1/2" | 1.0000   | 5          | 25          |
| W 60140 † | 2-1/8" x 5-1/2" | 1.9200   | 5          | 25          |



### Tee

C x C x C  
Wrot Style #: WT-600



| Item No.  | Diameter | Each Wt. | Inner Qty. | Master Qty. |
|-----------|----------|----------|------------|-------------|
| W 40302 † | 3/16"    | 0.0100   | 50         | 1,700       |
| W 40306 † | 1/4"     | 0.0100   | 100        | 2,400       |
| W 40313 † | 5/16"    | 0.0100   | 50         | 1,700       |
| W 04000 † | 3/8"     | 0.0200   | 50         | 1,700       |
| W 04001 † | 1/2"     | 0.0400   | 50         | 500         |
| W 04006 † | 5/8"     | 0.0700   | 50         | 500         |
| W 04017 † | 3/4"     | 0.1200   | 25         | 250         |
| W 04031 † | 7/8"     | 0.1600   | 25         | 250         |
| W 04048 † | 1-1/8"   | 0.2900   | 10         | 100         |
| W 04068 † | 1-3/8"   | 0.4200   | 5          | 50          |
| W 04084 † | 1-5/8"   | 0.6000   | 5          | 50          |
| W 40102 † | 2-1/8"   | 1.1400   | 5          | 25          |
| W 40123 † | 2-5/8"   | 1.7200   | 2          | 20          |
| W 40152 † | 3-1/8"   | 2.7700   | 2          | 10          |
| W 40190 † | 3-5/8"   | 5.6600   | 1          | 5           |
| W 40200 † | 4-1/8"   | 5.9900   | 1          | 5           |
| W 40400 † | 5-1/8"   | 12.3800  | —          | 1           |
| W 40500 † | 6-1/8"   | 20.8500  | —          | 1           |



### Tee • Reducing

C x C x C  
Wrot Style #: WT-600



| Item No.  | Diameter                 | Each Wt. | Inner Qty. | Master Qty. |
|-----------|--------------------------|----------|------------|-------------|
| W 40368 † | 1/4" x 1/4" x 3/8"       | 0.0300   | 50         | 750         |
| W 40308 † | 1/4" x 1/4" x 3/16"      | 0.0100   | 50         | 2,000       |
| W 40334 † | 5/16" x 5/16" x 3/8"     | 0.0300   | 50         | 750         |
| W 04016 † | 3/8" x 3/8" x 5/8"       | 0.0800   | 50         | 500         |
| W 04005 † | 3/8" x 3/8" x 1/2"       | 0.0400   | 50         | 500         |
| W 40324 † | 3/8" x 3/8" x 1/4"       | 0.0200   | 50         | 1,700       |
| W 40330 † | 3/8" x 1/4" x 3/8"       | 0.0200   | 50         | 500         |
| W 40332 † | 3/8" x 1/4" x 1/4"       | 0.0200   | 50         | 1,700       |
| W 04015 † | 1/2" x 1/2" x 5/8"       | 0.0900   | 50         | 500         |
| W 04002 † | 1/2" x 1/2" x 3/8"       | 0.0400   | 50         | 500         |
| W 40350 † | 1/2" x 1/2" x 1/4"       | 0.0400   | 50         | 500         |
| W 04003 † | 1/2" x 3/8"x1/2"         | 0.0500   | 50         | 500         |
| W 04004 † | 1/2" x 3/8" x 3/8"       | 0.0400   | 50         | 500         |
| W 40358 † | 1/2" x 3/8" x 1/4"       | 0.0400   | 50         | 750         |
| W 40363 † | 1/2" x 1/4" x 1/2"       | 0.0500   | 50         | 750         |
| W 40364 † | 1/2" x 1/4" x 3/8"       | 0.0400   | 50         | 750         |
| W 40366 † | 1/2" x 1/4" x 1/4"       | 0.0500   | 50         | 450         |
| W 04067 † | 5/8" x 5/8" x 1-1/8"     | 0.3500   | 10         | 100         |
| W 04047 † | 5/8" x 5/8" x 7/8"       | 0.1100   | 25         | 250         |
| W 04029 † | 5/8" x 5/8" x 3/4"       | 0.1000   | 25         | 250         |
| W 04007 † | 5/8" x 5/8" x 1/2"       | 0.0800   | 50         | 500         |
| W 04008 † | 5/8" x 5/8" x 3/8"       | 0.0600   | 50         | 500         |
| W 04014 † | 5/8" x 5/8" x 1/4"       | 0.0800   | 50         | 500         |
| W 04009 † | 5/8" x 1/2" x 5/8"       | 0.0900   | 50         | 500         |
| W 04010 † | 5/8" x 1/2" x 1/2"       | 0.0800   | 50         | 500         |
| W 04011 † | 5/8" x 1/2" x 3/8"       | 0.0800   | 50         | 500         |
| W 04012 † | 5/8" x 3/8" x 5/8"       | 0.0900   | 50         | 500         |
| W 40367 † | 5/8" x 3/8" x 1/2"       | 0.0800   | 50         | 500         |
| W 04013 † | 5/8" x 3/8" x 3/8"       | 0.0900   | 50         | 500         |
| W 04046 † | 3/4" x 3/4" x 7/8"       | 0.1500   | 25         | 250         |
| W 04018 † | 3/4" x 3/4" x 5/8"       | 0.1000   | 25         | 250         |
| W 04019 † | 3/4" x 3/4" x 1/2"       | 0.1000   | 25         | 250         |
| W 04020 † | 3/4" x 3/4" x 3/8"       | 0.1000   | 25         | 250         |
| W 04021 † | 3/4" x 5/8" x 3/4"       | 0.1300   | 25         | 225         |
| W 04022 † | 3/4" x 5/8" x 5/8"       | 0.1100   | 25         | 250         |
| W 04023 † | 3/4" x 5/8" x 1/2"       | 0.1100   | 25         | 225         |
| W 04025 † | 3/4" x 1/2" x 3/4"       | 0.1500   | 25         | 250         |
| W 04026 † | 3/4" x 1/2" x 5/8"       | 0.1400   | 25         | 225         |
| W 04027 † | 3/4" x 1/2" x 1/2"       | 0.1100   | 25         | 250         |
| W 04065 † | 7/8" x 7/8" x 1-1/8"     | 0.2200   | 10         | 100         |
| W 04032 † | 7/8" x 7/8" x 3/4"       | 0.1700   | 25         | 250         |
| W 04033 † | 7/8" x 7/8" x 5/8"       | 0.1200   | 25         | 250         |
| W 04034 † | 7/8" x 7/8" x 1/2"       | 0.1100   | 25         | 250         |
| W 04035 † | 7/8" x 7/8" x 3/8"       | 0.1100   | 25         | 250         |
| W 04036 † | 7/8" x 3/4" x 7/8"       | 0.1900   | 25         | 250         |
| W 04037 † | 7/8" x 3/4" x 3/4"       | 0.1700   | 25         | 250         |
| W 04041 † | 7/8" x 5/8" x 7/8"       | 0.1600   | 25         | 250         |
| W 04042 † | 7/8" x 5/8" x 3/4"       | 0.1700   | 25         | 150         |
| W 04043 † | 7/8" x 5/8" x 5/8"       | 0.1300   | 25         | 250         |
| W 04044 † | 7/8" x 5/8" x 1/2"       | 0.1200   | 25         | 250         |
| W 04045 † | 7/8" x 5/8" x 3/8"       | 0.1500   | 25         | 225         |
| W 40230 † | 7/8" x 1/2" x 7/8"       | 0.1900   | 25         | 250         |
| W 40231 † | 7/8" x 1/2" x 5/8"       | 0.1700   | 25         | 250         |
| W 40232 † | 7/8" x 1/2" x 1/2"       | 0.1200   | 25         | 250         |
| W 40101 † | 1-1/8" x 1-1/8" x 1-5/8" | 0.4700   | 5          | 50          |
| W 04082 † | 1-1/8" x 1-1/8" x 1-3/8" | 0.3100   | 5          | 50          |
| W 04049 † | 1-1/8" x 1-1/8" x 7/8"   | 0.2400   | 10         | 100         |
| W 04050 † | 1-1/8" x 1-1/8" x 3/4"   | 0.2700   | 10         | 100         |
| W 04051 † | 1-1/8" x 1-1/8" x 5/8"   | 0.2100   | 10         | 100         |

(CONTINUED NEXT PAGE)