

# Diva dimmers, switches, and fan controls



Shown actual size: Diva preset dimmer and 1-gang Claro wallplate in White (WH).

## Product family features

- Large paddle switch with a captive linear slide dimmer for a standard Designer wallplate opening
- Preset dimmer
- LED+, reverse-phase, and 0-10V models available
- Coordinating Claro, Satin Finishes, and Stainless Steel wallplates only available separately
- All models must be derated unless otherwise noted. Visit [lutron.com/multigang](http://lutron.com/multigang) for more information.

## Control types

- 🔌 Single-pole (1 location)
- 🔌🔌🔌 3-way or 4-way (2 or more locations)

## Direct load type compatibility

- 💡 Dimmable LED/CFL lighting (screw-base)
- 💡 Incandescent/halogen lighting
- 💡 Magnetic low-voltage lighting
- 💡 Electronic low-voltage lighting
- 🌀 LED lighting
- 📡 Fluorescent lighting
- 🏠 Switched lighting/fan/motor
- 🌀 Ceiling fans

## Load type requiring load interface

- 🌀 Neon/cold cathode lighting

Lighting load interfaces may be required for some additional load type, voltage, and capacity combinations. For additional information see "Lighting Load Interfaces."

## Available finishes

Use **BOLD** color code in model number (Example: DVCL-153P-**BL**)

### Gloss



**WH**  
White



**LA**  
Light Almond



**AL**  
Almond



**IV**  
Ivory



**GR**  
Gray



**BR**  
Brown



**BL**  
Black

### Satin Finishes



**BW**  
Brilliant White



**GL**  
Glacier White



**SW**  
Snow



**RW**  
Architectural  
White



**LG**  
Lunar Gray



**MI**  
Mist



**PB**  
Pebble



**CS**  
Cobblestone



**SL**  
Slate



**MN**  
Midnight



**BI**  
Biscuit



**SD**  
Sand



**TP**  
Taupe



**PM**  
Pumice



**CY**  
Clay



**SA**  
Sage



**EP**  
Espresso



**TF**  
Truffle



**DE**  
Deep Sea



**SR**  
Signal Red



**SS**  
Stainless Steel

Metal wallplate\*

\* Stainless Steel metal wallplate only available separately and includes black plastic trim/adaptor, visible from side. Match with separate Black (BL) or Midnight (MN) controls.

## Dimmers



- Paddle turns on/off
- Slide up to brighten, down to dim
- LED+ dimmers provide reliable dimming of dimmable LEDs/CFLs, as well as halogens and incandescents

### Dimmable LED/CFL (screw-base) dimmers

#### Incandescent/halogen dimmers

##### LED+ dimmers

3-way/single-pole 120V 150W (LED/CFL), 600W (Inc)	DVCL-153P- <b>XX</b> <sup>1</sup> DVSCCL-153P- <b>XX</b> <sup>2</sup>
---	--

3-way/single-pole 120V 250W (LED/CFL), 600W (Inc) 350W (Hi-lume 1% LED driver, max. 8)	DVCL-253P- <b>XX</b> <sup>1</sup> DVSCCL-253P- <b>XX</b> <sup>2</sup>
---	--

Visit [lutron.com/LEDfinder](http://lutron.com/LEDfinder) for our online compatibility tool.

Adjustable low-end trim.

### Dimmable LED/CFL (screw-base) dimmers

#### Incandescent/halogen dimmers

#### Electronic low-voltage dimmers

##### Reverse-phase dimmers\*

3-way/single-pole 120V 250W (LED/CFL), 500W (Inc), 500W (ELV)	DVRP-253P- <b>XX</b> <sup>1</sup> DVSCR-253P- <b>XX</b> <sup>2</sup>
---	---

When dimming LEDs/CFLs, only bulbs marked or rated as dimmable with reverse-phase may be used.

Visit [lutron.com/LEDfinder](http://lutron.com/LEDfinder) for our online compatibility tool.

No low-end trim.

**XX**<sup>1</sup>: Gloss color codes

**XX**<sup>2</sup>: Satin color codes

Wallplates not included. Order separately.

### Incandescent/halogen dimmers

#### Dimmers

Single-pole 120V 1000W	DV-10P- <b>XX</b> <sup>1</sup> DVSC-10P- <b>XX</b> <sup>2</sup>
3-way/ 120V 1000W	DV-103P- <b>XX</b> <sup>1</sup> DVSC-103P- <b>XX</b> <sup>2</sup>

### Magnetic low-voltage dimmers

#### Dimmers

Single-pole 120V 600VA (450W)	DVLV-600P- <b>XX</b> <sup>1</sup> DVSCLV-600P- <b>XX</b> <sup>2</sup>
Single-pole 120V 1000VA (800W)	DVLV-10P- <b>XX</b> <sup>1</sup> DVSCLV-10P- <b>XX</b> <sup>2</sup>
3-way 120V 600VA (450W)	DVLV-603P- <b>XX</b> <sup>1</sup> DVSCLV-603P- <b>XX</b> <sup>2</sup>
3-way 120V 1000VA (800W)	DVLV-103P- <b>XX</b> <sup>1</sup> DVSCLV-103P- <b>XX</b> <sup>2</sup>

The stated VA (volt-ampere) rating includes the magnetic transformer heat losses and the lamp load. The stated W (watt) rating is the maximum lamp wattage based on assumed 20% transformer loss.

### Electronic low-voltage dimmers

#### Dimmers\*

Single-pole 120V 300W	DVELV-300P- <b>XX</b> <sup>1</sup> DVSCELV-300P- <b>XX</b> <sup>2</sup>
3-way 120V 300W	DVELV-303P- <b>XX</b> <sup>1</sup> DVSCELV-303P- <b>XX</b> <sup>2</sup>

\* Requires neutral wire connection