



## Stainless Steel Flexible Gas Connectors (EFGC-012-YE Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust. Safe-guard yellow epoxy coating provides extra protection from corrosion, chemical stains from common household products, and plumbing repair products.

### FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

### MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

### SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

### DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



### CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
012	5/8"	1/2"	180,000	164,200	150,000	136,000	125,000	106,000	93,200	86,000

Job Name :	Engineer / Architect :
Job Location :	Wholesaler :
Submittal Date :	Contractor :

# Stainless Steel Flexible Gas Connectors

## (EFGC-012-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-012-YE-1010-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" MIP	12"	25
	EFGC-012-YE-1010-18		18"	25
	EFGC-012-YE-1010-24		24"	25
	EFGC-012-YE-1010-30		30"	25
	EFGC-012-YE-1010-36		36"	25
	EFGC-012-YE-1010-48		48"	25
	EFGC-012-YE-1010-60		60"	12
	EFGC-012-YE-1010-72		72"	12
	EFGC-012-YE-1011-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" FIP	12"	25
	EFGC-012-YE-1011-18		18"	25
	EFGC-012-YE-1011-24		24"	25
	EFGC-012-YE-1011-30		30"	25
	EFGC-012-YE-1011-36		36"	25
	EFGC-012-YE-1011-48		48"	25
	EFGC-012-YE-1011-60		60"	12
	EFGC-012-YE-1011-72		72"	12
	EFGC-012-YE-1111-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" FIP x 1/2" FIP	12"	25
	EFGC-012-YE-1111-18		18"	25
	EFGC-012-YE-1111-24		24"	25
	EFGC-012-YE-1111-30		30"	25
	EFGC-012-YE-1111-36		36"	25
	EFGC-012-YE-1111-48		48"	25
	EFGC-012-YE-1111-60		60"	12
	EFGC-012-YE-1111-72		72"	12
	EFGC-012-YE-1014-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/4" MIP	12"	25
	EFGC-012-YE-1014-18		18"	25
	EFGC-012-YE-1014-24		24"	25
	EFGC-012-YE-1014-30		30"	25
	EFGC-012-YE-1014-36		36"	25
	EFGC-012-YE-1014-48		48"	25
	EFGC-012-YE-1014-60		60"	12
	EFGC-012-YE-1014-72		72"	12

# Stainless Steel Flexible Gas Connectors

## (EFGC-012-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-012-YE-1015-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/4" FIP	12"	25
	EFGC-012-YE-1015-18		18"	25
	EFGC-012-YE-1015-24		24"	25
	EFGC-012-YE-1015-30		30"	25
	EFGC-012-YE-1015-36		36"	25
	EFGC-012-YE-1015-48		48"	25
	EFGC-012-YE-1015-60		60"	12
	EFGC-012-YE-1015-72		72"	12
	EFGC-012-YE-1414-12	YE Yellow Epoxy Coated Stainless Steel 304 3/4" MIP x 3/4" MIP	12"	25
	EFGC-012-YE-1414-18		18"	25
	EFGC-012-YE-1414-24		24"	25
	EFGC-012-YE-1414-30		30"	25
	EFGC-012-YE-1414-36		36"	25
	EFGC-012-YE-1414-48		48"	25
	EFGC-012-YE-1414-60		60"	12
	EFGC-012-YE-1414-72		72"	12
	EFGC-012-YE-1415-12	YE Yellow Epoxy Coated Stainless Steel 304 3/4" MIP x 3/4" FIP	12"	25
	EFGC-012-YE-1415-18		18"	25
	EFGC-012-YE-1415-24		24"	25
	EFGC-012-YE-1415-30		30"	25
	EFGC-012-YE-1415-36		36"	25
	EFGC-012-YE-1415-48		48"	25
	EFGC-012-YE-1415-60		60"	12
	EFGC-012-YE-1415-72		72"	12
	EFGC-012-YE-1515-12	YE Yellow Epoxy Coated Stainless Steel 304 3/4" FIP x 3/4" FIP	12"	25
	EFGC-012-YE-1515-18		18"	25
	EFGC-012-YE-1515-24		24"	25
	EFGC-012-YE-1515-30		30"	25
	EFGC-012-YE-1515-36		36"	25
	EFGC-012-YE-1515-48		48"	25
	EFGC-012-YE-1515-60		60"	12
	EFGC-012-YE-1515-72		72"	12

# Stainless Steel Flexible Gas Connectors

## (EFGC-012-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-012-YE-1031-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" B. Valve	12"	25
	EFGC-012-YE-1031-18		18"	25
	EFGC-012-YE-1031-24		24"	25
	EFGC-012-YE-1031-30		30"	25
	EFGC-012-YE-1031-36		36"	25
	EFGC-012-YE-1031-48		48"	25
	EFGC-012-YE-1031-60		60"	12
	EFGC-012-YE-1031-72		72"	12
	EFGC-012-YE-1033-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/4" B. Valve	12"	25
	EFGC-012-YE-1033-18		18"	25
	EFGC-012-YE-1033-24		24"	25
	EFGC-012-YE-1033-30		30"	25
	EFGC-012-YE-1033-36		36"	25
	EFGC-012-YE-1033-48		48"	25
	EFGC-012-YE-1033-60		60"	12
	EFGC-012-YE-1033-72		72"	12
	EFGC-012-YE-1043-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/4" A. Valve	12"	25
	EFGC-012-YE-1043-18		18"	25
	EFGC-012-YE-1043-24		24"	25
	EFGC-012-YE-1043-30		30"	25
	EFGC-012-YE-1043-36		36"	25
	EFGC-012-YE-1043-48		48"	25
	EFGC-012-YE-1043-60		60"	12
	EFGC-012-YE-1043-72		72"	12



## Stainless Steel Flexible Gas Connectors (EFGC-014-YE Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust. Safe-guard yellow epoxy coating provides extra protection from corrosion, chemical stains from common household products, and plumbing repair products.

### FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

### MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

### SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

### DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



### CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
014	3/8"	1/4"	48,000	43,800	40,000	36,400	33,400	28,300	24,900	23,100

Job Name :	Engineer / Architect :
Job Location :	Wholesaler :
Submittal Date :	Contractor :

# Stainless Steel Flexible Gas Connectors

## (EFGC-014-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-014-YE-1010-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" MIP	12"	25
	EFGC-014-YE-1010-18		18"	25
	EFGC-014-YE-1010-24		24"	25
	EFGC-014-YE-1010-30		30"	25
	EFGC-014-YE-1010-36		36"	25
	EFGC-014-YE-1010-48		48"	25
	EFGC-014-YE-1010-60		60"	12
	EFGC-014-YE-1010-72		72"	12
	EFGC-014-YE-1011-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" FIP	12"	25
	EFGC-014-YE-1011-18		18"	25
	EFGC-014-YE-1011-24		24"	25
	EFGC-014-YE-1011-30		30"	25
	EFGC-014-YE-1011-36		36"	25
	EFGC-014-YE-1011-48		48"	25
	EFGC-014-YE-1011-60		60"	12
	EFGC-014-YE-1011-72		72"	12
	EFGC-014-YE-1012-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/8" MIP	12"	25
	EFGC-014-YE-1012-18		18"	25
	EFGC-014-YE-1012-24		24"	25
	EFGC-014-YE-1012-30		30"	25
	EFGC-014-YE-1012-36		36"	25
	EFGC-014-YE-1012-48		48"	25
	EFGC-014-YE-1012-60		60"	12
	EFGC-014-YE-1012-72		72"	12
	EFGC-014-YE-1013-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/8" FIP	12"	25
	EFGC-014-YE-1013-18		18"	25
	EFGC-014-YE-1013-24		24"	25
	EFGC-014-YE-1013-30		30"	25
	EFGC-014-YE-1013-36		36"	25
	EFGC-014-YE-1013-48		48"	25
	EFGC-014-YE-1013-60		60"	12
	EFGC-014-YE-1013-72		72"	12

# Stainless Steel Flexible Gas Connectors

## (EFGC-014-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-014-YE-1213-12	YE Yellow Epoxy Coated Stainless Steel 304 3/8" MIP x 3/8" FIP	12"	25
	EFGC-014-YE-1213-18		18"	25
	EFGC-014-YE-1213-24		24"	25
	EFGC-014-YE-1213-30		30"	25
	EFGC-014-YE-1213-36		36"	25
	EFGC-014-YE-1213-48		48"	25
	EFGC-014-YE-1213-60		60"	12
	EFGC-014-YE-1213-72		72"	12
	EFGC-014-YE-1031-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" B. Valve	12"	25
	EFGC-014-YE-1031-18		18"	25
	EFGC-014-YE-1031-24		24"	25
	EFGC-014-YE-1031-30		30"	25
	EFGC-014-YE-1031-36		36"	25
	EFGC-014-YE-1031-48		48"	25
	EFGC-014-YE-1031-60		60"	12
	EFGC-014-YE-1031-72		72"	12



## Stainless Steel Flexible Gas Connectors (EFGC-034-YE Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust. Safe-guard yellow epoxy coating provides extra protection from corrosion, chemical stains from common household products, and plumbing repair products.

### FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

### MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

### SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

### DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



### CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
034	1"	3/4"	290,900	290,900	290,900	270,500	255,900	215,000	197,400	173,900

Job Name :	Engineer / Architect :
Job Location :	Wholesaler :
Submittal Date :	Contractor :

# Stainless Steel Flexible Gas Connectors

## (EFGC-034-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-034-YE-1414-12	YE Yellow Epoxy Coated Stainless Steel 304 3/4" MIP x 3/4" MIP	12"	25
	EFGC-034-YE-1414-18		18"	25
	EFGC-034-YE-1414-24		24"	25
	EFGC-034-YE-1414-30		30"	25
	EFGC-034-YE-1414-36		36"	25
	EFGC-034-YE-1414-48		48"	25
	EFGC-034-YE-1414-60		60"	12
	EFGC-034-YE-1414-72		72"	12
	EFGC-034-YE-1415-12	YE Yellow Epoxy Coated Stainless Steel 304 3/4" MIP x 3/4" FIP	12"	25
	EFGC-034-YE-1415-18		18"	25
	EFGC-034-YE-1415-24		24"	25
	EFGC-034-YE-1415-30		30"	25
	EFGC-034-YE-1415-36		36"	25
	EFGC-034-YE-1415-48		48"	25
	EFGC-034-YE-1415-60		60"	12
	EFGC-034-YE-1415-72		72"	12
	EFGC-034-YE-1515-12	YE Yellow Epoxy Coated Stainless Steel 304 3/4" FIP x 3/4" FIP	12"	25
	EFGC-034-YE-1515-18		18"	25
	EFGC-034-YE-1515-24		24"	25
	EFGC-034-YE-1515-30		30"	25
	EFGC-034-YE-1515-36		36"	25
	EFGC-034-YE-1515-48		48"	25
	EFGC-034-YE-1515-60		60"	12
	EFGC-034-YE-1515-72		72"	12



## Stainless Steel Flexible Gas Connectors (EFGC-038-YE Series)

EFGC-Series stainless steel flexible gas connector offer you a full spectrum of product varieties to fit your needs. Corrosion resistant stainless steel 304 tubing and zinc-plated steel fitting provide 100% quality you can trust. Safe-guard yellow epoxy coating provides extra protection from corrosion, chemical stains from common household products, and plumbing repair products.

### FEATURES

- Flexible and durable with full spectrum of product varieties.
- 100% leak tested for quality and safety
- Uniform Safe-guard epoxy coating available in yellow and black color for corrosion resistance.

### MATERIALS

Tubing	Stainless Steel 304 (ASTM A240)
Coating	Epoxy
Fittings	Zinc-Plated Steel S45C

### SPECIFICATIONS

Rated Operating Temperature	-40°F to 150°F (-40°C to 65°C)
Rated Pressure	0.5 psi

### DESIGN CERTIFICATIONS AND APPROVALS

- ANSI Z 21.24 / CSA 6.10 Gas Appliances
- ANSI Z 21.69 / CSA 6.16 Movable Gas Appliances
- ANSI Z 21.75 / CSA 6.27 Outdoor Gas Appliances & Manufactured Homes
- Commonwealth of Massachusetts Board of State Examiners (except 48", 60", 72")
- City of New York-MEA #376-92-M



### CONNECTOR MINIMUM FLOW CAPACITY

Series	Nominal OD	Nominal ID	12"	18"	24"	30"	36"	48"	60"	72"
038	1/2"	3/8"	102,000	93,100	85,000	77,100	71,100	60,500	53,200	49,100

Job Name :	Engineer / Architect :
Job Location :	Wholesaler :
Submittal Date :	Contractor :

# Stainless Steel Flexible Gas Connectors

## (EFGC-038-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-038-YE-1010-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" MIP	12"	25
	EFGC-038-YE-1010-18		18"	25
	EFGC-038-YE-1010-24		24"	25
	EFGC-038-YE-1010-30		30"	25
	EFGC-038-YE-1010-36		36"	25
	EFGC-038-YE-1010-48		48"	25
	EFGC-038-YE-1010-60		60"	12
	EFGC-038-YE-1010-72		72"	12
	EFGC-038-YE-1011-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" FIP	12"	25
	EFGC-038-YE-1011-18		18"	25
	EFGC-038-YE-1011-24		24"	25
	EFGC-038-YE-1011-30		30"	25
	EFGC-038-YE-1011-36		36"	25
	EFGC-038-YE-1011-48		48"	25
	EFGC-038-YE-1011-60		60"	12
	EFGC-038-YE-1011-72		72"	12
	EFGC-038-YE-1111-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" FIP x 1/2" FIP	12"	25
	EFGC-038-YE-1111-18		18"	25
	EFGC-038-YE-1111-24		24"	25
	EFGC-038-YE-1111-30		30"	25
	EFGC-038-YE-1111-36		36"	25
	EFGC-038-YE-1111-48		48"	25
	EFGC-038-YE-1111-60		60"	12
	EFGC-038-YE-1111-72		72"	12
	EFGC-038-YE-1012-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/8" MIP	12"	25
	EFGC-038-YE-1012-18		18"	25
	EFGC-038-YE-1012-24		24"	25
	EFGC-038-YE-1012-30		30"	25
	EFGC-038-YE-1012-36		36"	25
	EFGC-038-YE-1012-48		48"	25
	EFGC-038-YE-1012-60		60"	12
	EFGC-038-YE-1012-72		72"	12

# Stainless Steel Flexible Gas Connectors

## (EFGC-038-YE Series)

Image	Part #	Description		Qty / Box
		Hose & Fittings	Length	
	EFGC-038-YE-1013-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 3/8" FIP	12"	25
	EFGC-038-YE-1013-18		18"	25
	EFGC-038-YE-1013-24		24"	25
	EFGC-038-YE-1013-30		30"	25
	EFGC-038-YE-1013-36		36"	25
	EFGC-038-YE-1013-48		48"	25
	EFGC-038-YE-1013-60		60"	12
	EFGC-038-YE-1013-72		72"	12
	EFGC-038-YE-1213-12	YE Yellow Epoxy Coated Stainless Steel 304 3/8" MIP x 3/8" FIP	12"	25
	EFGC-038-YE-1213-18		18"	25
	EFGC-038-YE-1213-24		24"	25
	EFGC-038-YE-1213-30		30"	25
	EFGC-038-YE-1213-36		36"	25
	EFGC-038-YE-1213-48		48"	25
	EFGC-038-YE-1213-60		60"	12
	EFGC-038-YE-1213-72		72"	12
	EFGC-038-YE-1031-12	YE Yellow Epoxy Coated Stainless Steel 304 1/2" MIP x 1/2" B. Valve	12"	25
	EFGC-038-YE-1031-18		18"	25
	EFGC-038-YE-1031-24		24"	25
	EFGC-038-YE-1031-30		30"	25
	EFGC-038-YE-1031-36		36"	25
	EFGC-038-YE-1031-48		48"	25
	EFGC-038-YE-1031-60		60"	12
	EFGC-038-YE-1031-72		72"	12