

Apollo PowerPress reducer (press x insert)



group: 418 category: fittings product line: Apollo PowerPress

applications

heating, cooling, compressed air, sprinkler

segments

fire protection , utility , industry

approvals

CRN , FM , IAPMO/ANSI/CAN Z1117 , ICC LC1002 , TSSA , UL , ULc

assortment

item code	size	dimensions	weight	packaging	gtin + upc
PWR7480693	Ø3/4" x 1/2"	2.52x1.26x1.26 "	0.29 lb	Carton (5 pce)	08711985368932
PWR7480704	Ø1" x 1/2"	2.72x1.34x1.34 "	0.4 lb	Carton (5 pce)	08711985368949
PWR7480715	Ø1" x 3/4"	2.72x1.50x1.50 "	0.41 lb	Carton (5 pce)	08711985368956
PWR7480748	Ø1 1/4" x 1"	3.35x1.81x1.81 "	0.75 lb	Carton (1 pce)	08711985368963
PWR7480761	Ø1 1/2" x 3/4"	4.29x1.93x1.93 "	0.76 lb	Carton (1 pce)	08711985368970
PWR7480770	Ø1 1/2" x 1"	3.43x1.93x1.93 "	0.88 lb	Carton (1 pce)	08711985368987
PWR7480781	Ø1 1/2" x 1 1/4"	3.82x2.20x2.20 "	0.95 lb	Carton (1 pce)	08711985368994
PWR7480814	Ø2" x 1"	4.69x2.40x2.40 "	1.13 lb	Carton (1 pce)	08711985369007
PWR7480825	Ø2" x 1 1/4"	3.94x2.40x2.40 "	1.37 lb	Carton (1 pce)	08711985369014
PWR7480836	Ø2" x 1 1/2"	3.94x2.44x2.44 "	1.32 lb	Carton (1 pce)	08711985369021

specifications - characteristics

color	grey
materials	steel (St 35 (1.0308))
finishing	zinc-nickel plated
manufacturer	Aalberts integrated piping systems B.V. (VSH)
shape	straight, reducer
connection type	tube end, press (DW)
sealing	EPDM

specifications - general

product group	fittings
ETIM class	ECO03024 Fitting with 2 connections
intrastat code	73079980
country of origin	Netherlands
brand	Apollo
series	PowerPress
product type	418
unsps	40173602

dimensions

item code	size	d1	DN1	l1	d2	DN2	l2	z2
PWR7480693	Ø3/4" x 1/2"	1.06	DN20	1.37	0.84	DN15	1.15	0.04
PWR7480704	Ø1" x 1/2"	1.32	DN25	1.56	0.84	DN15	1.15	0.04
PWR7480715	Ø1" x 3/4"	1.32	DN25	1.45	1.05	DN20	1.26	0.04
PWR7480748	Ø1 1/4" x 1"	1.67	DN32	1.88	1.32	DN25	1.46	0.04
PWR7480761	Ø1 1/2" x 3/4"	1.90	DN40	2.48	1.05	DN20	1.80	0.58
PWR7480770	Ø1 1/2" x 1"	1.90	DN40	1.95	1.32	DN25	1.46	0.04
PWR7480781	Ø1 1/2" x 1 1/4"	1.90	DN40	1.88	1.66	DN32	1.93	0.04
PWR7480814	Ø2" x 1"	2.37	DN50	2.71	1.32	DN25	1.98	0.56
PWR7480825	Ø2" x 1 1/4"	2.37	DN50	1.88	1.66	DN32	1.93	0.04
PWR7480836	Ø2" x 1 1/2"	2.37	DN50	1.95	1.90	DN40	1.97	0.04

