



LED PAR20

7PAR20/LED/F40/830/E26/GL/DIM 120V 6/1

Philips is driving the switch to energy-efficient solutions. Upgrade your track and accent lights with our small diameter reflectors for instant energy savings and unbeatable quality. Available in both Glass and Plastic casings, Philips LED Par20s are the ideal replacement for halogen.

Product data

General Information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	25000X
Technical Type	7-50W
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	40 °
Initial lumen (Nom)	500 lm
Luminous Intensity (Nom)	1000 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	71.43 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	60 Hz
Power (Rated) (Nom)	7 W
Lamp Current (Nom)	70 mA


olicable
)/LED/F40/830/E26/GL/DIM 120V
471149
471149
471149

Datasheet, 2020, November 18 data subject to change

LED PAR20

Material Nr. (12NC)	929001316904
Net Weight (Piece)	0.135 kg


Dimensional drawing




PAR20 120V 6W-50W 500lm 40D 3000K E26 D


Product D C 7PAR20/LED/F40/830/E26/GL/DIM 120V 63 mm 85.5 mm

Photometric data





LEDlamps 6-50W PAR20 E26 3000K 500lm





LEDspot PAR20 7W 830 500lm 40D

Classic PAR20 6W-50W 500lm 40D 3000K E26 D

LED PAR20

Lifetime





LEDspot PAR20 7W 500lm

LEDspot PAR20 7W 500lm

