

9-in-1 Ratch-a-Nut™ Screwdriver

- Ratcheting Wire Connector Wrench prevents finger fatigue and gets in tight spots
- Premium screwdriver ratchet mechanism can handle high torque without failure
- Ergonomic, slip-free comfort grip
- Accepts Twist-a-Nut™ replacement bits
- Includes: 1/4 in. and 3/16 in. Slotted, #1 & #2 Phillips, 1/4 in., 5/16 in., 7/16 in. nutdrivers, ratcheting screwdriver end, ratcheting wire connector wrench and wire-looping hole in handle



(Lifetime warranty excludes bits)

Description	Cat. No.
9-in-1 Ratch-a-Nut™ Screwdriver 	35-988

Twist-a-Nut™ Pro Electrician's Screwdrivers

- Convenient Wire-Nut® Wire Connector Wrench in end of handle
- Wire-looping hole in handle
- Vapor-blasted tip prevents plate chipping
- Tough, chrome vanadium steel shank
- Precision ground tip provides secure fit in screw slot



Description	Cat. No.
#2 x 6 in. Square 	30-330
1/4 in. x 4 in. Slotted 	30-331
#2 x 4 in. Phillips 	30-332
1/4 in. x 6 in. Slotted Cabinet Tip 	30-333


7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver

- Includes patented Wire-Nut® Wire Connector Wrench in handle to help install twist-on wire connectors
- Includes wire-looping hole in handle
- Includes #1 & #2 Phillips, 1/4 in. & 3/16 in. Slotted, 1/4 in. & 5/16 in. Nutdriver
- #35-909 includes #1 & #2 Square Recess in place of #1 & #2 Phillips
- Handle is interchangeable with conduit deburrer head (#35-096) and 6-in-1 Tap Tool (#35-922)



(Lifetime warranty excludes bits)

Description	Cat. No.
7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver 	35-908
7-in-1 Twist-a-Nut™ Screwdriver/Nutdriver with Square tip	35-909



Twist-a-Nut™ Screwdriver Demo Video

Replacement Tips (for both Ratch-a-Nut™ and Twist-a-Nut™)

Description	Cat. No.
1/4 in. slotted – #2 Phillips 	35-911
3/16 in. slotted – #1 Phillips 	35-912
1/4 in. slotted – #2 Square 	35-913

Description	Cat. No.
3/16 in. slotted – #1 Square 	35-914
#15 & #10 Star 	35-915

6-in-1 Twist-a-Nut™ Tap Tool

- Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (#35-908) and Conduit Deburrer (#35-083)



(Lifetime warranty excludes taps)

Description	Cat. No.
Twist-a-Nut™ Tapping Tool includes: 6-32, 8-32 & 10-32 on one tapping side, 10-24, 12-24 & 1/4-20 on the other	35-922
Replacement collar and six taps	35-923

3-in-1 Twist-a-Nut™ Tap Tool

- Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (#35-908) and Conduit Deburrer (#35-083)
- Patented Wire-Nut® Wire Connector wrench in handle helps install twist-on wire connectors



(Lifetime warranty excludes taps)

Description	Cat. No.
3-in-1 Tap Tool includes handle and three taps	35-412

Twist-a-Nut™ Conduit Wiring Kit

- Includes
 - Twist-a-Nut™ Screwdriver (35-908)
 - Twist-a-Nut™ Deburring Head - Square Tip (35-098)
 - Twist-a-Nut™ Tap Tool Shaft (35-923)
 - Three Spare Bits (1/4 in. Slotted & #2 Square, 3/16 in. Slotted & #1 Square, #10 & #15 Star)
 - 8-Pocket Carrying Pouch (35-927)
- Nylon carrying pouch holds all three Twist-a-Nut™ tools plus room for four replacement bits or taps
- Strong easy-slide metal belt clip

Description	Cat. No.
Twist-a-Nut™ Combo Pack	35-926
Twist-a-Nut™ Carrying Pouch only	35-927

Twist-a-Nut™ Conduit Deburring Tools

- Deburrs inside and outside edges of 1/2 in., 3/4 in. and 1 in. thin wall conduit
- Hooded tip tightens EMT fitting set screws without slipping
- Square tip “seats” much more quickly on fitting screws than slotted version
- Head removes and is interchangeable with IDEAL 7-in-1 Twist-a-Nut™ Screwdriver shaft (#35-908)
- Head can be used in drill or cordless screwdriver
- Patented Wire-Nut® Wire Connector Wrench in handle end eases installation of twist-on connectors



(Lifetime warranty excludes bits & blades)

Description	Cat. No.
Conduit Deburring Tool, Slotted tip	35-083
Conduit Deburring Tool - #2 Square tip	35-075
Conduit Deburring Tool - head only, Slotted tip	35-096
Conduit Deburring Tool - head only, #2 Square tip	35-098
Replacement Blades (2/pack)	35-097



(Lifetime warranty excludes bits & taps)

Recessed Light Kit

- All the tools needed to install recessed lights
- Long spring tool easily installs and removes spring
- Compact Nutdriver is 2-1/4 in. - providing added clearance in recess lighting
- Cushioned-grip handle for added comfort



Description	Cat. No.
Recessed Light Kit	35-698

Grip-n-Screw™ Screwdriver



- Holds screw when collar is extended
- Non-magnetic screw-holding screwdriver
- Tough, chrome vanadium steel shank and cushioned-grip handle



Description	Blade Length	Handle Length	Total Length	Cat. No.
3/16 Slotted	5-7/8 in.	3-3/4 in.	9-5/8 in.	35-406
#2 Phillips	6-7/8 in.	4-15/16 in.	11-1/4 in.	35-404

Quick-Rotating



- Ideal for threading screws in switches, fixtures and anchors
- Identification mark on ends
- One-handed crank action for quick and easy use
- Vapor-blasted tip prevents plate chipping
- Precision-ground tip provides secure fit in screw slot
- Nickel Chrome plating for corrosion resistance
- Tough, chrome vanadium steel shank with cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
Cabinet	5-9/16 in.	3-3/4 in.	9-3/8 in.	35-200
Phillips	5-5/8 in.	4-5/16 in.	9-15/16 in.	35-203

Off-Set Screwdriver Set



- 4 in. length
- 1/4 in. x 1/4 in. Slotted tips
- #1 Phillips x #2 Phillips tips
- Designed to tighten fasteners in hard to reach places



Description	Overall Length	Cat. No.
Off-Set Screwdriver Set – 1/4 in. x 1/4 in. Slotted and #1 & #2 Phillips	4 in.	35-219

Awl



- Heavy-duty construction for piercing, punching and scribing
- Easy-to-read FastFinder™ handle shows tip type on end of handle
- Cushioned-grip handle



Description	Blade Length	Handle Length	Overall Length	Cat. No.
Awl	3 in.	3-3/4 in.	6-3/4 in.	35-202

Nutmaster® Nutdrivers



- Long, hollow shank accommodates longer bolts
- Easy-to-read FastFinder™ handle shows tip type on end of handle
- Nickel Chrome plated to resist rust and corrosion
- Cushioned grips
- Models 35-292 and 35-295 fit Tan & Blue Twister® Wire Connectors



Description	Shank Length	Handle Length	Overall Length	Cat. No.
3/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-290
1/4 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-291
5/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-292
11/32 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-293


Description	Shank Length	Handle Length	Overall Length	Cat. No.
3/8 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-294
7/16 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-295
1/2 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-296

7-Piece Nutdriver Set



Description					Cat. No.
7-Piece Nutdriver Set					35-299
35-299 Includes	Shank Length	Handle Length	Overall Length	Cat. No.	
3/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-290	
1/4 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-291	
5/16 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-292	
11/32 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-293	
3/8 in. x 3-1/4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-294	
7/16 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-295	
1/2 in. x 4 in.	3 in.	4-5/16 in.	7-5/16 in.	35-296	

2-Piece Hollow-Shaft Nutdriver Set



- Includes 1/4 in. & 5/16 in.
- Long, hollow shank accommodates longer bolts
- Nickel Chrome plated to resist rust and corrosion
- Long shanks useful in deep electrical boxes



Description	Shank Length	Handle Length	Overall Length	Cat. No.
2-Piece Nutdriver Set	5-15/16 in.	4-5/16 in.	10-1/4 in.	35-1302

2-Piece Stubby Nutdriver Set

- Includes 1/4 in. & 5/16 in.
- For use in tight spaces



Description	Blade Length	Handle Length	Overall Length	Cat. No.
2-Piece Nutdriver Set	1-1/2 in.	2-1/8 in.	3-5/8 in.	35-1299

Combo Head™

- Patented design tip fits most combination screws



Description	Cat. No.
Combo Drive #2, 1 in. Insert Bit (Carded)	78-0105
Combo Drive #2, 1 in. Insert Bit (Bulk)	78-0105-25
Combo Drive #2, 2 in. Power Bit (Carded)	78-0106
Combo Drive #2, 2 in. Power Bit (Bulk)	78-0106-25

Slotted


- Insert bits have a retaining ring notch, power bits have a power-locking groove



Description	Cat. No.
Slotted 1/4 in., 1 in. Insert Bit (Carded)	78-0209
Slotted 1/4 in., 2 in. Power Bit (Carded)	78-0210
Slotted 1/8 in., 1 in. Insert Bit (Carded)	78-0211
Slotted 1/8 in., 2 in. Power Bit (Carded)	78-0212
Slotted 3/16 in., 1 in. Insert Bit (Bulk)	78-0213-25
Slotted 3/16 in., 1 in. Insert Bit (Carded)	78-0213
Slotted 3/16 in., 2 in. Power Bit (Bulk)	78-0214-25
Slotted 3/16 in., 2 in. Power Bit (Carded)	78-0214
Slotted 7/32 in., 1 in. Insert Bit (Bulk)	78-0215-25
Slotted 7/32 in., 2 in. Power Bit (Bulk)	78-0216-25

Double Ended

- 2 bits in 1!



Description	Cat. No.
DE Slotted 1/4 in. x #2 Phillips (Carded)	78-0102
DE Slotted 1/4 in. x #2 Phillips (Bulk 25)	78-0102-25
DE Slotted 1/4 in. x #2 Square (Carded)	78-0103
DE Square #2 Square x #2 Phillips (Bulk 25)	78-0104-25

Phillips

- All bits 100% Made in the U.S.A.!



Description	Cat. No.
Phillips #1, 1 in. Insert Bit (Bulk)	78-0200-25
Phillips #1, 1 in. Insert Bit (Carded)	78-0200
Phillips #1, 2 in. Power Bit (Bulk)	78-0201-25
Phillips #1, 2 in. Power Bit (Carded)	78-0201
Phillips #2, 1 in. Insert Bit (Bulk)	78-0202-25
Phillips #2, 1 in. Insert Bit (Carded)	78-0202
Phillips #2, 2 in. Power Bit (Bulk)	78-0203-25
Phillips #2, 2 in. Power Bit (Carded)	78-0203
Phillips #2, 6 in. Power Bit (Carded)	78-0204
Phillips #3, 1 in. Insert Bit (Bulk)	78-0205-25
Phillips #3, 1 in. Insert Bit (Carded)	78-0205
Phillips #3, 2 in. Power Bit (Bulk)	78-0206-25
Phillips #3, 2 in. Power Bit (Carded)	78-0206

Square

- All bits and accessories fit standard multi-bit screwdrivers and power drills



Description	Cat. No.
Square #1, 1 in. Insert Bit (Bulk)	78-0219-25
Square #1, 1 in. Insert Bit (Carded)	78-0219
Square #1, 2 in. Power Bit (Bulk)	78-0220-25
Square #1, 2 in. Power Bit (Carded)	78-0220
Square #2, 1 in. Insert Bit (Bulk)	78-0221-25
Square #2, 1 in. Insert Bit (Carded)	78-0221
Square #2, 2 in. Power Bit (Bulk)	78-0222-25
Square #2, 2 in. Power Bit (Carded)	78-0222
Square #2, 6 in. Power Bit (Carded)	78-0223
Square #3, 1 in. Insert Bit (Bulk)	78-0224-25
Square #3, 1 in. Insert Bit (Carded)	78-0224
Square #3, 2 in. Power Bit (Bulk)	78-0225-25
Square #3, 2 in. Power Bit (Carded)	78-0225

Torx®

- Manufactured to tight tolerances to ensure accurate fit and full fastener engagement



All bits and accessories fit standard multi-bit screwdrivers.

Description	Cat. No.
Torx® 20, 1 in. Insert Bit (Carded)	78-0226
Torx® 25, 1 in. Insert Bit (Carded)	78-0227
Torx® 27, 1 in. Insert Bit (Carded)	78-0228
Torx® 30, 1 in. Insert Bit (Carded)	78-0229
7 pc. Torx® Bit Set in Holder (Carded)	78-0100

Torx® is a registered trademark of Acument Intellectual Properties, LLC.

Tamper-Proof Torx®

- All bits made from rugged S2M tool steel



Description	Cat. No.
TP Torx® T20, 1 in. Insert Bit (Carded)	78-0230
TP Torx® T25, 1 in. Insert Bit (Carded)	78-0231
TP Torx® T27, 1 in. Insert Bit (Carded)	78-0232
TP Torx® T30, 1 in. Insert Bit (Carded)	78-0233
7 pc. Tamper-Proof Torx® Bit Set in Holder (Carded)	78-0101

Torx® is a registered trademark of Acument Intellectual Properties, LLC.

Magnetic Nut Setter

- Variety of sizes for multiple applications



Description	Cat. No.
Magnetic Nut Setter 1/4 in. (Bulk 10)	78-0111-10
Magnetic Nut Setter 1/4 in. (Carded)	78-0111
Magnetic Nut Setter 3/8 in. (Bulk 10)	78-0113-10
Magnetic Nut Setter 3/8 in. (Carded)	78-0113
Magnetic Nut Setter 5/16 in. (Bulk 10)	78-0114-10
Magnetic Nut Setter 5/16 in. (Carded)	78-0114
Magnetic Nut Setter 3 pk. 1/4 in., 3/8 in., 5/16 in. (Carded)	78-0112

Quick Change Chuck

- Patented Sure-Loc™ tip clicks bit in place without pulling back collar



Description	Cat. No.
Quick Change Chuck 3-3/4 in. (Carded)	78-0207
Quick Change Chuck 6 in. (Bulk 5)	78-0208-5

Magnetic Bit Holder

- Slender extension with powerful magnet to grasp and hold bits



Description	Cat. No.
Magnetic Bit Holder 4 in.	78-0107
Magnetic Bit Holder 6 in.	78-0108

Socket Adapter

- Custom heat treated for strength and durability



Description	Cat. No.
Socket Adapter 1 in. Insert Bit (Bulk 25)	78-0217-25
Socket Adapter 1 in. Insert Bit (Carded)	78-0217
Socket Adapter 2 in. Power Bit (Carded)	78-0218