


SERVICE FITTINGS & ACTIVATION ACCESSORIES

Quick Selection Guide

PRODUCT FAMILY		CATALOG NUMBER	SYSTEM COMPATIBILITY			ACTIVATION LOCATION			SERVICE CAPACITY			SERVICE COMPATIBILITY			MATERIAL/COLORS						
			WALKERDUCT	WALKERCELL	FLUSHDUCT	Flush	Recessed	Pedestal	Single Service	Dual Service	Triple Service	Power	Communication	Audio/Visual	Polycarbonate	Aluminum	Brass	Gray	Black	Nickel	Bronze
	1200 Series	1204BF	•					•	•				•				•				
		1204AL	•					•	•				•			•					
		1223BF	•					•	•			•					•				
		1223AL	•					•	•			•				•					
	525 Series	525A	•		•			•	•				•	•		•					
		525B	•		•			•	•				•	•		•					
		525C	•		•			•	•				•	•		•					
		525D	•		•			•	•				•	•		•					
		525F	•		•			•	•			•				•					
		525G	•		•			•	•			•				•					
		525H	•		•			•	•			•				•					
		525I	•		•			•	•			•				•					
		525J	•		•			•	•			•	•	•		•					
		525RT	•		•			•	•				•			•					
	FloorPort	FPCTC Series		•			•				•	•	•	•		•	•	•	•	•	•
		FPBTC Series		•			•				•	•	•	•		•	•	•	•	•	•
		FPFFTC Series		•		•					•	•	•	•		•	•	•	•	•	•
		FPCT Series		•			•				•	•	•	•		•	•	•	•	•	•
		FPBT Series		•			•				•	•	•	•		•	•	•	•	•	•
		FPFFT Series		•		•					•	•	•	•		•	•	•	•	•	•
	Multiplex	MP4	•		•			•	•			•	•	•		•					
		MP8	•		•			•		•		•	•	•		•					
		MP8-1	•		•			•		•		•	•	•		•					
	Pro Series	817B	•			•			•			•	•				•				
		827B	•			•				•		•	•				•				
		837B	•			•					•	•	•				•				
		817PCC	•			•			•			•	•		•				•		
		827PCC	•			•				•		•	•		•				•		
		837PCC	•			•					•	•	•		•				•		
		818TCAL	•			•			•			•	•			•					
		828TCAL	•			•				•		•	•			•					
	PSRC9 Series	PSRC9TC	•			•			•			•				•	•	•	•		
		PSRC9AMDTC	•			•			•				•			•	•	•	•		
		PSRC9FFTC	•			•			•				•			•	•	•	•		
	Source I	S165B	•			•			•			•					•				
		S165BLK/BRN	•			•			•						•				•		
		S166B	•			•			•				•				•				
		S166BLK/BRN	•			•			•				•		•				•		
		S175BLK/BRN	•			•			•			•			•				•		

WALKERDUCT® SYSTEMS

Quick Selection Guide

Walkerduct Underfloor Duct Systems Service Fitting Compatibility


PRODUCT FAMILY		CATALOG NUMBER	ACTIVATION LOCATION		SERVICE CAPACITY			SERVICE COMPATIBILITY			MATERIAL/COLORS				
			Flush	Pedestal	Single Service	Dual Service	Triple Service	Power	Communication	Audio/Visual	Polycarbonate	Aluminum	Brass	Gray	Black
	1200 Series	1204BF		•	•				•				•		
		1204AL		•	•				•			•			
		1223BF		•	•			•					•		
		1223AL		•	•			•				•			
	525 Series	525A		•	•				•	•		•			
		525B		•	•				•	•		•			
		525C		•	•				•	•		•			
		525D		•	•				•	•		•			
		525F		•	•			•				•			
		25G		•	•			•				•			
		525H		•	•			•				•			
		525I		•	•			•				•			
		525J		•	•			•	•	•		•			
		525RT		•	•				•			•			
		525ACT		•	•				•			•			
	Multiplex	MP4		•	•			•	•	•		•			
		MP8		•		•		•	•	•		•			
		MP8-1		•		•		•	•	•		•			
	Pro Series	817B	•		•			•	•				•		
		827B	•			•		•	•				•		
		837B	•				•	•	•				•		
		817PCC	•		•			•	•		•				•
		827PCC	•			•		•	•		•				•
		837PCC	•				•	•	•		•				•
		818TCAL	•		•			•	•			•			
		828TCAL	•			•		•	•			•			
		838TCAL	•				•	•	•			•			
	PSRC9 Series	PSRC9TC	•		•			•				•	•	•	•
		PSRC9AMDTC	•		•				•			•	•	•	•
		PSRC9FFTC	•		•				•			•	•	•	•
	Source I	S165B	•		•			•					•		
		S165BLK/BRN	•		•						•				•
		S166B	•		•				•				•		
		S166BLK/BRN	•		•				•		•				•
		S175BLK/BRN	•		•			•			•				•

525 SERIES™ SERVICE FITTINGS

Compatible with Walkerdut IPS, Pro Series and Flushduct


525 Series Service Fittings Ordering Information

525RT Four-Piece Communication Service Fitting




Includes faceplate with opening one side. Ortronics® Series II and TracJack adapters included.

525F Four-Piece Power Service Fitting




Duplex opening one side. Receptacle not included.

525ACT Four-Piece Communication Service Fitting




6A opening with communication adapter on one side. Accommodates Wiremold Open System communication modules.

525G Four-Piece Power Service Fitting




Duplex opening both sides. Receptacles not included.

525A Four-Piece Communication Service Fitting




1" (25mm) I.D. grommited hole one side. Blank plate other side.

525H Four-Piece Power Service Fitting




20A 125V duplex plate one side. Blank plate other side. 20A 125V Receptacle included.

525B Four-Piece Communication Service Fitting




1" (25mm) I.D. grommited hole two sides.

525I Four-Piece Power Service Fitting




20A 125V duplex plate two sides. 20A 125V Receptacles included.

525C Four-Piece Communication Service Fitting




1 1/4" (32mm) I.D. grommited hole one side. Blank plate other side.

525J Four-Piece Power Service Fitting



GFI device plate one side. Blank plate other side.

525D Four-Piece Communication Service Fitting



1 1/4" (32mm) I.D. grommited hole on both sides.

NOTE: Four-piece service fittings include: housing and base plate. Receptacles included when indicated in part number description. 525 Series Service Fittings have 27 cubic inches (442ml) of capacity.

FLUSHDUCT SYSTEM

Flushduct Quick Selection Guide

DUCT	1-DUCT SYSTEM	2-DUCT SYSTEM	3-DUCT SYSTEM
BLANK	12F-0	222F-0	3222F-0
STAGGERED 1 5/8" (41mm) OPENINGS	12FST	222FST	3222FST
JUNCTION BOX	12FB	222FB	3222FB 3222FBCC
ACCESSORIES	1-DUCT SYSTEM	2-DUCT SYSTEM	3-DUCT SYSTEM
COUPLINGS	12FC	222FC	3222FC
COUPLINGS/SUPPORTS	12FCS 12FCSA-*	222FCS 222FCSA-*	3222FCS 3222FCSA-*
BOX OPENING CLOSURES	12F-WS	222F-WS	3222F-WS
DUCT CONDUIT ADAPTERS	312F-* 314F-* 324-	312F-* 314F-* 324-	312F-* 314F-* 324-*
BOX CORNER CONDUIT ADAPTER	255-*	255-*	255-*
DUCT END CLOSURE	304	304	304
VERTICAL ELBOWS	332F 336F	333F-2 336F-2	336F-3
TERMINAL BUSHINGS	334UF	334F-1-2	334F-1-3
HORIZONTAL ELBOWS	338UF 342F	338F-2 342F-2	338F-3 342F-3
OFFSET	372F	372F	372F
CROSSUNDERS	362F	362F-2	362F-3
DUCT OUTLET FLANGE	455F-1	455F-1	455F-1
FERRULE	450F-1	450F-1	450F-1
CRIMPING TOOL	470F-1	470F-1	470F-1
DUCT OPENING PLUGS	7140F 7141F 455FP-1 450FP-1	7140F 7141F 455FP-1 450FP-1	7140F 7141F 455FP-1 450FP-1
SEALANT	290G	290G	290G
TAPE	H296	H296	H296

Flushduct System Service Fitting Compatibility

PRODUCT FAMILY	CATALOG NUMBER	ACTIVATION LOCATION	SERVICE CAPACITY		SERVICE COMPATIBILITY			MATERIAL/ COLORS
		Pedestal	Single Service	Dual Service	Power	Communication	Audio/Visual	Aluminum
 Multiplex	MP4	•	•		•	•	•	•
	MP8	•		•	•	•	•	•
	MP8-1	•		•	•	•	•	•
 525 Series	525A	•	•			•	•	•
	525B	•	•			•	•	•
	525C	•	•			•	•	•
	525D	•	•			•	•	•
	525F	•	•		•			•
	525G	•	•		•			•
	525H	•	•		•			•
	525I	•	•		•			•
	525J	•	•		•	•	•	•
	525RT	•	•			•		•
	525ACT	•	•			•		•