

# Quality since 1894

### One-Hole Strap - Jiffy Clip

### One-Hole Jiffy Clips in Five Grades



K-Series Most Economical



"Standard" Series
The "original" Jiffy Clip



"Min-E®" Series
Best Value



**"Medium" Series**Most Popular



"Heavy Duty" Series
Best Quality

 Precision made one-hole pipe straps with snap-on feature

Pre-Galvanized Steel

ture
Our Most
Economical
Jiffy Clip!



#### K-Series

Catalog Number	Fits EMT	Std Pkg
K30	1/2"	100
K45	3/4"	100
K55	1"	100

- •These one-hole pipe straps are ideal for hanging tubing, pipe, conduit and BX cable.
- •Pre-Galvanized Steel



### **STANDARD Series**

Catalog Number	Fits Tube Size	Marking on Clip	Std Pkg
102	1/8"		100
103	3/16"		100
105	1/4"		100
110	5/16"		100
115	3/8"	115	100
125	1/2"	125	100
135	3/4"	750	100
150	1"	150	100
165	1-1/2"	1-1/4"	100

### **STANDARD Series**

Catalog Number	Fits EMT	Marking on Clip	Std Pkg
130	1/2"	130	100
145	3/4"	145	100
155	1"	1"	100
165	1-1/4"	1-1/4"	100
170	1-1/2"	1-1/4"	100

### **STANDARD Series**

Catalog Number	Fits Rigid	Marking on Clip	Std Pkg
120	1/8"	120	100
121	BX, 2-14, 3-14, 2	-12	100
125	1/4"	125	100
140	1/2"	140	100
150	3/4"	150	100
160	1"	1"	100
170	1-1/4"	1-1/4"	100

Parts above also available Copper Plated or made from Brass. Call Customer Service for pricing and minimum order quantities.

- When ordering less than a standard package, there is a 25% minimum surcharge.
- When ordering, please use catalog number. For shipping weight, see the index.
- For product samples, please fax our Marketing Department.



### Traditional Series

## **Conduit/Cable/Wire**

One-Hole Strap - Jiffy Clip

 MinE® clips have an inverted rib providing more strength at the bend of the clip. Snap-on feature leaves both hands free to work.



•Pre-Galvanized Steel


### MIN-E® Series

Catalog Number	Fits EMT	Std Pkg
MINE30	1/2"	100
MINE45	3/4"	100
MINE55	1"	100

Catalog Number	Fits Rigid	Flexible Conduit	Std Pkg
MINE28		3/8"	100
MINE40	1/2"	1/2"	100
MINE50	3/4"	3/4"	100

Parts above also available Copper Plated. Call Customer Service for pricing and minimum order quantities.





- Our best-selling precision made one-hole conduit and pipe straps
- •Clips have an inverted rib providing more strength at the bend of the clip and holding the clip on the conduit, leaving both hands free to work.
- Both zinc plated steel and stainless steel Medium Jiffy Clips are available.

### **MEDIUM Series**

Catalog	Zinc Plated Steel		Std
Number	Fits EMT	Fits Rigid/IMC	Pkg
MED30	1/2"		100
MED40		1/2"	100
MED45	3/4"		100
MED50		3/4"	100
MED55	1"		100
MED60		1"	100
MED65	1-1/4"		100
MED70		1-1/4"	100
MED75	1-1/2"		50
MED80		1-1/2"	50
MED85	2"		50
MED90		2"	50

Catalog	STAIN	Std	
Number	Fits EMT	Fits Rigid/IMC	Pkg
MED30SS	1/2"		100
MED40SS		1/2"	100
MED45SS	3/4"		100
MED50SS	3/4"	3/4"	100
MED55SS	1"		100
MED60SS		1"	100
MED70SS		1-1/4"	100
MED80SS		1-1/2"	50
MED90SS		2"	50

Also available hot dip galvanized steel. Call Customer Service for pricing and minimum order quantities.






# Quality since 1894

### **One-Hole Strap - Jiffy Clip**


- •With the same original inverted rib and "Snap-On" features as the medium Jiffy clip, this is our best quality, heavy-duty one-hole strap series.
- •Zinc plated steel





### **HEAVY DUTY Series**

Catalog			Std
Number	Fits EMT	Fits Rigid/IMC	Pkg
H30	1/2"		100
H40		1/2"	100
H45	3/4"		100
H50		3/4"	100
H55	1"		100
H60		1"	100
H65	1-1/4"		100
H70		1-1/4"	100
H75	1-1/2"		50
H80		1-1/2"	50
H85	2"		25
H90		2"	25
H92	2-1/2"	2-1/2"	25
H94	3"	3"	10
H95	3-1/2"	3-1/2"	10
H96	4"	4"	10
H97		5"	10
H98		6"	10



- •Slotted Jiffy Clips are a one-hole pipe strap with slotted mounting hole. This enables the installer to final position the clips after the run is completed.
- •Copper Plated Steel

Catalog Number	Copper Tubing	Rigid/IMC	Std Pkg
105SC	1/4"		100
115SC	3/8"		100
125SC	1/2"	1/4"	100

Also available made from Brass. Call Customer Service for pricing and minimum order quantities.



- When ordering less than a standard package, there is a 25% minimum surcharge.
- When ordering, please use catalog number. For shipping weight, see the index.
- For product samples, please fax our Marketing Department.