

Rittal – The System.

Faster – better – everywhere.

► Outlet Filters Standard – SK 3237.200

Date : Jun 16, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Outlet Filters Standard – SK 3237.200

created: 16.06.2017 build on www.rittal.com/us-en



Product description

Description:	For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.
Material:	ABS Material resistance to UL 94-5VA
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 54 including filter mat
Supply includes:	Outlet Filters Filter mat

Product features

Dimensions:	Height: 116.5 mm (4.6 ") Width: 116.5 mm (4.6 ") Depth: 16 mm (0.63 ")
Required mounting cut-out:	Height: 92 mm Width: 92 mm
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.12 kg (0.3 lb.)
EAN:	4028177651616

Customs tariff number:	39269097
ETIM 6.0:	EC002513
ETIM 5.0:	EC002513
eCl@ss 8.0/8.1:	27180706
eCl@ss 7.0/7.1:	27180706
eCl@ss 6.0/6.1:	27180706
eCl@ss 5.1/5.1.4:	27180706
Product description (long):	SK Outlet filter, for fan-and-filter units, WHD: 116.5x116.5x16 mm
Approvals	
Approvals:	C-UR CSA UR UR + C-UR

2017 © Rittal Corporation