

# Eaton M22S-D-G

Catalog Number: M22S-D-G

Eaton 22.5 mm RMQ-Titan Pushbutton,Green Actuator,Black bezel,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,M22



## General specifications

|                                          |                                                                                                                                                                                  |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name                             | Catalog Number                                                                                                                                                                   |
| Eaton M22 modular pushbutton             | M22S-D-G                                                                                                                                                                         |
| UPC                                      | Product Length/Depth                                                                                                                                                             |
| 786685275352                             | 2 in                                                                                                                                                                             |
| Product Height                           | Product Width                                                                                                                                                                    |
| 1 in                                     | 2 in                                                                                                                                                                             |
| Product Weight                           | Warranty                                                                                                                                                                         |
| 1 lb                                     | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| Compliances                              | Certifications                                                                                                                                                                   |
| Bureau Veritas                           | CCC Marked                                                                                                                                                                       |
| GoST-R                                   | CSA Certified                                                                                                                                                                    |
| CE Marked                                | Lloyd's Register Certified                                                                                                                                                       |
| Catalog Notes                            |                                                                                                                                                                                  |
| Includes contact block mounting adapter. |                                                                                                                                                                                  |

## Product specifications

### Product category

Flush pushbutton

### Actuator color

Green

### Operating cycles

5 million

### Size

22.5 mm

### Enclosure

IP67

IP69K

### Mounting method

Flush

### Bezel

Black

### Series

M22

### Type

Pushbutton

### Operating mode

Momentary

### Illumination

Non-illuminated

### Environmental rating

IP67, IP69K, NEMA 4X, NEMA 13

### Actuator function

Momentary

### Button color

Green

### Actuator

Flush, button

### Degree of protection

NEMA 13

NEMA 4X

## Resources

### Brochures

[M22 Pilot Devices](#)

### Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

### Installation instructions

[M22 Operators and Accessories](#)

### Specifications and datasheets

[Global Data Sheet - M22S-D-G](#)

[Eaton Specification Sheet - M22S-D-G](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)