

ZCE11

limit switch head ZCE - metal end plunger with nitrile boot

Product availability : Stock - Normally stocked in distribution facility

Price* : 11.80 USD



Main

| | |
|---------------------------|---|
| Range of product | OsiSense XC |
| Series name | Standard format |
| Product or component type | Limit switch head |
| Device short name | ZCE |
| Head type | Plunger head |
| Product compatibility | XCMD XCKD XCKP XCKT |
| Associated body | ZCP28 ZCMD25L5 ZCMD21L5 ZCT21G11 ZCD39 ZCD25 ZCP29 ZCMD61M12 ZCMD37L5 ZCMD21L08U78 ZCMD81L5 ZCT25P16 ZCMD41L5 ZCT26G11 ZCT21N12 ZCP31 ZCP35 ZCD35 ZCD21M12 ZCD29 ZCP37 ZCT28N12 ZCT26N12 ZCP26 ZCMD37L1 ZCD29M12 |

ZCT27N12
 ZCMD29L1
 ZCD31
 ZCP29M12
 ZCMD81L2
 ZCMD41L1
 ZCMD39L5
 ZCP25
 ZCMD29C12
 ZCMD69C12
 ZCMD21L2
 ZCD21
 ZCMD81L1
 ZCD28
 ZCMD21M12
 ZCMD25L1
 ZCMD39L1
 ZCP39
 ZCT26P16
 ZCMD21L08R12
 ZCMD25L2
 ZCT25G11
 ZCMD61C12
 ZCT25N12
 ZCD26
 ZCMD29L5
 ZCT21P16
 ZCP21M12
 ZCT27G11
 ZCP27
 ZCMD37L2
 ZCMD29L2
 ZCT28G11
 ZCD37
 ZCP21
 ZCD27
 ZCMD39L2
 ZCMD21L1
 ZCMD21C12
 ZCT28P16
 ZCMD41L2
 ZCT27P16

| | |
|----------------------------|---|
| Movement of operating head | Linear |
| Type of operator | End plunger spring return metal (with nitrile boot) |
| Type of approach | Vertical approach 1 direction |

Complementary

| | |
|------------------|------|
| Positive opening | With |
|------------------|------|

Environment

| | |
|---------------------------------------|----------------------------|
| Ambient air temperature for operation | -13...158 °F (-25...70 °C) |
| Ambient air temperature for storage | -40...158 °F (-40...70 °C) |
| Environmental characteristic | Standard environment |

Ordering and shipping details

| | |
|-----------------------|--------------------------------------|
| Category | 22413 - LIMIT SWITCH, IEC, MINIATURE |
| Discount Schedule | T |
| GTIN | 00785901593805 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 2.999999999999999E-2 |
| Returnability | Y |
| Country of origin | ID |

Offer Sustainability

| | |
|----------------------------------|---|
| Sustainable offer status | Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity |
| REACH | Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold |
| Product end of life instructions | Need no specific recycling operations |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|