# Eaton JKS-50

## Catalog Number: JKS-50

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 50 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

## General specifications



Eaton Bussmann series JKS fuse

UPC

051712630504

**Product Height** 

1.06 in

**Product Weight** 

0.18 lb

Compliances

CE Marked

**RoHS** Compliant

Catalog Number

JKS-50

Product Length/Depth

2.38 in

**Product Width** 

1.06 in

Warranty

Not Applicable



## Electrical rating

**Amperage Rating** 

50 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

## Physical details

Number of elements

1

Packaging type

Standard

## General information

Class

Class J

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Indicating

## Resources

#### Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JKS-50

Technical data sheets

JKS-50~LIMITRON FAST ACTING FUSE CLASS J

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia