

Eaton KTU-1200

Catalog Number: KTU-1200

Eaton Bussmann series KTU fuse, 1200 A, Class L, Non-indicating, Bolted blade end x bolted blade end, 200 kAIC at 600 Vac, Silver-plated end bells|Melamine glass tube, Bolt, Standard



General specifications

Product Name	Catalog Number
Eaton Bussmann series KTU fuse	KTU-1200
UPC	Product Length/Depth
051712613125	10.75 in
Product Height	Product Width
2.5 in	2.5 in
Product Weight	Warranty
4.25 lb	Not Applicable
Compliances	
CE Marked	
RoHS Compliant	

Electrical rating

Amperage Rating

1200 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Material

Melamine glass tube

Silver-plated end bells

Packaging type

Standard

General information

Class

Class L

Connection

Bolted blade end x bolted blade end

Fuse indicator

Non-indicating

Mounting method

Bolt

Special features

Knife blade

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - KTU-1200](#)

Technical data sheets

[KTU-1200~LIMITRON FAST ACTING FUSE CLASS L](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia