Eaton LPN-RK-8SP

Catalog Number: LPN-RK-8SP

Eaton Bussmann series LPN-RK fuse, 8 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 8 sec at 500%, 300 kAIC at 250 V|100 kAIC at 125 Vdc, Standard, 10, 250 V, 125 Vdc

General specifications



UPC EAN

051712538282 5027590173001

Product Length/Depth Product Height

2 in 0.56 in

Product Width Product Weight

0.56 in 0.5 lb

Warranty Compliances

Not Applicable CE Marked





Electrical rating

Amperage Rating

8 A

Interrupt rating

100 kAIC at 125 Vdc 300 kAIC at 250 Vac

Response time

8 sec at 500%

Voltage rating

250 Vac, 125 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Electrically isolated end cap

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

LPN-RK-8SP~LOW PEAK DUAL ELEMENT

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPN-RK-8SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia