Eaton LPN-RK-9SP

Catalog Number: LPN-RK-9SP

Eaton Bussmann series LPN-RK fuse, 9 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 8 sec at 500%, 300 kAIC at 250 V|100 kAIC at 250 Vdc, Standard, 10, 250 V, 250 Vdc

General specifications



Eaton Bussmann series LPN-RK fuse

UPC

051712538299

Product Height

0.56 in

Product Weight

0.5 lb

Compliances

CE Marked

Catalog Number

LPN-RK-9SP

Product Length/Depth

2 in

Product Width

0.56 in

Warranty

Not Applicable



Electrical rating

Amperage Rating

9 A

Interrupt rating

300 kAIC at 250 Vac 100 kAIC at 250 Vdc

Response time

8 sec at 500%

Voltage rating

250 Vac, 250 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Electrically isolated end cap

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

LPN-RK-9SP~LOW PEAK DUAL ELEMENT

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPN-RK-9SP



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia