

Eaton LPS-RK-15SPI

Catalog Number: LPS-RK-15SPI

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 15 A, Dual, RK1, With indicator, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-15SPI
UPC	Product Length/Depth
051712618472	5 in
Product Height	Product Width
0.81 in	0.81 in
Product Weight	Warranty
1.6 lb	Not Applicable
Compliances	
CE Marked	



Electrical rating

Amperage Rating

15 A

Interrupt rating

300 kAIC at 600 Vac

100 kAIC at 300 Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

With Indicator

Quantity

10

Resources

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LPS-RK-15SPI](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia