Eaton LPS-RK-6SP

Catalog Number: LPS-RK-6SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 6 A, Dual, RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name

Eaton Bussmann series LPS-RK fuse

UPC

051712548250

Product Height

0.81 in

Product Weight

1.6 lb

Compliances

CE Marked

Catalog Number

LPS-RK-6SP

Product Length/Depth

5 in

Product Width

0.81 in

Warranty

Not Applicable



Electrical rating

Amperage Rating

6 A

Interrupt rating

100 kAIC at 300 Vdc 300 kAIC at 600 Vac

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Electrically isolated end cap

Resources

Catalogs

LPS-RK-6SP~LOW-PEAK DUAL ELEMENT

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPS-RK-6SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia