

Eaton SC-5

Catalog Number: SC-5

Eaton Bussmann series SC fuse, Current-limiting fast acting fuse, Rejection style, 5 A, Class G, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 170 Vdc|100 kAIC at 600 Vac, Standard, 600 V, 170 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series SC fuse	SC-5
UPC	Product Length/Depth
051712250054	1.31 in
Product Height	Product Width
0.41 in	0.41 in
Product Weight	Warranty
0.1 lb	Not Applicable
Compliances	
CE Marked	
RoHS Compliant	



Electrical rating

Amperage Rating

5 A

Interrupt rating

10 kAIC at 170 Vdc

100 kAIC at 600 Vac

Voltage rating

600 Vac, 170 Vdc

Physical details

Packaging type

Standard

General information

Class

Class G

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Rejection style

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

Drawings

[Eaton_SC-5_SC_SHT1_2D_Drawing](#)

Multimedia

[Bussmann series Fuseology](#)

Selling policy and T&Cs

[Hydraulic Warranty](#)

[SC-5~BUSS SC FUSE CLASS G CLASS G](#)

Specifications and datasheets

[Eaton Specification Sheet - SC-5](#)

Technical data sheets

[Bussmann series SC Class G Fuse Data Sheet No. 1024](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)