
You can view this page in:

EN DE SV FI CS DA EL ES FR HU IT JA KO NL NO PL PT RU SK
TR ZH

Detailed information for: 1HMS11/2-G

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

1HMS11/2-G

General Information

Extended Product Type:	1HMS11/2-G
Product ID:	7TAA087620R0001
EAN:	0704508434144
Catalog Description:	PVC CTD PIPESTRAP 1HOLE 1-1/2IN GRY
Long Description:	PVC Coated One Hole Pipe Strap, 1-1/2 Inch/41 Metric Pipe Size, Malleable Iron, Gray

Categories

Products » Low Voltage Products and Systems » Installation Products » Cable Protection, Explosion Proof and Lighting » Rigid Cable Protection Systems

Ordering

EAN:	0704508434144
-------------	---------------

Dimensions

Product Net Weight:	.205 lb 92.971 g
----------------------------	---------------------

Container Information

Package Level 2 Units:	50 piece
Package Level 2 Width:	7.25 in 184 mm
Package Level 2 Height:	5.6 in 142 mm
Package Level 2 Depth / Length:	8.85 in 225 mm

Additional Information

Application:	To Support Conduit on Walls and Structures
Brand / Label:	Ocal
Color:	Gray
Material:	Malleable Iron
Number of Batteries:	0
Product Name:	OCAL PVC SYSTEM
Product Type:	Pipe Strap for Conduit
Size:	1-1/2 Inch/41 Metric
Special Functions:	Sized to Allow for Extra Thickness of the PVC Coating
Standards:	RoHS
UPC:	704508434144

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	<u>1HMS11/2-G</u>
---	-----------------------------------

Instructions and Manuals: [1HMS11/2-G](#)

Classifications

ETIM 6:	EC000464 - Fixing clamp
----------------	-------------------------

ETIM 7:	EC000464 - Fixing clamp
----------------	-------------------------

UNSPSC:	31151901
----------------	----------

WEEE Category:	Product Not in WEEE Scope
-----------------------	---------------------------

IDEA Granular Category Code (IGCC):	2727 >> Metal straps
--	----------------------



© Copyright 2021 ABB