

STEAM SPECIALTIES

**ANGLE
STEAM RADIATOR
VALVES**

W-R#	Description	Min	Box
0408102	1/2"	1	10
0408104	3/4"	1	6
0408002	1"	1	4
0408004	1 1/4"	1	2
0408006	1 1/2"	1	2

- Brass
- Imported


**STRAIGHT
STEAM RADIATOR
GATE VALVES**

W-R#	Description	Min	Box
0409002	1"	1	4
0409004	1 1/4"	1	2

- Brass
- Imported


**RADIATOR UNION NUT
AND TAIL**

W-R#	Description	Min	Box
0408202	1"	1	6
0408204	1 1/4"	1	6


**THREE-LUG
RADIATOR HANDLE**

W-R#	Description	Min	Box
1705002	3 Lug	1	12

• Furnished with three lugs to fit practically all size radiator valves.
• Individually bagged


**THREE-SCREW
RADIATOR HANDLE**

W-R#	Description	Min	Box
1705004	3 Screw	1	12

• Three set screws hold spud securely to stem.
• Individually bagged


**4-IN-1
RADIATOR HANDLE**

W-R#	Description	Min	Box
1705006	Fitall Plate	1	12

• One plate fits four sizes of stems.
• Individually bagged

STEAM SPECIALTIES

**AUTOMATIC
HOT WATER - AIR VENT**

W-R#	Description	Min	Box
1700200	1/8"	1	12

- 30 psi
- 225° Fahrenheit


**COMBINATION
COIN / KEY AIR VALVE**

W-R#	Description	Min	Box
1701202	1/8"	25	25

• Nickel Plated


STUBBY AIR VALVE

W-R#	Description	Min	Box
1701204	1/8"	24	24

• Nickel Plated


AIR VALVE KEYS

W-R#	Description	Min	Box
1701208		25	25

• Nickel Plated


**CHROME-PLATED
CROWN "QUICK-VENT"**

W-R#	Description	Fig#	Orifice	Box
1700302	1/8" Angle	4AV	1.50mm	12
1700304	1/8" Angle	5AV	2.45mm	12
1700306	1/8" Angle	6AV	3.15mm	12
1700308	1/8" Angle	CAV	3.66mm	12
1700310	1/8" Angle	DAV	5.35mm	12

Features:

- Chrome-plated finish
- Brass valve stem assembly
- Imported


**CHROME-PLATED
RADIATOR AIR VENTS**

W-R#	Description	Box
1700102	1/8" Angle	12
1700108	1/8" Angle- Adjustable	12
1700104	1/8" Straight	12
1700106	1/4" Straight	12

STEAM SPECIALTIES

**3 IN 1 RADIATOR
REPAIR TOOL**

W-R#	Description	Min	Box
1822002		1	12

- Extracts broken air valves, retaps radiator, rethreads air valves.


TAPPED CAPS

W-R#	Description	Min	Box
1743002	1 1/4" x 1/8"	1	12


**W-R WATER GAUGE
SET**

W-R#	Description	Min	Box
1723002	1/2"	1	12

- 125 psi
- 5/8" x 12" standard gauge glass


**NUT FOR
WATER GAUGE SET**

W-R#	Description	Min	Box
1723200		12	12

- Brass


**FRICTION RING FOR
GAUGE GLASS**

W-R#	Description	Min	Box
2712006	13/16" x 11/16" x 3/8"	25	100

- Brass


**GAUGE GLASS
WASHERS**

W-R#	Description	Min	Box
2715004	5/8" Standard	50	50
2715002	5/8" Redline	1	-

- EPDM gaskets


GAUGE GLASS

W-R#	Description	Min
1724002	5/8" x 8"	1 dz.
1724004	5/8" x 10"	1 dz.
1724006	5/8" x 12"	1 dz.
1724008	5/8" x 14"	1 dz.
1724012	5/8" x 18"	1 dz.
1724018	5/8" x 24"	1 dz.
1724022	5/8" x 36"	1 dz.


**"RED-LINE"
HIGH PRESSURE
GAUGE GLASS**

1724000	5/8" x 12" Redline	1pc.
----------------	--------------------	------

STEAM SPECIALTIES

GAUGE GLASS CUTTERS

W-R#	Description	Min	Box
1801000	Tong-Type	1	12

GAUGE GLASS CUTTER WHEEL AND PIN

1801004	Replacement - Wheel & Pin		6
---------	---------------------------	--	---


QUARTER-TURN GAUGE GLASS CUTTERS

W-R#	Description	Min	Box
1801006	Cutter	1	12

- Domestic


CHAIN-TYPE GAUGE GLASS CUTTERS

W-R#	Description	Min	Box
1801008	Cutter	1	12

- Domestic


E-Z FIX BOILER PLUGS


W-R#	Description	Min	Box
1709002	1 3/4" (12/card)	1 cd.	20 cds.
1709004	1 3/4" (Bulk)	12	144

- Toggle-style plug fits into hole in boiler jacket, then creates seal when tightened.


CAST IRON BOILER TUBE REPAIR PLUGS

W-R#	Description	Min	Box
1708002	1 1/2"	1	25
1708004	2"	1	25
1708006	2 1/2"	1	18
1708008	3"	1	18


DIRT POCKET CAPS FOR LOW-WATER CUTOFFS

W-R#	Description	Min	Box
1751012	3/4" Cap	1	12

- Cast iron
- With gasket & mounting bolts

1751011	Gasket Only		12
---------	-------------	--	----

**APOLLO®
HEATING SPECIALTIES**

**15 PSI RELIEF VALVE
FOR STEAM BOILERS
-STANDARD-**

W-R#	Size	Conbraco#	PSI	BTU
1727001	3/4"	13-511-08	15	407
1727000	3/4"	13-211-08	15	475
1727002	1"	13-202-08	15	643
1727004	1 1/4"	13-213-08	15	1200
1727006	1 1/2"	13-214-08	15	1900
1727008	2"	12-205-08	15	2500
1727010	2 1/2"	12-206-08	15	3529
1727012	3"	12-208-08	15	4100

"Apollo" Valves

**15 PSI RELIEF VALVE
FOR STEAM BOILERS
-HI-CAPACITY-**

W-R#	Size	Conbraco#	PSI	BTU
1727606	2"	14-205-08	15	3150
1727608	2 1/2"	14-206-08	15	4676
1727610	3"	14-207-08	15	6843


**30 PSI RELIEF VALVE
FOR STEAM BOILERS
-STANDARD-**


W-R#	Size	Conbraco#	PSI	BTU
1726602	3/4"	10-604-05	30	827
1726604	1"	10-605-05	30	1339
1726606	1 1/4"	10-606-05	30	2316
1726608	1 1/2"	10-607-05	30	3151
1726610	2"	10-608-05	30	5193

- Additional pressures available by special order.

"Apollo" Valves


**RELIEF VALVE FOR
HOT WATER BOILERS**

W-R#	Size	Conbraco#	PSI
1725008	3/4" F x F	10-408-05	30
1725006	3/4" M x F	10-407-05	30
1725009	3/4" M x F	10-407-09	45

"Apollo" Valves


**RELIEF VALVE FOR
WATER HEATERS**

W-R#	Size	Conbraco#	PSI
1725504	3/4" M x F	18-402-30	150

- 4" Element

"Apollo" Valves


**RELIEF VALVE FOR
TANKLESS WATER
HEATERS**


W-R#	Size	Conbraco#	PSI
1725602	3/4" M x F	17-402-04	150

- Pressure only
- 200,000 BTU

"Apollo" Valves

**APOLLO®
HEATING SPECIALTIES**

**DOUBLE FEMALE
AIRCOCK**

W-R#	Size	Conbraco#	Min
1702002	1/8"	41-370-01	1 25
1702004	1/4"	41-380-01	1 25


MALE PETCOCK

W-R#	Size	Conbraco#	Min
1703002	1/8"	41-060-01	1 25
1703004	1/4"	41-070-01	1 25


**MALE X FEMALE
AIRCOCK**

W-R#	Size	Conbraco#	Min
1704002	1/8"	41-400-01	1 25
1704004	1/4"	41-410-01	1 25
1704005	3/8"	41-420-01	1 25

"Apollo" Valves


**STANDARD
ROUGH BRONZE
WATER GAUGE SETS**

W-R#	Size	Conbraco#
1723004	3/8"	20-101-00
1723006	1/2"	20-104-00

- Service Rating: 125 psi @ 300°F, -300 psi @ 100°F
- Furnished with 5/8" x 10 standard glass
- Aluminum Wheel
- Features 1/4" Needle drain valve in lower arm.

"Apollo" Valves


**COMPRESSION GAUGE
COCK**
(TRICOCK)

W-R#	Size	Conbraco#
1704204	1/2"	26-104-01

- 125 psi
- Aluminum Wheel

"Apollo" Valves


**PRESSURE
RELIEF VALVE**

W-R#	Size	Conbraco#	PSI
1725002	1/2" M x F	16-202-04	125

- Relieves excess pressure in water supply lines.

"Apollo" Valves

**APOLLO®
HEATING SPECIALTIES**


"Apollo" Valves

**#36C SERIES
HI-PRESSURE
REDUCING VALVE
SET @ 50 PSI**

NEW!

W-R#	Size	Connection	Conbraco#
1734002	1/2"	Fem Union	36C-103-01
1734004	3/4"	Fem Union	36C-104-01
1734102	1/2"	FIP x FIP	36C-203-01
1734104	3/4"	FIP x FIP	36C-204-01



"Apollo" Valves

**#35 SERIES
BOILER FEED
"FAST-FILL" VALVE
SET @ 15 PSI**

NEW!

W-R#	Size	Connection	Conbraco#
1727202	1/2"	Fem Union	35-503-01



"Apollo" Valves

**#35-BF SERIES
BOILER FEED
"FAST-FILL" VALVE
& BACKFLOW COMBO**

NEW!

W-R#	Size	Connection	Conbraco#
1727250	1/2"	Fem Union	35-6A3-BF



"Apollo" Valves

**#40 SERIES
DUAL-CHECK
BACKFLOW WITH
VENT**

NEW!

W-R#	Size	Connection	Conbraco#
1727802	1/2"	Fem Union	40-4A3-3AM
1727810	3/4"	Fem Union	40-4A4-4AM
1727804	1/2"	SWT Union	40-4H3-3HM
1727812	3/4"	SWT Union	40-4H4-4HM



"Apollo" Valves

**ANTI-SIPHON
VACUUM BREAKERS**

NEW!

W-R#	Size	Finish	Conbraco#
0413002	1/2"	Rough Br	38-203-01
0413004	3/4"	Rough Br	38-204-01
0413006	1"	Rough Br	38-105-01
0413001	3/8"	Satin CP	38-102-03
0413003	1/2"	Satin CP	38-203-03
0413005	3/4"	Satin CP	38-204-03
0413010	3/8"	Polished CP	38-102-06
0413012	1/2"	Polished CP	38-203-06
0413014	3/4"	Polished CP	38-204-06

**APOLLO®
HEATING SPECIALTIES**
**“APOLLO” 70-SERIES
BALL VALVES**



"Apollo" Valves



Made in USA

W-R#	IPS Size	Conbraco#
0412000	1/4" IPS	70-101-01
0412001	3/8" IPS	70-102-01
0412002	1/2" IPS	70-103-01
0412004	3/4" IPS	70-104-01
0412006	1" IPS	70-105-01
0412008	1 1/4" IPS	70-106-01
0412010	1 1/2" IPS	70-107-01
0412012	2" IPS	70-108-01

W-R#	COPPER Size	Conbraco#
0411502	3/8" CTS	70-202-01
0411500	1/2" CTS	70-203-01
0411503	3/4" CTS	70-204-01
0411504	1" CTS	70-205-01
0411505	1 1/4" CTS	70-206-01
0411507	1 1/2" CTS	70-207-01
0411509	2" CTS	70-208-01

**“APOLLO
INTERNATIONAL”
94-SERIES
BALL VALVES**


"Apollo" Valves

MADE IN CHINA

NEW!

NEW!

W-R#	IPS Size	Conbraco#
0428002	1/2" IPS	94A-103-01
0428004	3/4" IPS	94A-104-01
0428006	1" IPS	94A-105-01
0428008	1 1/4" IPS	94A-106-01
0428010	1 1/2" IPS	94A-107-01
0428012	2" IPS	94A-108-01

W-R#	COPPER Size	Conbraco#
0429002	1/2" CTS	94A-203-01
0429004	3/4" CTS	94A-204-01
0429006	1" CTS	94A-205-01
0429008	1 1/4" CTS	94A-206-01
0429010	1 1/2" CTS	94A-207-01
0429012	2" CTS	94A-208-01


**APOLLO®
HEATING SPECIALTIES**

**MAIN BURNER
CONTROL VALVES**

W-R#	Size	Conbraco#
0413500	1/2"	50-203-02
0413502	3/4"	50-303-02
0413504	1"	50-403-02
0413506	1 1/4"	50-503-02
0413508	1 1/2"	50-603-02
0413510	2"	50-703-02

- Temperature range: 32°F-125°F
- Meets ANSI Z 21.15 requirements of 1/2" psi
- Furnished with 1/8" pilot tapping

"Apollo" Valves


**BRONZE BALL-CONE®
CHECK VALVES**


Patented design offers exceptional resistance to chemicals & corrosion.

W-R#	Size	Conbraco#
0412902	1/4"	61-101-01
0412904	3/8"	61-102-01
0412906	1/2"	61-103-01
0412908	3/4"	61-104-01
0412910	1"	61-105-01
0412912	1 1/4"	61-106-01
0412914	1 1/2"	61-107-01
0412916	2"	61-108-01

- Open pressure: 1/2 psi
- 125 psig steam rating
- Not recommended for use on reciprocating pumps or other applications that induce repetitious vibrations.

"Apollo" Valves


**DC-40 SERIES
TOP-ENTRY
DOUBLE CHECK
BACKFLOW**

W-R#	Size	Conbraco#
1733002	3/4"	40-104-T2
1733004	1"	40-105-T2

1733500 Major Repair Kit for 3/4" & 1"



"Apollo" Valves


**RP-40 SERIES
REDUCED-PRESSURE
BACKFLOW (RPZ)**

W-R#	Size	Conbraco#
1736002	3/4"	40-204-T2
1736004	1"	40-205-T2

1736500 Major Repair Kit for 3/4" & 1"



"Apollo" Valves


STEAM TRAPS & SPECIALTIES

**MEPCO™ ANGLE
STEAM TRAPS**

W-R#	Size	MEPCO#	Style
2750002	1/2"	1E-AP	Angle
2750004	3/4"	2E-AP	Angle


**MEPCO™ STRAIGHT
STEAM TRAPS**

W-R#	Size	MEPCO#	Style
2755002	1/2"	1E-SW	Straight
2755004	3/4"	2E-SW	Straight


**MEPCO™
THERMOSTATIC DISCS**

W-R#	Size	MEPCO#	Style
2830102	1/2"	C5940	1E
2830104	3/4"	C5941	2E

- Low pressure radiator trap--good for 25" vacuum to 25 psi


**BARNES & JONES™
ANGLE STEAM TRAPS**


W-R#	Size	B/J#	Style
2751002	1/2"	122-A	Angle
2751004	3/4"	134-A	Angle


**BARNES & JONES™
STRAIGHT STEAM
TRAPS**

W-R#	Size	B/J#	Style
2756002	1/2"	122-S	Straight
2756004	3/4"	134-S	Straight


**BARNES & JONES™
REPLACEMENT CAGE
UNITS**

W-R#	Size	B/J#	Fits Trap
2757002	1/2"	1721	122-A,S,G
2757006	3/4"	1929	134-A,S,G

Furnished
with 1/8" air
vent


**OVENTROP®
ONE-PIPE STEAM
ASSEMBLIES**

1/8" connection
to radiator

W-R#	Description
2671002	1/8" One-Pipe Assembly

- For use on individual steam radiators to control temperature
- Assembly contains Compact Operator & Series "S" Valve for one-pipe steam
- For low pressure steam - 15 psi