



COMMERCIAL TOILETS & TOILET SEATS

Kohler is an established leader in commercial toilet bowls, but we keep innovating. Designed to flush from 1.1 to 1.6 gpf, our Ultra bowls have set a new standard for flushing performance. Our robust design tolerates the variety of water supply conditions found on remodel and new construction sites. Our toilet bowls pair seamlessly with our seats for a winning combination of durability and performance. Another improvement is Kohler's antimicrobial finish that's applied to select commercial fixtures. It inhibits the growth of stains and odors, and the EPA-registered material is baked right on to the finish, providing a smooth and safe surface.

COMMERCIAL TOILETS



San Raphael® Comfort Height®
One-piece elongated with Pressure Lite® technology and open-front seat

1.0 gpf K-3597-NF



Wellworth® Classic
Elongated with Pressure Lite technology

1.0 gpf (shown) K-3531
1.6 gpf K-3505



Kingston™

1.28 gpf comfort height elongated K-25077
1.28 gpf elongated (shown) K-25087
1.28 gpf round-front K-25097



Highline® Classic Comfort Height
Elongated with Pressure Lite technology

1.0 gpf (shown) K-3519
1.6 gpf K-3493



Barrington™ Comfort Height
Elongated with rear outlet and Pressure Lite technology

1.0 gpf K-3578



Barrington
Elongated with rear outlet and Pressure Lite technology

1.0 gpf (shown) K-3652
1.6 gpm K-3554



Anglesey™ Comfort Height
Elongated with rear outlet

1.28 or 1.6 gpf top spud K-4352



Anglesey
Elongated with rear outlet and angle back

1.6 gpf top spud (shown) K-4386
1.6 gpf rear spud K-4396

Note: Seats sold separately unless noted. See pages 48–49 for toilet seat product offering.
*This fixture is designed for use in prisons and mental healthcare facilities

Commercial Toilets Features & Colors Index

Name	Model Number	Comfort Height (ADA)	Dimensions (L x W x H)	Rough-In	Flushing Action	Gallons per Flush	Top or Rear Spud
Floor-Mount							
Anglesey	K-4352	•	31½" x 14⅞" x 17"	4"	Flushometer	1.28 or 1.6	Top
	K-4386		27½" x 14½" x 15"	4½"	Flushometer	1.6	Top
	K-4396		27½" x 14½" x 15"	4½"	Flushometer	1.6	Rear
Anglesey With Integral Seat*	K-4388		27½" x 14½" x 15"	4½"	Flushometer	1.6	Top
	K-4398		27½" x 14½" x 15"	4½"	Flushometer	1.6	Rear
Barrington	K-3554/-RA		31½" x 21¼" x 29¼"	4"	Pressure Lite	1.6	
	K-3578/-RA	•	31" x 21¼" x 31¼"	4"	Pressure Lite	1.0	
	K-3652/-RA		31½" x 21¼" x 29¼"	4"	Pressure Lite	1.0	
Highcliff Ultra	K-96057	•	26⅞" x 14⅞" x 16⅞"	10" or 12"	Flushometer	1.1–1.6	Top
	K-96058	•	26⅞" x 14⅞" x 16⅞"	12"	Pressure Lite	1.1–1.6	
Highline Classic	K-3493/-RA	•	30⅞" x 21¼" x 31¼"	12"	Pressure Lite	1.6	
	K-3519/-RA	•	30⅞" x 21¼" x 31¼"	12"	Pressure Lite	1.0	
Juvenile Ultra	K-96059	•	25⅝" x 14⅞" x 13¾"	10" or 12"	Flushometer	1.1–1.6	Top
Kingston	K-25077	•	29¾" x 18¾" x 31½"	12"	Gravity	1.28	
	K-25087		29⅞" x 18¾" x 29½"	12"	Gravity	1.28	
	K-25097		27⅞" x 18¾" x 29½"	12"	Gravity	1.28	
Primary	K-96064	•	24⅞" x 10½" x 13⅞"	10" or 12"	Flushometer	1.28–1.6	Top
San Raphael	K-3597-NF	•	30" x 19½" x 21½"	12"	Pressure Lite	1.0	
Wellcome Ultra	K-96053		26⅞" x 14⅞" x 15¼"	10" or 12"	Flushometer	1.1–1.6	Top
	K-96054		26⅞" x 14⅞" x 15¼"	11"	Flushometer	1.1–1.6	Rear
Wellworth Classic	K-3505/-RA		30½" x 21¼" x 29¾"	12"	Pressure Lite	1.6	
	K-3531/-RA		30⅞" x 21¼" x 29¾"	12"	Pressure Lite	1.0	
Wall-Hung							
Kingston	K-4323	•	26½" x 16½" x 13¼"		Flushometer	1.28 or 1.6	Rear
	K-4325	•	26½" x 16½" x 13¼"		Flushometer	1.28 or 1.6	Top
Sifton	K-4460-C	•	21½" x 14" x 11¾"		Flushometer	3.5	Rear
Stratton	K-4450-C	•	26" x 14" x 11¾"		Flushometer	3.5	Top

ADA-compliant products will comply with the Americans with Disabilities Act when installed per the requirements of the accessibility guidelines Section 604 (toilets) of the Act.

*This fixture is designed for use in prisons and mental healthcare facilities.

†See Price Book for ordering information.