



PART NO. PVC 400 A
Straight Tee^(N)

SIZE	ALL HUB			
	A	B	C	E
8 ^(N) (PVC)	9	4½	4½	4½
10 ^(N) (PVC)	12½	6¼	6¼	6⅝
12 ^(N) (PVC)	14⅞	7⅞	7⅞	7¼
14 ^{(N)(F)} (PVC)	21	10½	10½	11⅝
16 ^{(N)(F)} (PVC)	23⅞	11⅝	11⅝	14⅜


PART NO. 401
Sanitary Tee, Reducing

SIZE	ALL HUB		
	A	B	C
2 x 1½ x 1½ (PVC)	2⅜	3⅛	1⅝
2 x 1½ x 1½ (ABS)	2⅝	3⅛	1⅞
2 x 1½ x 2 (PVC)	2⅝	3⅞	2⅝
2 x 1½ x 2 (ABS)	2⅞	3⅞	2¼
2 x 2 x 1½	2⅜	3⅛	1⅝
3 x 3 x 1½ (PVC)	2⅞	2⅞	1¾
3 x 3 x 1½ (ABS)	2½	2⅝	1⅞
3 x 3 x 2 (PVC)	2⅞	3⅝	2⅛
3 x 3 x 2 (ABS)	2⅞	3¼	2⅞
4 x 4 x 1½ (PVC)	3¼	3⅞	2
4 x 4 x 2	3⅝	3⅞	2⅞
4 x 4 x 3 (PVC)	3⅞	4¾	3
4 x 4 x 3 (ABS)	3⅞	4⅞	2⅞
6 x 6 x 4 (PVC)	4⅞	6⅞	3⅞
6 x 6 x 4 (ABS)	4⅞	5⅞	3⅞
8 x 8 x 4** (PVC)	9⅛	10⅞	6
8 x 8 x 6** (PVC)	7¾	10⅞	6⅞



^(F) Fabricated

^(N) Not a sanitary pattern

** Assembled from two molded components

Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials, and the dimensions listed are the same for both materials.

This is to certify that all Plastic Pipe and Fittings manufactured by Charlotte Pipe and Foundry Company are manufactured in the United States and conform to the following standards:

PVC SCH. 40 SOLID WALL PIPE

ASTM D 1784, ASTM D 1785, ASTM D 2665
FHA UM 79a
FEDERAL SPECIFICATION L-P-320a
NSF STANDARD NO. 14 AND 61

PVC SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 4396, ASTM F 891
NSF STANDARD NO. 14

PVC SCH. 40 DWV FITTINGS

ASTM D 1784, ASTM D 2665, ASTM D 3311, ASTM F 1866
FHA UM 79a
FEDERAL SPECIFICATION L-P-320a
NSF STANDARD NO. 14

ConnecTite® PUSH-FIT DWV FITTINGS

ASME A112.4.4, IAPMO IGC 334
NSF STANDARD NO. 14

PVC SDR-21 AND SDR-26 PRESSURE PIPE

ASTM D 1784, ASTM D 2241
NSF STANDARD NO. 14 AND 61

PVC SCH. 40 PRESSURE FITTINGS

ASTM D 1784, ASTM D 2466
NSF STANDARD NO. 14 AND 61

PVC SCH. 40 WELL CASING PIPE

ASTM D 1784, ASTM F 480
NSF STANDARD NO. 14 AND 61

PVC SCH. 80 PIPE

ASTM D 1784, ASTM D 1785, PVC 1120
NSF STANDARD NO. 14 AND 61

PVC SCH. 80 FITTINGS

ASTM D 1784, ASTM D 2467, ASTM D 2464, ASTM F 1970
NSF STANDARD NO. 14 AND 61