





LIGHT COMMERCIAL PRODUCT LINE CARD



Harnessing energy-efficient performance, proven technology, and air intelligence.

Packaged Unit Models

Base-Efficiency DBC | DBG | DBH* (3-6 Ton) (3-5 Ton) *

High-Efficiency DRC | DRG | DRH (3-6 Ton)



Base-Efficiency DBC | DBG | DBH (7½ -12½ Ton)

High-Efficiency DRC | DRG (7½ -12½ Ton)



Base-Efficiency DBC | DBG (15 -25 Tons)





DP14HM | DP14CM | DP14GM | DP14UM

Air Handler / Split System



Commercial Air Handler (DAT)



Split System Air Conditioners DX13 | DX11 Split System Heat Pumps DZ14 | DZ11

Commercial comfort. No compromise.

Get curb appeal, energy efficient performance and outstanding product limited warranties*.

HVAC manufacturers and start growing your business. Daikin brand commercial packaged units offer ease of installation, efficient operation and outstanding product limited warranty* coverage. Whether you need a straight

Get on the ground floor with one of the world's largest cooling unit, heat pump or gas/electric, you'll find cogent features such as 5mm condensing coils, outstanding heat pump features and our most durable tubular heat exchanger. When you want the best, don't compromise. Demand Daikin!

| E | Base-Efficiency Package | ed Gas/Electric (| 3-Phase Models) | | |
|---|---|---------------------------|---------------------------|---------------------------|---------------------------|
| 3-Phase Models | | DBG Series | | | |
| Nominal Capacity | 3 to 5 Tons | 6 Tons | 7½ to 12½ Tons | 15 Tons | 20 to 25 Tons |
| Cooling Efficiency (EER / IEER), (EER / SEER) | 11.5 / 14.0 | 11.0 / 15.0 | Up to 11.0 / Up to 12.7 | 10.8 / 12.6 | 9.8 / 11.4 |
| Drive type | Belt-Drive or Direct-Drive (208/230v only) | | | | |
| Power input | 208/230v / 460v / 575v | 208/230v / 460v / 575v | 208/230v / 460v / 575v | 208/230v / 460v / 575v | 208/230v / 460v / 575v |
| R-410A Refrigerant | | | • | | |
| Gas Efficiencies | 80% Belt-Drive, 81% Direct-Drive | 80% | | | |
| Tubular Heat Exchanger | | | • | | |
| Ultra Low-NO _x | • | | | | |
| Two-Stage Heating | | | | | |
| Two-Stage Cooling | | • | • | • | • |
| Scroll Compressor | • | - | • | | |
| Standard 2" Filters | • | - | • | Convertible to 4" | Convertible to 4" |
| Factory-Installed Filter Drier | • | • | • | • | • |
| 5mm Condensing Coil (on select models) | • | - | • | • | • |
| Contactor with Lugs | • | • | • | • | • |
| 5-Year Parts Limited Warranty* | | | • | | |
| 20-Year Heat Exchanger Limited Warranty* | • | | | | |

| Ba | se-Efficiency Package | d Air Conditior | ers (3-Phase Mode | ls) | | |
|---|---|---------------------------|---|---------------------------|---------------------------|--|
| 3-Phase Models | DBC Series | | | | | |
| Nominal Capacity | 3 to 5 Tons | 6 Tons | 6 Tons 7½ to 12½ Tons 15 Tons 20 to 25 Tons | | | |
| Cooling Efficiency (EER / IEER), (EER / SEER) | 11.5 / 14.0 | 11.2 / 15.0 | Up to 11.2 / Up to 12.9 | 11.0 / 12.8 | Up to 10.2 / Up to 11.8 | |
| Drive type | Belt-Drive or Direct-Drive (208/230v only) | | Belt-Drive | | | |
| Power input | 208/230v / 460v / 575v | 208/230v / 460v / 575v | 208/230v / 460v / 575v | 208/230v / 460v / 575v | 208/230v / 460v / 575v | |
| R-410A Refrigerant | | - | • | • | • | |
| Two-Stage Cooling | | - | • | - | • | |
| Scroll Compressor | | | | | | |
| Standard 2" Filter Racks | | | | Convertible to 4" | Convertible to 4" | |
| Factory-Installed Filter Drier | | | | | | |
| 5mm Condensing Coil (on select models) | | - | | • | • | |
| Terminal Block | | | | | | |
| 5-Year Parts Limited Warranty* | | | | | • | |

| В | ase-Efficiency Packaged Heat Pumps (3-Phase Mode | els) |
|----------------------------------|--|------------------------|
| 3-Phase Models | DBH Serie | es |
| Nominal Capacity | 3 to 5 Tons | 7½ to 12½ Tons |
| Cooling Efficiency (EER / IEER) | 11.5 / 14.0 | Up to 11.2 / 12.5 |
| Drive type | Belt-Drive or Direct-Drive (208/230v only) | Belt Drive |
| Power input | 208/230v / 460v / 575v | 208/230v / 460v / 575v |
| Heating Efficiency (COP at 47°F) | Up to 3.5 | Up to 3.5 |
| R-410A Refrigerant | • | |
| Two-Stage Cooling | | |
| Scroll Compressor | • | |
| Standard 2" Filters | • | |
| Factory-Installed Filter Drier | = | |
| Terminal Block | - | |
| 5-Year Parts Limited Warranty* | | |



| High-Efficiency Packaged Air Conditioners (3-Phase Models) | | | | |
|--|-------------------------|-------------------------|--|--|
| 3-Phase Models | Models DRC Series | | | |
| Nominal Capacity | 3 to 6 Tons | 7½ to 12½ Tons | | |
| Cooling Efficiency (EER / IEER), (EER/SEER)* | Up to 13.0 / Up to 17.1 | Up to 12.4 / Up to 17.0 | | |
| Drive type | ECM Direct-Drive | ECM Direct-Drive | | |
| Power input | 208/230v / 460v / 575v | 208/230v / 460v / 575v | | |
| R-410A Refrigerant | | | | |
| Two-Stage Cooling | • | | | |
| Scroll Compressor | • | • | | |
| Standard 2" Filter Racks | | | | |
| Factory-Installed Filter Drier | • | | | |
| 5mm Condensing Coil (on select models) | • | • | | |
| Terminal Block | • | • | | |
| 5-Year Parts Limited Warranty* | • | • | | |

| High-Efficiency Packaged | d Heat Pumps (3-Phase Models) |
|--|-------------------------------|
| 3-Phase Models | DRH Series |
| Nominal Capacity | 3 to 6 Tons |
| Cooling Efficiency (EER / IEER), (EER/SEER)* | Up tp 12.6 / Up to 17.0 |
| Drive type | ECM Direct-Drive |
| Power input | 208/230v / 460v / 575v |
| Heating Efficiency (COP at 47°F) | Up to 4.0 |
| R-410A Refrigerant | |
| Two-Stage Cooling | |
| Scroll Compressor | |
| Standard 2" Filters | • |
| Factory-Installed Filter Drier | |
| Terminal Block | • |
| 5-Year Parts Limited Warranty* | • |

| High-Efficiency Package | ed Gas/Electric (3-Phase N | lodels) | |
|--|----------------------------|-------------------------|--|
| 3-Phase Models | DRG Series | | |
| Nominal Capacity | 3 to 6 Tons | 7½ to 12½ Tons | |
| Cooling Efficiency (EER / IEER), (EER/SEER)* | Up to 13.0 / Up to 17.1 | Up to 12.2 / Up to 17.0 | |
| Drive type | ECM Direct-Drive | ECM Direct-Drive | |
| Power input | 208/230v / 460v / 575v | 208/230v / 460v / 575v | |
| R-410A Refrigerant | | | |
| Gas Efficiencies | 81% | 81% | |
| Tubular Heat Exchanger | | | |
| Ultra Low-NO _x ** | | | |
| Two-Stage Heating | | | |
| Two-Stage Cooling | | | |
| Scroll Compressor | | - | |
| Standard 2" Filters | | | |
| Factory-Installed Filter Drier | | | |
| 5mm Condensing Coil (on select models) | | | |
| Contactor with Lugs | | | |
| 5-Year Parts Limited Warranty* | | | |
| 20-Year Heat Exchanger Limited Warranty* | = | | |





OUTSTANDING LIMITED WARRANTY* PROTECTION






*Complete warranty details available from your local distributor or manufacturer's representativeoratwww.daikincomfort.com or www.daikinac.com.



| DB Base-Efficiency Series Packaged Units (1-Phase Models) | | | | | |
|---|------------------|-----------------|---------------------|--|--|
| 1-Phase Models | DBG Gas/Electric | DBH Heat Pump | DBC Air Conditioner | | |
| Nominal Capacity | 3, 4 and 5 Tons | 3, 4 and 5 Tons | 3, 4 and 5 Tons | | |
| Cooling Efficiency (SEER / EER) | 14.0 / 11.5 | | | | |
| Drive Type | Direct-Drive | | | | |
| R-410A Refrigerant | | | | | |
| Gas Efficiencies | 81% N/A | | /A | | |
| HSPF | N/A | 8.0 | N/A | | |
| Factory-Installed Filter Drier | | | | | |
| 5mm Condensing Coil | | N/A | | | |
| 5-Year Parts Limited Warranty* | | • | | | |
| 20-Year Heat Exchanger Limited Warranty* | ■ N/A | | | | |



| M Series Packaged Units (3-Phase Models) | | | | | |
|--|------------------------|---|---------------------|---------------------------|--|
| 3-Phase Models | DP14GM Gas/Electric | DP14UM Gas/Electric Ultra Low-NO _x | DP14HM Heat Pump | DP14CM Air Conditioner | |
| Nominal Capacity | 3, 4 and 5 Tons | 3, 4 and 5 Tons | 3, 4 and 5 Tons | 3, 4 and 5 Tons | |
| Cooling Efficiency (SEER) | 14 | | | | |
| R-410A Refrigerant | | - | - | • | |
| Gas Efficiencies | 81% 81% N/A | | J/A | | |
| HSPF | N/A | N/A | 8.0 | N/A | |
| Factory-Installed Filter Drier | | - | - | • | |
| Tubular Heat Exchanger | ■ ■ N/ | | J/A | | |
| 5-Year Parts Limited Warranty* | | - | - | • | |
| 20-Year Heat Exchanger Limited Warranty* | ■ N/A | | J/A | | |

20-Year Heat Exchanger Limited Warranty*









N/A

Split System Air Conditioners and Heat Pumps

| | Commercial Air Conditioner Condensing Units | | | cial Heat Pump ensing Units |
|--|--|-------------------------|-----------------|--------------------------------|
| 3-Phase Models | DX13 | DX11 | DZ14 | DZ11 |
| Nominal Capacity | 3, 4 and 5 Tons | 71/2 and 10 Tons | 3, 4 and 5 Tons | 7½ and 10 Tons |
| Cooling Efficiency | 13 SEER | 11.2 EER / 13-13.5 IEER | 14 SEER | 11 EER / 13-13.5 IEER |
| 2-Stage Compressor | N/A | | N/A | |
| R-410A Refrigerant | • | | | |
| Louvered Sound Control Top | • | | | |
| Factory-Installed Filter Drier | • | | | |
| Energy-Efficient Compressor | • | | | |
| Steel Louvered Coil Guard | • | | | |
| High-Efficiency Copper Tube/ Enhanced Aluminum Fin Coil | • | | • | • |
| Discharge Line Muffler | N/A | N/A | | |
| Factory-Installed Suction Line Accumulator | N/A | N/A | - | • |
| Reliable Defrost Control | N/A | N/A | - | • |
| 5-Year Parts Limited Warranty* | - | | | • |



Air Handler (Two-Speed System)

| | Air Handler Unit |
|--|------------------|
| 3-Phase Models | DAT Series |
| Nominal Capacity | 7½ and 10 Tons |
| R-410A Refrigerant | • |
| Cooling Efficiency (EER) | 11.5 |
| TXV Control | • |
| Transformer and Blower Relay | • |
| Electric Heat Kits Available as a Field Installation | • |
| Horizontal and Vertical Condensate Pans | • |
| Built-In Filter Rack for 2" Filter (included) | • |
| Belt-Driven Draw-Thru Centrifugal Blower | • |
| Two-Speed Belt-Drive Motor | • |
| 5-Year Parts Limited Warranty* | • |

OUTSTANDING LIMITED WARRANTY* PROTECTION



*Complete warranty details available from your local distributor or manufacturer's representative or at www.daikincomfort.com or www.daikinac.com.

DB and DR Series

Select Field Accessories

- » 14" and 24" Roof Curb
- » 25% Manual Fresh Air Damper
- » 25% Motorized Fresh Air Damper
- » Burglar Bar Sleeves with Supply and Return
- » Concentric Duct Kit
- » Condenser Coil Hail Guards
- » Downflow Economizer
- » Electric Heat
- » High Altitude Kit (Gas/Electric)
- » Horizontal Economizers
- » Hold Down Bracket Kit
- » Low-Ambient Kit
- » LP Conversion Kit (Gas/Electric)
- » Power Exhaust
- » MERV 8 and MERV 13 Air Filters
- » Crankcase heater kits

Factory-Installed Options

- » Stainless Steel Heat Exchanger (Gas/Electric Units)
- » Electric Heat Kits (Heat Pumps and Air Conditioners)
- » Low-Ambient Kit
- » Condenser Coil Hail Guards
- » High-Static Kit (select models)
- » Downflow Economizer
 - Ultra Low-Leak
 - Low-Leak
- » Non-Fused Disconnect Switch (3-phase only)
- » Powered Convenience Outlet
- » Non-Powered Convenience Outlet
- » Smoke Detectors (Supply Air and/or Return Air)
- » Hinged Doors
- » Phase Monitor
- » High-Static Kit (select models)
- » Daikin DDC iLINQ controller
- » HGRH (Available on DRC and DRG models)

DP14 M Series

Field Accessories

- » Horizontal Duct Covers
- » Downflow Economizer
- » External Horizontal Filter Rack
- » Horizontal Economizer
- » 25% Manual Fresh Air Damper
- » 25% Motorized Fresh Air Damper
- » Outdoor Thermostat and Emergency Heat Relay Kit
- » Outdoor Thermostat Kit with Lockout Stat
- » Roof Curb
- » Square to Round Adapters
- » High Altitude Kit (Gas/Electric Units)
- » LP Conversion Kit (Gas/Electric Units)

DX13/DX11 Series

Accessories

- » Anchor Bracket Kit
- » Anti-Short Cycle Kit
- » Freeze Protection Kit
- » Liquid Line Solenoid Kit
- » Low Ambient Kit
- » Crankcase Heater
- » Outdoor Thermostat
- » TXV Kit

DZ14 Series

Accessories

- » Low-Pressure Switch Kit
- » Anchor Bracket Kit
- » Anti-Short Cycle Kit
- » All-Fuel Kit
- » Low-Ambient Kit
- » Freeze Protection Kit
- » Outdoor Thermostat
- » Emergency Heat Relay Kit
- » TXV Kit

DZ11 Series

Accessories

- » Anchor Bracket Kit
- » All-Fuel Kit
- » Freeze Protection Kit
- » Outdoor Thermostat with Lockout Stat

Not all options/accessories are available for all units. Please see product specifications for more details on accessories and options available.

Daikin Industries, Ltd. (DIL) is a global Fortune 1000 company which celebrated its 95th anniversary in May 2019. The company is recognized as the largest HVAC (Heating, Ventilation, Air Conditioning) manufacturers in the world. DIL is primarily engaged in developing indoor comfort systems and refrigeration products for residential, commercial and industrial applications. Its consistent success is derived, in part, from a focus on innovative, energy-efficient and premium quality indoor climate and comfort management solutions.

About Daikin:

Daikin provides innovative, premium quality indoor climate management solutions to meet the changing needs of residential, commercial and industrial customers.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

Visit www.daikinac.com to learn more.

Gas/Electric only:

For installation in California's South Coast Air Quality Management District (SCAQMD) only: This furnace does not meet the SCAQMD Rule 1111 14 ng/J NOx emission limit, and thus is subject to a mitigation fee of up to \$450. This furnace is not eligible for the SCAQMD Clean Air Furnace Rebate Program: www.CleanAirFurnaceRebate.com.