

Order Numbers for Pitless Adapter

Red Brass, No-Lead Brass & Stainless Steel

Red Brass Pitless Adapters



MB50

MBI100

MB225

Order No.	UPC Bar Code (Qty. 1)	Drop & Discharge	Discharge Length	Casing Sizes	Will Support	Hole Saw	Approx. Wt./Lbs.	Carton Qty.	Model Series
MB50	6 42367 01799 6	1"	1.8" LM	5" - 8"	300'	1-3/4"	2.4	4	Imported 50 Series
MB200	6 42367 01797 2	1"	1.8" LM	5" - 8"	400'	1-3/4"	2.8	4	Imported 200 Series
MBI100	6 42367 04294 3	1" Bronze	1.8" LM	5" - 8"	400'	1-3/4"	3.0	4	Imported 200 Series
MB225	6 42367 01798 9	1-1/4"	1.8" LM	5" - 8"	300'	2-1/8"	4.6	2	Imported 200 Series
MBI125	6 42367 04179 3	1-1/4" Bronze	1.8" LM	5" - 8"	300'	2-1/8"	5.0	2	Imported 200 Series
MB400	6 42367 12166 2	1-1/4" x 1" Bronze	1.7" LM	5" - 8"		Hole Guide	8.5	1	Imported 400 Series
*MB60	6 42367 04271 4	1"	1.8" LM	5" - 8"	300'	1-3/4"	2.6	1	Merrill <input type="text"/> - 60 Series
*MB125N (No Outside Thread)	6 42367 04308 7	1-1/4"	1.8" LM	5" - 8"	300'	2-1/8"	3.9	1	Merrill <input type="text"/> - 100 Series

LM = Long Model

* Made by Merrill Manufacturing™

NOTE: When properly installed, Merrill Manufacturing™ Pitless Adapters will support a length of SCH 40 steel pipe full of water and pump indicated in table above. Other companies may claim more support - but have little or no safety factor.

NOTE: No outside thread models for use with concrete tile

No-Lead Brass Pitless Adapters



MBNL50



MBNL225



MBNL200

Order No.	UPC Bar Code (Qty. 1)	Drop & Discharge	Discharge Length	Casing Sizes	Will Support	Hole Saw	Approx. Wt./Lbs.	Carton Qty.	Model Series
◆ MBNL50	6 42367 12295 9	1"	1.8" LM	5" - 8"	300'	1- 3/4"	2.4	4	Imported 50 Series
◆ MBNL200	6 42367 12388 8	1"	1.8" LM	5" - 8"	400'	1- 3/4"	2.8	4	Imported 200 Series
◆ MBNL225	6 42367 12445 8	1-1/4"	1.8" LM	5" - 8"	300'	2- 1/8"	4.6	2	Imported 200 Series

LM = Long Model

NOTE: When properly installed, Merrill Manufacturing™ Pitless Adapters will support a length of SCH 40 steel pipe full of water and pump indicated in table above. Other companies may claim more support - but have little or no safety factor.

NOTE: No outside thread models for use with concrete tile

No-Lead Bronze Pitless Adapters



MBNL60



MBNL100



MBNL125

Order No.	UPC Bar Code (Qty. 1)	Drop & Discharge	Discharge Length	Casing Sizes	Will Support	Hole Saw	Approx. Wt./Lbs.	Carton Qty.	Model Series
Ø *MBNL60	6 42367 41684 3	1"	1.8" LM	5" - 8"	300'	1- 3/4"	2.6	1	Merrill - <input type="text"/> 60 Series
Ø *MBNL100	6 42367 41685 0	1"	1.8" LM	5" - 8"	400'	1- 3/4"	3.2	1	Merrill - <input type="text"/> 100 Series
Ø *MBNL100N (No Outside Thread)	6 42367 41686 7	1"	1.8" LM	5" - 8"	400'	1- 3/4"	2.5	1	Merrill - <input type="text"/> 100 Series
Ø *MBPNL100	6 42367 41687 4	1" ILL. Code	1.8" LM	5" - 8"	400'	1- 3/4"	3.2	1	Merrill - <input type="text"/> 100 Series
Ø *MBNL125	6 42367 41688 1	1-1/4"	1.8" LM	5" - 8"	300'	2- 1/8"	5.0	2	Merrill - <input type="text"/> 100 Series
Ø *MBNL125N (No Outside Thread)	6 42367 41689 8	1-1/4"	1.8" LM	5" - 8"	300'	2- 1/8"	3.9	1	Merrill - <input type="text"/> 100 Series
Ø *MBPNL125	6 42367 41690 4	1-1/4" ILL. Code	1.8" LM	5" - 8"	300'	2- 1/8"	4.4	1	Merrill - <input type="text"/> 100 Series
Ø MNBL250	6 42367 42110 6	1-1/2"	2.1" LM	6" - 12"	600'	2- 3/8"	8.8	1	Imported 300 Series
◆ MBNL300	6 42367 41870	2"	2.2" LM	6" - 12"	600'	3"	14.4	1	Imported 300 Series

LM = Long Model

* Made by Merrill Manufacturing™

NOTE: When properly installed, Merrill Manufacturing™ Pitless Adapters will support a length of SCH 40 steel

pipe full of water and pump indicated in table above. Other companies may claim more support - but have little or no safety factor.

NOTE: No outside thread models - For use with concrete tile

Stainless Steel Pitless Adapters

304 Stainless Steel



SSMB50

SSMB200

SSMB225

Order No.	UPC Bar Code (Qty. 1)	Drop & Discharge	Discharge Length	Casing Sizes	Will Support	Hole Saw	Approx. Wt./Lbs.	Carton Qty.	Model Series
Ø SSMB50	6 42367 41093 3	1"	1.8" LM	5" - 8"	600'	1- 3/4"	2.4	4	Imported 50 Series
Ø SSMB200	6 42367 41301 9	1"	1.8" LM	5" - 8"	800'	1- 3/4"	2.9	4	Imported 200 Series
Ø SSMB225	6 42367 41302 6	1-1/4"	1.8" LM	5" - 8"	800'	2- 1/8"	4.7	2	Imported 200 Series

LM = Long Model

NOTE: When properly installed, Merrill Manufacturing™ Pitless Adapters will support a length of SCH 40 steel pipe full of water and pump indicated in table above. Other companies may claim more support - but have little or no safety factor.

Copyright © 2015, Merrill Mfg.