

Pipe Couplings/Insert Fittings for Pumps

Mobile

Stainless Steel, Brass & PVC Pipe Couplings/Fittings

Drop Pipe Couplings

For threaded pipe to submersible pump or other threaded pipe coupling needs

- Chamfered ends for quick, easy starting of threads
- Tapered pipe threads for positive, watertight connection

Galvanized
Merchant
Coupling



PVC
Drop
Pipe
Coupling



Brass
Drop Pipe
Coupling



Stainless Steel
Drop Pipe Coupling



Stainless Steel
Merchant Coupling



Order No.	UPC Bar Code (Qty. 1)	Pipe Size	Length	Material	Ctn. Qty.	Approx. Wt./Lbs.
Ø GDC100	6 42367 05400 7	1"	2"	Galvanized Merchant	25	0.4
Ø GDC125	6 42367 05401 4	1-1/4"	2-1/16"	Galvanized Merchant	25	0.5
♦ PDC100	6 42367 02087 3	1"	2-3/4"	PVC Heavy SCH 80	10/Bag	0.1
♦ PDC125	6 42367 02089 7	1-1/4"	2-3/4"	PVC Heavy SCH 80	10/Bag	0.2
♦ PDCH100	6 42367 03630 0	1"	2-3/4"	PVC Extra Heavy SCH 120	10/Bag	0.2
♦ PDCH125	6 42367 03631 7	1-1/4"	2-3/4"	PVC Extra Heavy SCH 120	10/Bag	0.2
♦ PDCH150	6 42367 04336 0	1-1/2"	3-3/16"	PVC Extra Heavy SCH 120	10/Bag	0.2
♦ PDCH200	6 42367 04337 7	2"	3-3/16"	PVC Extra Heavy SCH 120	10/Bag	0.3
BDC100	6 42367 00900 7	1"	2-3/8"	Brass	10	0.7

Order No.	UPC Bar Code (Qty. 1)	Pipe Size	Length	Material	Ctn. Qty.	Approx. Wt./Lbs.
BDC125	6 42367 00901 4	1-1/4"	2-3/8"	Brass	10	0.8
Ø SSDC100	6 42367 09649 6	1"	2-1/2"	Stainless Steel	10	0.6
Ø SSDC125	6 42367 09650 2	1-1/4"	2-1/2"	Stainless Steel	10	0.9
Ø SSDC150	6 42367 10922 6	1-1/2"	2-1/2"	Stainless Steel	10	1.1
Ø SSDC200	6 42367 10923 3	2"	2-1/2"	Stainless Steel	10	1.0
Ø SSDCHD100	6 42367 42028 4	1"	2-1/2"	Stainless Steel Extra Heavy	10	0.7
Ø SSDCHD125	6 42367 42029 1	1-1/4"	2-1/2"	Stainless Steel Extra Heavy	10	1.0
Ø SSDCHD150	6 42367 42030 7	1-1/2"	2-1/2"	Stainless Steel Extra Heavy	10	1.2
Ø SSDCHD200	6 42367 42031 4	2"	2-1/2"	Stainless Steel Extra Heavy	10	1.3
Ø SSMC100	6 42367 41672 0	1"	1-5/8"	Stainless Steel Merchant	1	0.2
Ø SSMC125	6 42367 41673 7	1-1/4"	1-7/8"	Stainless Steel Merchant	1	0.5
Ø SSMC150	6 42367 10218 0	1-1/2"	2"	Stainless Steel Merchant	1	0.8
Ø SSMC200	6 42367 10219 7	2"	2-1/4"	Stainless Steel Merchant	1	1.1

PVC Meter Coupling

For FIP x SLIP (glue end)

- Chamfered ends for quick, easy starting of threads
- Tapered pipe threads for positive, watertight connection
- One end has deep socket for an easy glued connection



Order No.	UPC Bar Code (Qty. 1)	Pipe Size	Length	Material	Ctn. Qty.	Approx. Wt./Lbs.
Ø PMCH100	6 42367 57666 0	1"	3-7/16"	PVC Extra Heavy SCH 120	10/Bag	0.2
Ø PMCH125	6 42367 41716 1	1-1/4"	3-1/4"	PVC Extra Heavy SCH 120	10/Bag	0.2

Drive Couplings

For threaded pipe to drive well points

- Recessed threads
- Heavy-duty wall



Order No.	UPC Bar Code (Qty. 1)	Pipe Size	Length	Material	Ctn. Qty.	Approx. Wt./Lbs.
Ø DRCOUP125	6 42367 01140 6	1-1/4"	2-3/4"	Galvanized Steel	20	0.9
Ø DRCOUP200	6 42367 01142 0	2"	3-3/8"	Galvanized Steel	12	1.8

No-Lead Bronze Male Adapters

For coiled plastic pipe to submersible pump



Extra Long
Male Adapter



Male Adapter

Order No.	UPC Bar Code (Qty. 1)	MIP Size x Insert Size	Ctn. Qty.	Approx. Wt./Lbs.
♦ RBMANL100	6 42367 12293 5	1" x 1" w/Hex	10	0.43
Ø =RBMANL100L	6 42367 42380 3	1" x 1"	10	0.51
♦ *RBMANL100XL	6 42367 12503 5	1" x 1"	10	0.51
♦ RBMANL1025	6 42367 12292 8	1-1/4" x 1"	10	0.52
Ø =RBMANL1025L	6 42367 42381 0	1-1/4" x 1"	10	0.56
♦ *RBMANL1025XL	6 42367 12504 2	1-1/4" x 1"	10	0.60
♦ RBMANL125	6 42367 12493 9	1-1/4" x 1-1/4"	10	0.54
♦ *RBMANL125XL	6 42367 12505 9	1-1/4" x 1-1/4"	10	0.75
♦ RBMANL150	6 42367 12494 6	1-1/2" x 1-1/2"	5	0.64
♦ *RBMANL150XL	6 42367 41523 5	1-1/2" x 1-1/2"	5	0.86
♦ RBMANL200	6 42367 12495 3	2" x 2"	5	1.14
♦ *RBMANL200XL	6 42367 12506 6	2" x 2"	5	1.30

= Long Insert Barbs - 9 Barbs

* Extra Long Insert Barbs - 12 Barbs

Stainless Steel Male Adapters

For coiled plastic pipe to submersible pump



Extra Long
Male Adapter



Male Adapter

Order No.	UPC Bar Code (Qty. 1)	MIP Size x Insert Size	Ctn. Qty.	Approx. Wt./Lbs.
Ø SSMA100 (Hex)	6 42367 05947 7	1" x 1"	20	0.4
Ø SSMA1025 (Hex)	6 42367 05949 1	1-1/4" x 1"	20	0.4
Ø SSMA125 (Hex)	6 42367 05950 7	1-1/4" x 1-1/4"	20	0.5
Ø *SSMA100XL (Hex)	6 42367 09588 8	1" x 1"	20	0.4
Ø *SSMA1025XL (Hex)	6 42367 09590 1	1-1/4" x 1"	10	0.5
Ø *SSMA125XL (Hex)	6 42367 09587 1	1-1/4" x 1-1/4"	10	0.5

* Extra Long Insert Barbs - 12 Barbs

No-Lead Bronze Rope Adapters

Includes eyelet for safety rope

Order No.	UPC Bar Code (Qty. 1)	MIP Size x Insert Size	Ctn. Qty.	Approx. Wt./Lbs.
♦ RBLANL100	6 42367 12507 3	1" x 1"	10	0.54
♦ RBLANL2510	6 42367 12509 7	1-1/4" x 1"	10	0.66
♦ RBLANL125	6 42367 12508 0	1-1/4" x 1-1/4"	10	0.56



Ø = No-Lead

♦ = CA Certified