

LED Module Light String



08-00508 - 16,000 Lumen/130 Watt U-GROUND Light String

16 AWG

FEATURES

- 100ft/10 Modules
- 1,600 Lumen (13 Watt) Per Module
- 123 Lumen per Watt
- 5-15 Female Receptacle to Connect Additional Lights
- High Impact Poly Carbonate Lens
- Carabiner Hooks Included
- Magnets Included
- Suitable for Wet Locations
- Jobsite Tough

SPECIFICATIONS

- 100 foot, 16/3 AWG
- 300V SJTW Cable
- 16,000 Lumen/130 Watt
- 5-15 Plug
- 5-15 Receptacle with Cover
- Suitable for Wet Locations
- 5000 Kelvin Color Temperature
- Black PC Joints
- Carabiner Hooks Included
- Magnets Included
- cETLus

PACK QUANTITY/UPC

- Pack Quantity = 2
- UPC# 8-03058-1508-4



VOLTEC POWER & LIGHTING 3230 E Imperial Hwy #218 Brea, CA 92821

Brea, CA 9282^o 909.606.1991


Fax: 909.606.0281


Email: customerservice@voltec-industries.com

Web: www.voltec-industries.com



LED Temporary Light String 08-00507 & 08-00508





http://www.voltec-industries.com/

BASIC INFO

Locations	16/3 cable	16,000lm	10 units	AC 120V 10 units 16,000ln	130W	08-00508
Wet	16/3 cable	8,000lm	5 units	AC 120V 5 units	65W	08-00507
Suitable for	Cable	Lumen	QTY	Voltage	Power	Model

Application:

Suitable for construction sites or any other location requiring a temporary light string

!! CAUTION

- reinforce or double insulation Make sure the distances between live part and metal part of the device can satisfy
- power to prevent electric shock. \cdot Before installaion and maintenance of the device, please disconnect the
- operating in harsh enviroments may shorten the lifespan or even damage the device. \cdot The LED temporary light string must be installed in an approriate environment,
- Please keep the device away from any cirrsuve substance, clean with dry cloth only.
- when install on high places · To ensure personal safety, please make sure the device is staying firmly and securely

LINKABLE

65W - For only use with this product connect up to 10 bunches

130W - For only use with this product connect up to 5 bunches

- LPW is Lumen Per Watt
- CCT (Kelvin) is the correlated color temperature

Lift (L70) is service life of LED chips

- PF (Power Factor) is the ratio of the actual power consumed to the power supply capacity CRI (Color Rendering Index) is the ability to represent the original color of a substance