
# WALL PLATES & SPECIALTIES

## RWP26LA

radiant® Screwless Polycarbonate Wall Plates

- A. Redesigned screwless wall plates feature a lower, more modern profile in keeping with today's design trends.
- B. Molded of rugged .065" thick polycarbonate.
- **C. One-piece subplate** mounts over the device for easy retrofit and lower profile.
- **D. Subplate screws align devices** to ensure proper positioning of wall plates.
- E. Opening accommodates all NEMA decorator-opening devices.
- F. An extra 3/8" width and height than standard size wall plates for more tolerance in covering ragged sheet rock openings.



RWP26LA

The radiant® collection is a step up from the standard with simple, classic options in wiring devices, home automation controls, and screwless wall plates that complement today's homes and hospitality settings.

## **Specifications**



radiant® Screwless Polycarbonate RWP Series



Thermoset SP Series



Nylon TP Series



302/304 Stainless Steel



Polished Brass



**Aluminum** 

### **Application**

Legrand's broad line of Pass & Seymour® Standard Size Plastic and Metal Wall Plates features the most complete range of types, sizes, colors, and finishes available. Choose from more than 1,900 standard plates in non-combustible thermoset plastic material, self-extinguishing nylon material, screwless polycarbonate material, or attractively finished metal, for residential, commercial, institutional, and industrial applications. All plastic wall plates color match to Pass & Seymour devices.

#### **Screwless Polycarbonate Wall Plates**

- Part of the radiant® collection.
- Molded of .065" thick polycarbonate, matte finish.
- One-piece subplate mounts over the device for easy retrofit and lower profile.
- Extra 3/8" width and height than Standard size plates.
- Available in Ivory, White, Brown, Gray, Black, and Light Almond; and two metallic finishes – nickel, dark bronze.

#### Thermoset Plastic Wall Plates

- Molded of non-combustible mar-proof material.
- Available in "SP" series in Standard, Junior-Jumbo, and Jumbo sizes.
- Seven standard colors available Ivory, White, Brown, Gray, Black, Red, and Light Almond.
- Individually wrapped with color-matching screws.
- Resistant to discoloration, grease, oil, solvent and moisture.
- Nominal thickness, .070"

# TradeMaster® Thermoplastic Wall Plates

- Molded of rugged, practically indestructible self-extinguishing nylon. ("TP" series only)
- Available in "TP" series, extra 3/16" width and height than Standard size plates; and "TPJ" series, extra 3/16" width and height than Junior-Jumbo size plates.
- Available in Ivory, White, Brown, Gray, Black, Blue, Orange, Red, and Light Almond.
- Preferred for hospital, industrial, institutional, and other high-abuse applications.
- Nominal thickness, .070"


#### **Metal Wall Plates**

- Constructed of corrosion-resistant stainless steel, brass, aluminum, chrome, brushed bronze or galvanized steel
- Standard, Jumbo and Tandem size plates available, as well as special Panel size plates up to 5-gangs high and 10-gangs wide.
- Packaged in protective film, with finish-matching screws.
- Variety of special plated finishes.
   Paintable to match plastic plates.
- Can be silk-screened or engraved, and custom punched with over 300 opening styles.

#### **Materials**

- Type 302/304 Stainless Steel, non-magnetic, .032" nominal thickness, brushed finish. This alloy contains 18% chromium and 8% nickel for superior resistance to corrosion. Recommended for use in food processing plants, dairies, chemical plants, and other industrial, institutional, and commercial applications where corrosive atmospheres exist.
- Type 430 Stainless Steel, magnetic, .032" nominal thickness, brushed finish. Less corrosion-resistant than Type 302/304, but ideal for general service in high abuse applications in industrial plants, commercial, and institutional buildings.
- Chrome and Polished Brass, .040" thick. 70% copper, 30% zinc alloy gives warm, appealing finish to modern decor as well as retrofit applications. Lacquered to prevent corrosion.
- Aluminum, .040" thick. Lustrous satin finish. Lacquered to prevent corrosion.
- Galvanized Steel. Used only for Handy Box Plates.
- Brushed Bronze, .040" thick. 90% copper, 10% zinc. Lacquered to prevent corrosion

#### **Dimensions**



#### Standard Size Wall Plates

- Standard size wall plates for all applications.
- Best fit for surface mount boxes.
- Available in plastic and metal only.

#### **Dimensions**

1 gang 2.75" x 4.5" 2 gang 4.56" x 4.5" 3 gang 6.375" x 4.5" 4 gang 8.125" x 4.5" 5 gang 10" x 4.5" 6 gang 11.812" x 4.5" 13.62" x 4.5" 7 gang 15.44" x 4.5" 8 gang

#### TradeMaster® Wall Plates

- Extra 3/16" width and height than Standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Available in unbreakable nylon 6 construction only.
- Screws pre-installed in the duplex, toggle and decorator-style single gang plates.

#### **Dimensions**

1 gang 2.9375" x 4.6875"
2 gang 4.75" x 4.6875"
3 gang 6.563" x 4.6875"
4 gang 8.375" x 4.6875"
5 gang 10.188" x 4.6875"
6 gang 12" x 4.6875"

## radiant® Screwless

### **Polycarbonate Wall Plates**

- Available in decorator-style openings.
- Extra 3/8" width and height than Standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Molded of .065" thick polycarbonate.
- 1-piece plastic subplate.
- Available in 2 metallic finishes and 6 standard colors.

#### **Wall Plate Dimensions**

1 gang 3.15" x 4.94" 2 gang 4.96" x 4.94" 3 gang 6.77" x 4.94" 4 gang 8.59" x 4.94" 5 gang 10.40" x 4.94" 6 gang 12.21" x 4.94"

#### **Subplate Dimensions**

1 gang 1.81" x 4.78" x .15"
2 gang 3.62" x 4.78" x .15"
3 gang 5.44" x 4.78" x .15"
4 gang 7.25" x 4.78" x .15"
5 gang 9.06" x 4.78" x .15"
6 gang 10.87" x 4.78" x .15"

#### **Junior-Jumbo Wall Plates**

- Extra 3/8" width and height than Standard size wall plates.
- · Additional coverage for sheet rock gaps.
- · Available in plastic and metal only.

#### **Dimensions**

1 gang 3.125" x 4.87" 2 gang 4.93" x 4.87" 3 gang 6.75" x 4.87" 4 gang 8.56" x 4.87"

#### TradeMaster® Jumbo Wall Plates

- Extra 3/16" width and height than Junior-Jumbo size wall plates.
- Provide additional coverage for sheet rock gaps, matching the appearance of the TradeMaster Plates.
- Available in unbreakable nylon 6 construction only.
- Screws pre-installed in the duplex, toggle and decorator-style single gang plates.

#### **Dimensions**

1 gang 3.3125" x 5.0625" 2 gang 5.125" x 5.0625" 3 gang 6.9375" x 5.0625" 4 gang 8.75" x 5.0625"

#### **Jumbo Wall Plates**


- Extra 3/4" width and height than Standard size wall plates.
- Largest size wall plates to cover larger wall damage.
- Available in plastic and metal only.

#### **Dimensions**

1 gang 3.5" x 5.25" 2 gang 5.31" x 5.25" 3 gang 7.12" x 5.25" 4 gang 8.93" x 5.25"



#### **Dimensions**




#### **Sectional Wall Plates**

End and center panels with each of five most-used configurations make it possible to improvise custom wall plates on the job. Panels lock securely together on installation. Blank sections furnished with mounting strap.


### **Wall Plate Mountings**


Illustrated are the five standard methods of plate mounting. There are many other non-standard methods which depend upon the special device used. Exact mounting hole specifications for every device appear in the Selector Guide.





## **Wall Plate Sizes**


#### Standard Size Available in plastic and metal













# TradeMaster® Size


Available in nylon only







**Tandem Wall Plates** 



Metal only. Plate mounting dimensions are non-standard. Refer to Page S-26 for details and devices that can be used.

For radiant Screwless (RWP) Wall Plate dimensions refer to Page S-4.



# **Combination Openings** Standard Size Plastic & Metal

		NYLON	THERMOSET	METAL	
DESCRIPTION	COLOR	TRADEMASTER® PLATES	<b>SMOOTH</b>	MATERIAL	SM00TH
TOGGLE SWITCH & DUPLEX RECE	PTACLE OPENINGS				
<b>Two Gang</b> 1 Toggle, 1 Duplex	Ivory White Brown Gray	TP18I TP18W TP18 TP18GRY	SP18I SP18W SP18 SP18GRY	Polished Brass	SB18PB
i S	Black Red Light Almond	TP18BK TP18RED TP18LA	SP18LA	302/304 S/S	SS18
Three Gang 2 Toggles, 1 Duplex	lvory White Brown Gray Black	TP28I TP28W TP28 TP28GRY TP28BK	SP28I SP28W SP28 SP28GRY	Polished Brass 302/304 S/S	SB28PB SS28
Four Gang	Red Light Almond Ivory	TP28RED TP28LA	SP28LA SP38I	Polished Brass	SS38PB
3 Toggles, 1 Duplex	White Brown Gray Light Almond		SP38W SP38 SP38GRY SP38LA	302/304 S/S	SS38 SS38.5
Five Gang 4 Toggles, 1 Duplex				302/304 S/S 302/304 S/S Painted Ivory 302/304 S/S Painted White	SS48 SS48I SS48W
TOGGLE SWITCH & DECORATOR-S	STYLE OPENINGS				
Two Gang 1 Toggle, 1 Decorator-Style	Ivory White Brown Gray Black	TP126I TP126W TP126 TP126GRY TP126BK	SP126I SP126W SP126 SP126GRY SP126BK	Aluminum Polished Brass	SA126 SB126PB
Three Gang	Light Almond	TP126LA TP226I	SP126LA SP226I	302/304 S/S	SS126
2 Toggles, 1 Decorator-Style	White Brown Gray Light Almond Black	TP226W TP226 TP226GRY TP226LA TP226BK	SP226W SP226 SP226GRY SP226LA	302/304 S/S	SS226
Three Gang 1 Toggle, 2 Decorator-Style	Ivory White Brown Gray Black Light Almond		SP1262I SP1262W SP1262 SP1262GRY SP1262BK SP1262LA	302/304 S/S	SS1262
Four Gang 3 Toggles, 1 Decorator-Style	Ivory White Brown Gray Light Almond		SP326I SP326W SP326 SP326GRY SP326LA	302/304 S/S	SS326

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.