

WALL PLATES

Specifications



Application

Legrand's broad line of Pass & Seymour® Standard Size Plastic and Metal Wall Plates features the most complete range of types, sizes, colors, and finishes available. Choose from more than 1,900 standard plates in non-combustible thermoset plastic material, self-extinguishing nylon material, screwless polycarbonate material, or attractively finished metal, for residential, commercial, institutional, and industrial applications. All plastic wall plates color match to Pass & Seymour devices.

Screwless Polycarbonate Wall Plates

- Part of the radiant® collection.
- Molded of .065" thick polycarbonate, matte finish.
- One-piece subplate mounts over the device for easy retrofit and lower profile.
- Extra 3/8" width and height than Standard size plates.
- Available in Ivory, White, Brown, Gray, Black and Light Almond; and three metallic finishes – Dark Bronze, Nickel, and Graphite.

Thermoset Plastic Wall Plates

- Molded of non-combustible mar-proof material.
- Available in "SP" series in Standard, Junior-Jumbo, and Jumbo sizes.
- Seven standard colors available – Ivory, White, Brown, Gray, Black, Red, and Light Almond.
- Individually wrapped with color-matching screws.
- Resistant to discoloration, grease, oil, solvent and moisture.
- Nominal thickness, .070"

TradeMaster® Thermoplastic Wall Plates

- Molded of rugged, practically indestructible self-extinguishing nylon. ("TP" series only)
- Available in "TP" series, extra 3/16" width and height than Standard size plates; and "TPJ" series, extra 3/16" width and height than Junior-Jumbo size plates.
- Available in Ivory, White, Brown, Gray, Black, Blue, Orange, Red, and Light Almond.
- Preferred for hospital, industrial, institutional, and other high-abuse applications.
- Nominal thickness, .070"

Metal Wall Plates


- Constructed of corrosion-resistant stainless steel, brass, aluminum, chrome, brushed bronze or galvanized steel.
- Standard, Jumbo and Tandem size plates available, as well as special Panel size plates up to 5-gangs high and 10-gangs wide.
- Packaged in protective film, with finish-matching screws.
- Variety of special plated finishes. Paintable to match plastic plates.
- Can be silk-screened or engraved, and custom punched with over 300 opening styles.

Materials

- Type 302/304 Stainless Steel, non-magnetic, .032" nominal thickness, brushed finish. This alloy contains 18% chromium and 8% nickel for superior resistance to corrosion. Recommended for use in food processing plants, dairies, chemical plants, and other industrial, institutional, and commercial applications where corrosive atmospheres exist.
- Type 430 Stainless Steel, magnetic, .032" nominal thickness, brushed finish. Less corrosion-resistant than Type 302/304, but ideal for general service in high abuse applications in industrial plants, commercial, and institutional buildings.
- Chrome and Polished Brass, .040" thick. 70% copper, 30% zinc alloy gives warm, appealing finish to modern decor as well as retrofit applications. Lacquered to prevent corrosion.
- Aluminum, .040" thick. Lustrous satin finish. Lacquered to prevent corrosion.
- Galvanized Steel. Used only for Handy Box Plates.
- Brushed Bronze, .040" thick. 90% copper, 10% zinc. Lacquered to prevent corrosion.

WALL PLATES

Dimensions



Standard Size Wall Plates

- Standard size wall plates for all applications.
- Best fit for surface mount boxes.
- Available in plastic and metal only.

Dimensions

1 gang	2.75" x 4.5"
2 gang	4.56" x 4.5"
3 gang	6.375" x 4.5"
4 gang	8.125" x 4.5"
5 gang	10" x 4.5"
6 gang	11.812" x 4.5"
7 gang	13.62" x 4.5"
8 gang	15.44" x 4.5"

TradeMaster® Wall Plates

- Extra 3/16" width and height than Standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Available in unbreakable nylon 6 construction only.
- Screws pre-installed in the duplex, toggle and decorator-style single gang plates.

Dimensions

1 gang	2.9375" x 4.6875"
2 gang	4.75" x 4.6875"
3 gang	6.563" x 4.6875"
4 gang	8.375" x 4.6875"
5 gang	10.188" x 4.6875"
6 gang	12" x 4.6875"

radiant® Screwless Polycarbonate Wall Plates

- Available in decorator-style openings.
- Extra 3/8" width and height than Standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Molded of .065" thick polycarbonate.
- 1-piece plastic subplate.
- Available in 3 metallic finishes and 6 standard colors.

Wall Plate Dimensions

1 gang	3.15" x 4.94"
2 gang	4.96" x 4.94"
3 gang	6.77" x 4.94"
4 gang	8.59" x 4.94"
5 gang	10.40" x 4.94"
6 gang	12.21" x 4.94"

Subplate Dimensions

1 gang	1.81" x 4.78" x .15"
2 gang	3.62" x 4.78" x .15"
3 gang	5.44" x 4.78" x .15"
4 gang	7.25" x 4.78" x .15"
5 gang	9.06" x 4.78" x .15"
6 gang	10.87" x 4.78" x .15"

Junior-Jumbo Wall Plates

- Extra 3/8" width and height than Standard size wall plates.
- Additional coverage for sheet rock gaps.
- Available in plastic and metal only.

Dimensions

1 gang	3.125" x 4.87"
2 gang	4.93" x 4.87"
3 gang	6.75" x 4.87"
4 gang	8.56" x 4.87"

TradeMaster® Jumbo Wall Plates

- Extra 3/16" width and height than Junior-Jumbo size wall plates.
- Provide additional coverage for sheet rock gaps, matching the appearance of the TradeMaster Plates.
- Available in unbreakable nylon 6 construction only.
- Screws pre-installed in the duplex, toggle and decorator-style single gang plates.

Dimensions

1 gang	3.3125" x 5.0625"
2 gang	5.125" x 5.0625"
3 gang	6.9375" x 5.0625"
4 gang	8.75" x 5.0625"

Jumbo Wall Plates


- Extra 3/4" width and height than Standard size wall plates.
- Largest size wall plates to cover larger wall damage.
- Available in plastic and metal only.

Dimensions

1 gang	3.5" x 5.25"
2 gang	5.31" x 5.25"
3 gang	7.12" x 5.25"
4 gang	8.93" x 5.25"

WALL PLATES

Dimensions



Center Panel

End Panel

SP Plates

TP Plates


RWP Plates

Sectional Wall Plates

End and center panels with each of five most-used configurations make it possible to improvise custom wall plates on the job. Panels lock securely together on installation. Blank sections furnished with mounting strap.

Wall Plate Mountings

Illustrated are the five standard methods of plate mounting. There are many other non-standard methods which depend upon the special device used. Exact mounting hole specifications for every device appear in the Selector Guide.



Center Strap

Strap

Box


Interchangeable

FS (4 Screw)


Wall Plate Sizes

Standard Size


Available in plastic and metal



Junior-Jumbo




Jumbo




radiant® Screwless

Wall Plate Plastic Subplate




TradeMaster® Size

Available in nylon only



TradeMaster Jumbo

Available in nylon only



For radiant Screwless (RWP) Wall Plate dimensions refer to Page I-4.

WALL PLATES

Style Selector Guide Custom Metal Wall Plates

STYLE 136 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES RAZOR BLADES with #340 Yoke	STYLE 137 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES RAZOR BLADES, BOX MTD. STYLE 137B — HORIZONTAL RAZOR BLADE, BOX MTD.	STYLE 138 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 1 7/32" DIA. HOLE STYLE 139 — BOX MTD. STYLE 140 — DESP. INTCH. MTD.	STYLE 141 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES
STYLE 142 1.70 DIA. HOLE 4 PLACES	STYLE 143 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 4 1/2" R. TYP.	STYLE 144 C'SK FOR 6-32x1/2 OVAL HD. SCREW PLACES 4 1/2" R. TYP. STYLE 145 — 3 OPENINGS STYLE 146 — 4 OPENINGS STYLE 147 — MASTER CONTROL	STYLE 149
STYLE 150 C'SK FOR 6-32x5/16 OVAL HD. SCREW 2 PLACES DES. INTCH. MTD.	STYLE 152 Removable 1 3/32" I.D. grommet in 1 7/32" hole. VINYL GROMMET 1 REQ'D. C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TELEPHONE OUTLET CENTERED 2 GANG, with #340 Yoke STYLE 151 — BOX MTD. #741, 742 Standard Plate page I-36	STYLE 155 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES POWER OUTLET #702 Standard Plate page I-11	STYLE 156 C'SK FOR 6-32x1/2 OVAL HD. SCREW 4 PLACES POWER OUTLET #703 Standard Plate page I-11
STYLE 160 C'SK FOR 6-32x1/2 OVAL HD. SCREW 3 PLACES 1 1/16" R. TYP. 2 3/32" DIA. 60° 2 3/8" 1 5/16"	STYLE 162 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES STYLE 176 — STRAP MTD. with #340 Yoke #743 Standard Plate page I-17	STYLE 163 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 1 1/8" DIA. 2 3/8" 1 3/16" POWER OUTLET #721 Standard Plate page I-10	STYLE 165 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 2 3/32" DIA. 2 1/2" 1 1/4" POWER OUTLET #724 Standard Plate page I-10

All wall plate dimensions shown above are in inches.

WALL PLATES

Style Selector Guide Custom Metal Wall Plates

STYLE 166 1 1/2 DIA. HOLE C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 169 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES LOUVER #760 Standard Plate page I-18	STYLE 171 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES POWER OUTLET #710 Standard Plate page I-11	STYLE 172 C'SK FOR 6-32x1/2 OVAL HD. SCREW 4 PLACES 3 GANG PLATE
STYLE 177 C'SK FOR 6-32x5/16 OVAL HD. SCREW 2 PLACES STYLE 178 Touch Plate 50-2, 2 Openings STYLE 179 Touch Plate 50-3, 3 Openings Box Mtd.	STYLE 180 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 181 C'SK FOR 6-32x1/2 OVAL HD. SCREW 4 PLACES	STYLE 182 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES
STYLE 183 C'SK FOR 6-32x1/2 OVAL HD. SCREW 1 PLACE	STYLE 185 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 187 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 188 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES
STYLE 189 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES STYLE 190 — BOX MTD.	STYLE 191 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES STYLE 192 — BOX MTD. STYLE 193 — DESP. INTCH. MTD.	STYLE 194 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES POWER OUTLET #725 Standard Plate page I-10 STYLE 195 — BOX MTD. STYLE 196 — DESP. INTCH. MTD.	STYLE 199 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES

All wall plate dimensions shown above are in inches.

WALL PLATES


Style Selector Guide Custom Metal Wall Plates

STYLE 200 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 1/8" R. TYP. 1/8" R. TYP.	STYLE 206 471 DIA. C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES with #340 Yoke STYLE 207 — BOX MTD.	STYLE 210 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 140 DIA. HOLE 2 PLACES 1/8" R. TYP.	STYLE 211 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES C'SK FOR 8-32x1/2 OVAL HD. SCREW 2 PLACES 4-S Box Mtd. Plate available in any Standard 1 Gang Opening (Style 8 Shown)
STYLE 213 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 405 DIA. HOLE	STYLE 214 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES with #340 Yoke	STYLE 215 C'SK FOR 6-32x5/16 OVAL HD. SCREW 2 PLACES STYLE 215A — 1 HOLE CENTERED	STYLE 216 140 DIA. HOLE 2 PLACES C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES
STYLE 217 152 DIA. HOLE 2 PLACES C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 218 152 DIA. HOLE C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 219 152 DIA. HOLE 2 PLACES C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 220 152 DIA. HOLE 2 PLACES C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES
STYLE 221 152 DIA. HOLE C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 222 152 DIA. HOLE C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 223 152 DIA. HOLE 2 PLACES C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 224 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 152 DIA. HOLE 4 PLACES

All wall plate dimensions shown above are in inches.

WALL PLATES


Style Selector Guide Custom Metal Wall Plates



All wall plate dimensions shown above are in inches.

WALL PLATES

Style Selector Guide Custom Metal Wall Plates



All wall plate dimensions shown above are in inches.

WALL PLATES

Style Selector Guide Custom Metal Wall Plates

STYLE 272 	STYLE 273 	STYLE 274 	STYLE 275
STYLE 276 	STYLE 279 	STYLE 281 	STYLE 282
STYLE 283 	STYLE 284 	STYLE 285 	STYLE 286
STYLE 287 	STYLE 288 	STYLE 289 	STYLE 291

All wall plate dimensions shown above are in inches.

WALL PLATES

Style Selector Guide Custom Metal Wall Plates

STYLE 292 C'SK FOR 6-32 x 1/2 OVAL HD. SCREW 2 PLACES 120 DIA. TYP.	STYLE 293 C'SK FOR 6-32 x 1/2 OVAL HD. SCREW 4 PLACES 2 3/8 DIA. HOLE POWER OUTLET for 30, 50, 60A. Receptacle #716 Standard Plate page I-11	STYLE 295 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES FOR RS-232 COMPUTER JACK #791 Standard Plate page I-36	STYLE 295A C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES FOR RS-232 COMPUTER JACKS #792 Standard Plate page I-36
STYLE 296 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES 120 DIA. HOLE 2 PLACES	STYLE 296A C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES 120 DIA. HOLE 4 PLACES	STYLE 297 C'SK FOR 6-32 x 1/2 LONG OVAL HD. SCREW 2 PLACES	STYLE 298 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES
STYLE 299 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES	STYLE 300 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 4 PLACES	STYLE 301 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 4 PLACES	STYLE 302 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES SS-717 for PS20AC1KL Switch
STYLE 303 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES 1.25 DIA. HOLE	STYLE 305 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES	STYLE 306 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES	STYLE 307 C'SK FOR 6-32 x 1/2 OVAL HEAD SCREW 2 PLACES

All wall plate dimensions shown above are in inches.

WALL PLATES

Style Selector Guide Custom Metal Wall Plates


STYLE 308 TELEPHONE JACK	STYLE 309 TELEPHONE JACK	STYLE 310 AMP ELECTRONIC CONNECTOR	STYLE 311 COAXIAL ELECTRONIC CONNECTOR
STYLE 312 COAXIAL ELECTRONIC CONNECTOR	STYLE 313 COAXIAL ELECTRONIC CONNECTOR	STYLE 314 LAN PORT	STYLE 315
STYLE 315A	STYLE 315B		

All wall plate dimensions shown above are in inches.

DEVICES & WALL PLATES

Color Selection Chart

Devices & Plastic Wall Plate Colors



Ivory

Light Almond

White

Green

Dark Bronze

Nickel

Graphite



Black

Blue

Brown

Gray

Orange

Red

See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates

Metal Finish



Aluminum

Polished Brass


Stainless Steel

Brushed Bronze

Chrome

Custom Metal Wall Plates Paint Finish Colors

Paint Color



Orange

Green

Gray

Yellow

Glossy Black

Brown

White



Primer

Red

Pink

Flat Black

Ivory

Light Almond

Blue

To order custom metal wall plates, see Pages I-25 – I-29.

For additional colors consult factory.