


# COPPER FITTINGS



▶ As originators of the solder-type copper fittings, our commitment to providing the highest quality fittings in the industry holds a special place. Today, our expansive line of Streamline® Copper Fittings are one of the industry's most complete offerings of fittings for copper piping systems from one source. Included are wrought and cast solder-joint pressure fittings, wrought and cast solder-joint DWV fittings and copper flare fittings. Our many years of engineering know-how and experience are reflected in the fine quality and workmanship of each copper fitting we manufacture.



- Copper Pressure Fittings
- Copper DWV Fittings
- Copper Flare Fittings

*Streamline*®

# COPPER SOLDER-JOINT PRESSURE FITTINGS




Streamline® Copper Solder-Joint Fittings for supply/pressurized systems have been the leading brand of copper fittings for over 80 years. Available in both wrot copper and cast bronze, our product selection has grown to become the most extensive in the industry. We are the acknowledged experts at engineering and manufacturing precision solder-joint copper fittings. Quality, consistency and reliability have made the Streamline® brand trusted and specified all around the world.



\*\* Applies to Wrot fittings only.

- For use in above-ground potable water supply systems
- Constructed of high-grade copper or bronze materials
- Made to applicable ASME standards B16.15, B16.18, B16.22, B16.24, B16.50, B1.20.1
- Wrot fittings meet NSF 61G



## Adapter • Female

C x FPT  
Wrot Style #: WC-402  
Cast Style #: C-102\*



\*\* Applies to Wrot Fittings only

(CONTINUED FROM PREVIOUS COLUMN)

Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 01207	1/8"	0.0355	100	1500
W 01215	1/4"	0.0446	50	750
W 01225	3/8"	0.0676	50	750
WB01231	1/2"	0.0983	50	500
WB01246	3/4"	0.1389	25	250
WB01263	1"	0.2535	10	100
W 01271	1-1/4"	0.4548	10	100
W 01279	1-1/2"	0.5329	10	100
W 01287	2"	0.565	1	50
W 01296	2-1/2"	1.224	1	25
W 01297	3"	1.833	1	15
A 01926*	4"	3.82	1	10
A 02007*	5"	9	1	5
W 01204	1/8" x 1/2"	0.1012	100	300
W 01205	1/8" x 3/8"	0.0525	100	700
W 01206	1/8" x 1/4"	0.0432	100	900
W 01214	1/4" x 3/8"	0.0626	50	1000
W 01216	1/4" x 1/8"	0.0313	100	1500
W 01223	3/8" x 3/4"	0.158	50	300

Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 01224	3/8" x 1/2"	0.0959	50	500
W 01226	3/8" x 1/4"	0.0557	50	750
WB01230	1/2" x 3/4"	0.1594	25	250
W 01232	1/2" x 3/8"	0.0708	50	500
W 01233	1/2" x 1/4"	0.0585	50	500
W 01238	5/8" x 3/4"	0.1538	50	500
W 01239	5/8" x 1/2"	0.0892	50	500
W 01245	3/4" x 1"	0.275	25	250
W 01247	3/4" x 1/2"	0.109	25	250
A 04122*	3/4" x 3/8"	0.17	50	200
W 01261	1" x 1-1/4"	0.28	10	100
W 01264	1" x 3/4"	0.216	25	250
W 01265	1" x 1/2"	0.2474	20	200
W 01270	1-1/4" x 1-1/2"	0.5026	10	100
W 01272	1-1/4" x 1"	0.3297	10	100
W 01278	1-1/2" x 2"	0.7374	1	60
W 01280	1-1/2" x 1-1/4"	0.3944	10	100
W 01288	2" x 1-1/2"	0.738	5	50

# COPPER FITTINGS | COPPER PRESSURE FITTINGS



## Coupling • Eccentric

C x C  
Cast Style #: CE-100\*

Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
A 04340*	3/4" x 1/2"	0.1090	50	250
A 04341*	1" x 3/4"	0.1750	25	250
A 04342*	1-1/4" x 1"	0.2500	10	100
A 04343*	1-1/4" x 3/4"	0.2420	10	100



## Coupling • High Ear

C  
Cast Style #: C-100HE\*

Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
A 03067*	1/2"	0.0620	100	1000
A 03068*	3/4"	0.0900	25	500
A 03071*	1"	0.1310	25	250



## Cross

C x C x C x C  
Cast Style #: T-312\*

Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
A 02532*	1/2"	0.1400	25	250
A 02579*	3/4"	0.2980	10	100
A 02612*	1"	0.5400	5	100
A 02649*	1-1/4"	0.7420	5	50
A 02672*	1-1/2"	1.0470	1	50
A 02707*	2"	2.0000	1	25
A 02734*	2-1/2"	2.9100	1	15



## 45° Elbow

C x C  
Wrot Style #: WE-504



Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 03005	1/8"	0.0066	50	1700
W 03012	1/4"	0.0125	50	1700
W 03021	3/8"	0.0257	25	850
W 03026	1/2"	0.0360	50	500
W 03030	5/8"	0.0590	50	500
WB03034	3/4"	0.0900	25	250
WB03044	1"	0.1560	10	200
W 03050	1-1/4"	0.2500	10	100
W 03055	1-1/2"	0.3570	10	100
W 03059	2"	0.6020	10	50
W 03063	2-1/2"	0.9950	5	25
W 03067	3"	1.5320	2	20
W 03070	3-1/2"	2.8137	2	10
W 03073	4"	3.1418	1	5
W 03074	5"	6.5640	1	1
W 03075	6"	10.6360	1	1

\*Cast Bronze



## 45° Elbow

FTG x FTG  
Wrot Style #: WE-507



Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 03621	3/8"	0.0212	50	1700
W 03626	1/2"	0.0366	50	750
W 03634	3/4"	0.0958	25	250
W 03644	1"	0.1775	10	100



## 45° Elbow • Street

FTG x C  
Wrot Style #: WE-505



Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 03312	1/4"	0.0106	100	3400
W 03321	3/8"	0.0268	100	1500
WB03326	1/2"	0.0348	50	500
W 03330	5/8"	0.0570	50	500
WB03334	3/4"	0.0912	25	250
W 03344	1"	0.1520	25	250
W 03350	1-1/4"	0.2440	10	100
W 03355	1-1/2"	0.3270	10	100
W 03359	2"	0.6050	5	50
W 03363	2-1/2"	1.0485	2	20
W 03368	3"	1.5163	2	10
W 03373	4"	3.1146	1	5



## 90° Elbow • Short Radius

C x C  
Wrot Style #: WE-500  
Cast Style #: E-200\*



\*\* Applies to Wrot Fittings only

Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 02003	1/8"	0.0078	50	1700
W 02009	1/4"	0.0173	50	1700
W 01617	3/8"	0.0279	50	750
WB01622	1/2"	0.0410	50	500
W 02028	5/8"	0.0840	50	500
WB01634	3/4"	0.0943	25	250
WB01647	1"	0.1820	10	100
W 02084	1-1/4"	0.3030	10	100
W 02085	1-1/2"	0.4230	10	100
W 02086	2"	0.7600	10	50
W 02087	2-1/2"	1.1920	5	25
W 02088	3"	1.8820	5	25
W 02089	3-1/2"	2.7699	2	10
W 02090	4"	3.9976	2	10
W 02096	5"	8.5860	1	1
W 02097	6"	13.7262	1	1
W 02099	8"	27.0000	1	1
W 02011	1/4" x 1/8"	0.0165	50	750
W 02019	3/8" x 1/4"	0.0267	50	750

(CONTINUED NEXT COLUMN)

(CONTINUED FROM PREVIOUS COLUMN)

Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 02023	1/2" x 3/8"	0.0451	50	500
W 02025	1/2" x 1/4"	0.0456	50	500
W 02029	5/8" x 1/2"	0.0610	50	500
W 02030	5/8" x 3/8"	0.0667	50	500
W 02035	3/4" x 5/8"	0.1064	50	500
W 02036	3/4" x 1/2"	0.1050	50	500
W 02037	3/4" x 3/8"	0.1056	50	500
W 02049	1" x 3/4"	0.1710	25	250
W 02050	1" x 5/8"	0.1640	25	250
W 02051	1" x 1/2"	0.1799	25	250
W 02052	1" x 3/8"	0.1990	25	150
W 02056	1-1/4" x 1"	0.3163	20	200
A 02638*	1-1/4" x 3/4"	0.3380	10	100
A 03826*	1-1/4" x 1/2"	0.2800	10	100
W 02077	1-1/2" x 1-1/4"	0.3300	5	100
A 02663*	1-1/2" x 1"	0.5510	10	100
A 03905*	1-1/2" x 3/4"	0.4250	10	100
W 02078	2" x 1-1/2"	0.6000	5	50
A 02691*	2" x 1-1/4"	0.9130	5	50
A 02724*	2" x 1"	0.7800	5	50
A 02725*	2-1/2" x 2"	2.1620	1	10
A 02777*	3" x 2-1/2"	2.7620	1	20
A 02778*	3" x 2"	2.6800	1	10
A 01932*	4" x 3"	5.1800	1	5



### 90° Elbow • Long Radius

C x C  
Wrot Style #: WE-500L



Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 02715	1/8"	0.0101	50	1700
W 02716	1/4"	0.0240	50	1700
W 02717	3/8"	0.0420	50	500
W 02722	1/2"	0.0590	50	500
W 02728	5/8"	0.0930	50	500
W 02734	3/4"	0.1293	25	250
W 02747	1"	0.2690	10	100
W 02055	1-1/4"	0.4210	10	100
W 02063	1-1/2"	0.6040	5	50
W 02072	2"	1.2280	5	25
W 02082	2-1/2"	2.0540	5	25
W 02092	3"	3.1250	2	10
W 02093	3-1/2"	5.5310	1	5
W 02095	4"	7.9780	0	1
W 02711	1/4" x 1/8"	0.0110	50	3000
W 02719	3/8" x 1/4"	0.0260	50	1000
W 02723	1/2" x 3/8"	0.0400	50	500
W 02725	1/2" x 1/4"	0.0300	50	1000
W 02735	3/4" x 5/8"	0.1200	25	250
W 02736	3/4" x 1/2"	0.0900	50	400
W 02749	1" x 3/4"	0.1700	10	200
W 02756	1-1/4" x 1"	0.3100	10	100
W 02064	1-1/2" x 1-1/4"	0.4351	5	50
W 02065	1-1/2" x 1"	0.5166	5	50
W 02067	1-1/2" x 3/4"	0.5127	5	50
W 02073	2" x 1-1/2"	0.9844	2	20
W 02074	2" x 1-1/4"	0.9437	2	20
W 02075	2" x 1"	0.9654	2	20
W 02083	2-1/2" x 2"	1.5277	2	20



### 90° Elbow Short Radius • Street

FTG x C  
Wrot Style #: WE-503



Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 02305	1/8"	0.0082	50	1700
W 02312	1/4"	0.0174	50	1700
W 02321	3/8"	0.0300	50	750
WB01652	1/2"	0.0400	50	500
W 02330	5/8"	0.0900	25	250
WB01654	3/4"	0.0954	25	250
WB02344	1"	0.2180	10	100
W 02384	1-1/4"	0.2940	25	125
W 02385	1-1/2"	0.4410	10	100
W 02386	2"	0.7692	10	50
W 02387	2-1/2"	1.2310	5	25
W 02388	3"	1.9440	2	20
W 02389	3-1/2"	2.7809	1	10
W 02390	4"	4.0338	2	10



### 90° Elbow Long Radius • Street

FTG x C  
Wrot Style #: WE-503L



Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 02809	1/4"	0.0236	50	1700
W 02817	3/8"	0.0401	50	500
W 02822	1/2"	0.0590	50	500
W 02828	5/8"	0.0943	25	250
W 02834	3/4"	0.1283	25	250
W 02847	1"	0.2585	10	100
W 02350	1-1/4"	0.4225	10	100
W 02355	1-1/2"	0.6020	5	50
W 02359	2"	1.2327	5	25
W 02363	2-1/2"	2.0800	5	25
W 02368	3"	3.1200	2	10
W 02393	3-1/2"	5.5179	1	5
W 02395	4"	8.0678	0	1



### 90° Elbow • Short Radius

FTG x FTG  
Wrot Style #: WE-506



Item No.	Diameter	Each Wt.	Inner Qty.	Master Carton
W 02612	1/4"	0.0153	50	1700
W 02621	3/8"	0.0340	50	750
W 02626	1/2"	0.0493	50	500
W 02634	3/4"	0.1093	25	250
W 02644	1"	0.2178	10	100
W 02684	1-1/4"	0.3064	10	100
W 02685	1-1/2"	0.4251	5	50
W 02686	2"	0.7860	1	10
W 02687	2-1/2"	1.2530	1	10
W 02688	3"	2.0831	1	10
W 02689	3-1/2"	2.6250	1	10
W 02690	4"	3.8750	1	5