

Eaton CC6A22U

Catalog Number: CC6A22U

Eaton Cooper Power series deadbreak crimp connector, One-hole, 11/16", Pad: Aluminum, Sleeve: Aluminum, 600 AWG or kcmil, 300 mm² compact or solid, Metallic gray, Unthreaded aluminum compression connector, Length: 5.94"



General specifications

Product Name	Catalog Number
Eaton Cooper Power series deadbreak crimp connector	CC6A22U
	UPC
	194006076807
Product Length/Depth	Product Height
5.94 in	1.32 in
Product Width	Product Weight
1.38 in	0.882 lb
Certifications	
Not Applicable	

Additional Specifications

Number of holes

One-hole

Type

Unthreaded aluminum compression connector

Application

Application

600A Deadbreak Bol-T

Suitable For Al/St-Cables

Aluminum and copper cables

Conductor

Stranded or Compressed Conductor Size

500 MCM

Descriptions

Color

Metallic gray

Connection

Compression

Material type

Aluminum

Number of holes

One-hole

Pad material

Aluminum

Sleeve material

Aluminum

Stud/bolt size

11/16"

Dimensions

Overall length

5.94"

Electrical Ratings

Current Rating

600A

Resources

Brochures

[Terminals Catalog](#)

Specifications and datasheets

[Eaton Specification Sheet - CC6A22U](#)

Technical data sheets

[Aluminum and coppertop compression connector 600 A crimp chart](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)