

Eaton CC6A25U

Catalog Number: CC6A25U

Eaton Cooper Power series deadbreak crimp connector, One-hole, 11/16", Pad: Aluminum, Sleeve: Aluminum, 750 AWG or kcmil, 900 AWG or kcmil, compact or solid, Metallic gray, Unthreaded aluminum compression connector, Length: 5.94"



General specifications

Product Name	Catalog Number
Eaton Cooper Power series deadbreak crimp connector	CC6A25U
	UPC
	194006077170
Product Height	Product Diameter
5.94 in	1.62 in
Product Weight	Certifications
0.6 lb	Not Applicable

Additional Specifications

Number of holes

One-hole

Type

Unthreaded aluminum compression connector

Application

Application

600A Deadbreak Bol-T

Suitable For Al/St-Cables

Aluminum and copper cables

Conductor

Stranded or Compressed Conductor Size

750 MCM

Descriptions

Color

Metallic gray

Connection

Compression

Material type

Aluminum

Number of holes

One-hole

Pad material

Aluminum

Sleeve material

Aluminum

Stud/bolt size

11/16"

Dimensions

Overall length

5.94"

Electrical Ratings

Current Rating

600A

Resources

Brochures

[Terminals Catalog](#)

Specifications and datasheets

[Eaton Specification Sheet - CC6A25U](#)

Technical data sheets

[Aluminum and coppertop compression connector 600 A crimp chart](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)