Wireless Wall Switches

Description	Color	Catalog Number
Switch, electronic 8A Lighting, 3A Fan (1/10 HP motor, 120V AC only), 120–277V AC; no neutral wire required.	White	**WLS1278W**
Accessory Switch for multi location control, 120V AC.	White	**WLAS120W**
Accessory Switch for multi location control, 277V AC.	White	**WLAS277W**
Dimmer, electronic 8A Lighting, 3A Fan (1/10 HP motor, 120V AC only), 120–277V AC; no neutral wire required.	White	**WLDCL153W**

WLS1278W

WLDCL153W

Wireless Remote Dimmers

Description	Color	Catalog Number
4 button, scene, configurable levels	White	**WLS4123W**
5 button, ON/Raise/Lower/OFF	White	**WLS4774W**

WLS4123W

WLS4774W

Wireless Ceiling Mount Sensor

Description	Color	Catalog Number
Ceiling mount 360° / 324-676 sq. ft.	White	**WLP450C**

Wireless Wall Mount Sensor

• Detection at longer distances is best when motion occurs at right angles to the sensor
• Multiple sensors can be used to extend coverage

Description	Color	Catalog Number
Wall mount 180° / 3000 sq. ft.	White	**WLP3000W**
Corner mount 90° / 2500 sq. ft.	White	**WLP2500W**
Hallway up to 150 linear feet.	White	**WLP150H**

WLP450C

Wireless Status Transmitter

Works with dual technology low voltage occupancy sensors or low voltage time based systems to transmit an occupancy signal to a receiver unit such as a wireless switched receptacle. It does not require batteries to operate.

Description	Voltage	Catalog Number
Wireless transmitter with Clear Connect®.	24V DC	**WLCA**

WLP150H

WLDH

Wireless Control Unit

Description	Catalog Number
Wireless load control unit, 16A, 120/277V AC.	**WLC316**
Wireless load control unit, 8A, 120/277V AC, 0-10V, 60mA current sinking.	**WLC860DZT**

WLCA

Wireless Daylight Sensor

Description	Color	Catalog Number
Daylight sensor 0–107,000 Lux (0-10,000 foot candles).	White	**WLDH**

WLC316

Accessories

Description	Color	Catalog Number
Wall box mounting bracket for WLS4123W and WLS4774W.	White	**WLBXKIT**
Tabletop base for WLS4123W and WLS4774W.	White	**WLBASE1W**

Note: Wireless devices above are compatible with Lutron Clear Connect controls.
See pages E-32 to E-35 for technical specifications, coverage patterns and wiring schematics.

WLBASE1W

WLBXKIT

Clear Connect® is a registered trademark of Lutron Electronics Co., Inc.