

Splice Tray, Mass Fusion Splices or Heat-shrink Fusion Splices 0.4-in, 6 mass fusion splices or 12 heat-shrink fusion splices

CORNING

Part Number:
M67-110

Corning splice trays use proven designs and fiber organization technology to provide optimum physical protection for fusion and mechanical splicing methods. The trays are engineered for use with indoor or outdoor splice hardware with both loose tube and tight-buffered optical cable designs. The metal-tray series consists of a rugged aluminum base and cover with crimpable metal tabs for buffer tube strain-relief. Additional strain-relief points are available for securing buffer tubes or pigtails to the trays using cable ties. The black powder coating allows easy fiber identification and additional protection. Designed for use with Corning interconnection hardware and splice closures, these splice trays are an integral part of a complete splicing system. Many of our fiber optic hardware products are highly configurable. If you don't see what you are looking for here, please review the ordering matrix contained in the family spec sheet found on the right, or contact Customer Care at 1-800-743-2675.

Features and Benefits

Metal trays powder coated

Ruggedness and durability

Used as a component of Corning's fiber distribution frame


Flipcard for easier record keeping

Fiber loop retention

Controls the bend radius

Positive holding action

Maximum splice protection



Splice Tray, Mass Fusion Splices or Heat-shrink Fusion Splices 0.4-in, 6 mass fusion splices or 12 heat-shrink fusion splices



Specifications

General Specifications

| | |
|--------------|--|
| Product Type | Splice Trays |
| Technology | Fusion Splice |
| Application | Carrier Networks, CATV Environments, Central Office, Enterprise Networks |

Standards

| | |
|------|---|
| RoHS | Free of hazardous substances according to RoHS 2011/65/EU |
|------|---|

Design

| | |
|-----------------------------------|--|
| Splice Tray Type | Standard with organizers for heat-shrink mass fusion splice protectors |
| Splice Tray Category | 4R |
| Splice Protectors Type | Heat Shrink, Mass Fusion |
| Splice Tray Capacity Mass Fusion | 72 N/A |
| Splice Tray Capacity Single Fiber | 12 N/A |
| Housing Type | Splice Trays |

Ordering Information

| | |
|--------------------|--|
| Product Number | M67-110 |
| EAN Code | 4056418192963 |
| Package Contents | Installation Guide; splice tray base with splice holder; splice tray cover |
| Units per Delivery | 1/1 |

Splice Tray, Mass Fusion Splices or Heat-shrink Fusion Splices 0.4-in, 6 mass fusion splices or 12 heat-shrink fusion splices

CORNING



Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks. All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2023 Corning Optical Communications. All rights reserved.