

# Pretium® Wall-Mountable Housing (PWH) Holds 12 CCH connector panels

CORNING

## Part Number: PWH-12P

The Pretium® wall-mountable housings (PWH) are available in one, two, four, six and 12 panel/module configurations. Combined with the modules, panels, harnesses, trunks and jumpers, they provide a tip-to-tip solution for your fiber optic network.

## Features and Benefits

### Rugged metal construction

Durability

### Drop-down front door

Allows for temporary workshelf

### Jumper routing guides

Easy fiber management

### Interconnect and cross-connect capabilities

Variety of applications

### Field-installable lock kit (optional)

Additional security

### Splice tray holder (optional)

Easier field splicing



Pretium® Wall-Mountable Housing (PWH), holds 12 CCH connector panels



Pretium® Wall-Mountable Housing (PWH), holds 12 CCH connector panels

# Pretium® Wall-Mountable Housing (PWH) Holds 12 CCH connector panels



Pretium® Wall-Mountable Housing (PWH), holds 12 CCH connector panels

## Specifications

General Specifications	
Product Type	Wall-Mountable Hardware
Mounting Type	Wall-Mountable
Application	Enterprise Networks

Design	
Number of Modules	12
Housing Type	PWH
Locking Availability	Provider door
Number of Panels per Housing	12
Panel or Module Type	CCH
Splice Tray Options	Up to 12 category 2R or 6 category 4R splice trays
Fiber Capacity	288

# Pretium® Wall-Mountable Housing (PWH) Holds 12 CCH connector panels

CORNING

## Connector Specs

Housing Color	Grey
---------------	------

## Dimensions

Height	36576 mm (1440 in)
Width	825.5 mm (32.5 in)
Depth	13462 mm (530 in)

## Shipping Dimensions

Height	3429 mm (135 in)
Width	977.9 mm (38.5 in)
Depth	5969 mm (235 in)

## Ordering Information

Product Number	PWH-12P
EAN Code	4056418191799
Package Contents	Housing; installation guide; 12 blank panels; unit ID label; self-adhesive edge grommet 30-in; 2 central strength member strain-relief kits; 6 1/8 x 4-in tie wraps
Shipping Weight	10.9 kg
Width	825.5 mm (32.5 in)
Units per Delivery	1/1



Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States  
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/opcomm](http://www.corning.com/opcomm)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/trademarks](http://www.corning.com/opcomm/trademarks). All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2023 Corning Optical Communications. All rights reserved.