

HUBBELL
Wiring Device-Kellems

**Switches and Lighting Controls,
Combination Devices, Residential
Grade, Decorator Series, 2) Single
Pole Rockers, 15A 120V AC, Side
Wired**

By Hubbell Wiring Device-Kellems
Catalog # [RCD101LA](#)

Combination Devices, Residential Grade, Decorator Series, Two
Single-Pole Rockers, 15A 120V AC, Side Wired



General

Action	Snap Switch
Actuator	Rocker
Application	Residential
Catalog Number	RCD101LA
Color	
Contact Configuration	Two Position
EU RoHS Indicator	Yes
Environmental Conditions	Indoor Dry Unless Protected By Additional Means
Item Type	Decorator Switch Combo Devices
Material - Mounting Hardware	Mounting Screws
Number Of Poles	2) Single Pole
Operating Cycles	30,000 Minimum
Operating Temperature	Max Continuous- 60 Degrees C, Minimum- -20 Without Impact
Performance	Electrical - Dielectric voltage - Withstands 1,500V AC minimum for 1 minute Electrical - Endurance - 30,000 cycles minimum Electrical - Max. working voltage - 120V Electrical - Overload - 1.5 times rating Environmental - Flammability - UL V0 Environmental - Operating temperatures - Maximum continuous 60°C minimum -20°C (without impact) Mechanical - Terminal accommodation - Back and side wire: #14 AWG min. - #12 AWG max. solid and stranded copper wire only push wire: #14 AWG solid copper wire only
UPC	883778119118

Dimensions

Display Size	Standard Size
--------------	---------------

Electrical Ratings

Amperage Rating	15 A
Connectivity	Side Wired
Contact Rating	15A
Current / Amperage Rating	15 A
Current Rating	15 A
Voltage Rating	120/277V AC kV
Voltage Rating Description	120/277V AC kV
Wattage	4155

Certifications And Compliance

Industry Standard(s)	CSA Certified UL Listed E3896
----------------------	----------------------------------

Logistics

Carton Quantity	10
Pallet Quantity	8000

Product Assets

[Catalogs - WDK Catalog Full 2024](#)
[Literature - Residential Catalog](#)
[Warranty - tradeSELECT™ and netSELECT®](#)



A Hubbell brand

©2024 Hubbell Incorporated. All rights reserved
WDK_MX-RCD101LA-SPEC-EN | REV 6/2024