





# Full Scale Dimensions




STANDARD TOLERANCE  $\pm 0.0313''$

## Screw Hole Dimensions


Standard Size




*Examples:*



Blank



Toggle  
Single  
Receptacle



Interchangeable  
(Despard)  
GFI

Refer to the dimensional drawings within our Opening Selector Guide

# Dimensions by Style

## Standard Shape

1 gang	4.5" x 2.75"
2 gang	4.5" x 4.562"
3 gang	4.5" x 6.375"
4 gang	4.5" x 8.187"
5 gang	4.5" x 10.00"
6 gang	4.5" x 11.812"
7 gang	4.5" x 13.625"
8 gang	4.5" x 15.437"
9 gang	4.5" x 17.25"
10 gang	4.5" x 19.062"
11 gang	4.5" x 20.875"
12 gang	4.5" x 22.687"
13 gang	4.5" x 24.50"
14 gang	4.5" x 26.312"
15 gang	4.5" x 28.125"
16 gang	4.5" x 29.937"
17 gang	4.5" x 31.75"
18 gang	4.5" x 33.562"
19 gang	4.5" x 35.375"
20 gang	4.5" x 37.187"

## Jumbo / Oversize (SL)

1 gang	5.5" x 3.50"
2 gang	5.5" x 5.50"
3 gang	5.5" x 7.50"
4 gang	5.5" x 9.50"
5 gang	5.5" x 11.50"
6 gang	5.5" x 13.50"
7 gang	5.5" x 15.50"
8 gang	5.5" x 17.50"

## Princess Shape (PRL)

1 gang	5" x 2.75"
2 gang	5" x 4.562"
3 gang	5" x 6.375"
4 gang	5" x 8.187"
5 gang	5" x 10.00"
6 gang	5" x 11.812"

## Maxi Shape (MP)

1 gang	5" x 3.50"
--------	------------

## Thermoplastic Standard Size

1 gang	4.5" x 2.76"
2 gang	4.5" x 4.57"
3 gang	4.5" x 6.38"
4 gang	4.5" x 8.19"
5 gang	4.5" x 10.03"
6 gang	4.5" x 11.81"

## Thermoplastic Midi Size

1 gang	4.88" x 3.11"
2 gang	4.88" x 4.92"
3 gang	4.88" x 6.77"
4 gang	4.88" x 8.58"



STANDARD TOLERANCE  $\pm 0.0313$ "

Dimensions for Deep and Narrow Plates see  
Pages A64 - A66.

Note: Standard Size and Jumbo/Oversize plates (beveled edge) can be made available in custom sizes.  
Princess and Maxi Shape plates, as well as thermoplastic plates, are only available up to 6 gangs.

# Material Specifications

S - Standard Shape



P - Princess Shape

<b>Steel</b> (Prepared to Underwriters Laboratories, Inc. specifications)	<b>Finish</b>	<b>Shape</b>	<b>Thickness</b>	<b>Finish Designator</b>	<b>Catalog Page</b>
Almond (ALM)	smooth semi-gloss	S	.030	44000	A11-22
Almond Wrinkle (DA-PRL)	hard baked wrinkle	P	.030	43000	A23-32
Aluminum Paint (CDA)	smooth semi-gloss	S	.030	88000	A11-22
Black Paint (BL)	matte	S	.030	87000	A11-22
Brown Paint (BK)	smooth semi-gloss	S	.030	82000	A11-22
Brown Paint (DB)	hard baked wrinkle	S	.030	98000	A11-22
Brown Paint (DB-PRL)	hard baked wrinkle	P	.030	78000	A23-32
Chrome Plate (CA)	mirror polish	S	.030	83000	A37-46
Chrome Plate (CA-PRL)	mirror polish	P	.030	73000	A47-56
Gray	smooth semi-gloss	S	.030	58000	A11-22
Ivory (IA)	smooth semi-gloss	S	.030	84000	A11-22
Ivory (IA-PRL)	smooth semi-gloss	P	.030	74000	A23-32
Ivory (DI)	hard baked wrinkle	S	.030	99000	A11-22
Ivory (DI-PRL)	hard baked wrinkle	P	.030	79000	A23-32
Red (RA)	smooth semi-gloss	S	.030	51000	A11-22
White (WA)	smooth semi-gloss	S	.030	86000	A11-22
White (WA-PRL)	smooth semi-gloss	P	.030	76000	A23-32
White (DW)	hard baked wrinkle	S	.030	85000	A11-22
White (DW-PRL)	hard baked wrinkle	P	.030	75000	A23-32
Hammered Copper	textured / matte	S	.030	21400	A61-63
Hammered Black	textured / matte	S	.030	21500	A61-63
Regal Black	textured / matte	S	.030	22000	A61-63
Regal Copper	textured / matte	S	.030	22100	A61-63
Regal Gold	textured / matte	S	.030	22200	A61-63
Zinc Coat (AUNF)	unfinished	S	.030	89000	A11-22
Zinc Coat (AUNF-PRL)	unfinished	P	.030	80000	A23-32

# Material Specifications

## Stainless Steel

Grade	Finish	Shape	Thickness	U.S. Bureau Standards Symbol	Finish Designator	Catalog Page
*Type 304 (304SS)	#4 Fine Satin	S	.030	US #32D	93000	A37-46
*Type 304 (304SS-PRL)	#4 Fine Satin	P	.030	US #32D	53000	A47-56
*Type 304 (304-6SS)	#4 Fine Satin	S	.060	US #32D	70000	A37-46
*Type 304 (304SP)	Mirror Polish	S	.030	US #32	68000	A37-46
Type 430 (SS)	#4 Fine Satin	S	.030	US #32	97000	A37-46
Type 430 (SS-PRL)	#4 Fine Satin	P	.030	US #32D	57000	A47-56

\* 304 Stainless steel is a specification grade that consists of 18% chromium and 8% nickel. It is non-magnetic and corrosion resistant. It is ideal for hospitals, schools and other public institutions, as well as computer rooms.

## Aluminum

Clear Anodized (4AA)	Matte, Smooth	S	.040	-	95000	A37-46
----------------------	---------------	---	------	---	-------	--------

## Brass & Bronze\*

Statuary Bronze Dark (4DBR)	Antique finish over solid brass	S	.040	US #20	69000	A37-46
Bank Bronze Medium (4ABR)	Antique finish over solid brass	S	.040	US #108	65000	A37-46
Satin Brass (4BB) (solid brass)	Satin #4 Polish	S	.040	US #4	94000	A37-46
Satin Brass (4BB-PRL) (solid brass)	Satin #4 Polish	P	.040	US #4	54000	A47-56
Satin Brass (6BB) (solid brass)	Satin #4 Polish	S	.060	US #4	96000	A37-46
Satin Bronze (4SBR)	Satin #4 Polish	S	.040	US #10	66000	A37-46
Polished Brass (4PB) (solid brass)	Mirror Finish	S	.040	US #3	64000	A37-46
Polished Brass (plated steel)	Mirror Finish	P	.040	-	21800	A47-56
Satin Brass (plated steel)	Satin #4 Polish	P	.040	-	22500	A47-56


\* Lacquered to prevent oxidation

## Thermoplastic

Light Almond	33000	A72-79
Ivory	34000	A72-79
Red	36000	A72-79
White	32000	A72-79
Brown	38000	A72-76


# STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



UL Listed unless marked with an asterisk (\*)

**METALLIC WALLPLATES - STANDARD SIZE**



Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
---------------------------------	-------------------------------	--	---	--	---	-----------------------------------	---------------------------------	-------------------------	-------------------------	---------------------------	-----------------------------------

1-Toggle Switch (1T)	83071	95071	93071	68071	70071	97071	69071	65071	94071	96071	66071	64071
2-Toggle Switch (2T)	83072	95072	93072	68072	70072	97072	69072	65072	94072	96072	66072	64072
3-Toggle Switch (3T)	83073	95073	93073	68073	70073	97073	69073	65073	94073	96073	66073	64073
4-Toggle Switch (4T)	83074	95074	93074	68074	70074	97074	69074	65074	94074	96074	66074	64074
5-Toggle Switch (5T)	83075	95075	93075	68075	70075	97075	69075	65075	94075	96075	66075	64075
6-Toggle Switch (6T)	83076	95076	93076	68076	70076	97076	69076	65076	94076	96076	66076	64076
7-Toggle Switch (7T)	83077	95077	93077	68077		97077	69077	65077	94077		66077	64077
8-Toggle Switch (8T)	83078	95078	93078	68078		97078	69078	65078	94078		66078	64078
9-Toggle Switch (9T)	83079	95079	93079	68079		97079	69079	65079	94079		66079	64079
10-Toggle Switch (10T)	83080	95080	93080	68080		97080	69080	65080	94080		66080	64080
1-Duplex Receptacle (10DR)	83101	95101	93101	68101	70101	97101	69101	65101	94101	96101	66101	64101
2-Duplex Receptacles (20DR)	83102	95102	93102	68102	70102	97102	69102	65102	94102	96102	66102	64102