

Project: \_\_\_\_\_ Type: \_\_\_\_\_ Prepared By: \_\_\_\_\_ Date: \_\_\_\_\_



**Features and Benefits**

- PREMIUM, FULL GLASS DESIGN - Mimics traditional bulbs
- 90 CRI - Produces rich and vibrant colors.
- 15,000-HOUR LIFESPAN - Lasts up to 13.7 years at 3 hours per day
- ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures
- OMNIDIRECTIONAL Light output
- WET RATED - Suitable for wet locations

Technical Specifications		
<b>Performance</b>	<b>Dimmable:</b>	<b>Other</b>
<b>Product Type:</b> Decorative	Yes, down to 10%	<b>Equivalency:</b> 40W Incandescent
<b>Input Wattage:</b> 3W	<b>Construction</b>	<b>Warranty:</b> RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at <a href="http://rablighting.com/warranty">rablighting.com/warranty</a> .
<b>Lumens (Nominal):</b> 350lm	<b>Bulb Shape:</b> ST19	<b>LED Characteristics</b>
<b>Efficacy:</b> 92 lm/W	<b>Finish:</b> Clear	<b>Color Temperature:</b> 2700K Soft White
<b>Color Accuracy (CRI):</b> 90 CRI	<b>Base Type:</b> E26	<b>Electrical</b>
<b>L70 Lifespan:</b> 15,000 Hours	<b>Beam Angle:</b> 360°	<b>Power Factor:</b> 0.7
	<b>For Use Outdoors in Open Fixtures:</b> Yes	<b>Operating Temperature:</b> -20°C - 45°C

Technical Specifications (continued)

Electrical

Input Voltage:

120V

Electrical Characteristics

Flicker:

<30%

Compliance

UL Listed:

Yes

ENERGY STAR V2.0:

This product is ENERGY STAR® Version 2.0 Certified

Energy Star ID:

2330353


CEC Status:

Lawful for sale in California

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	8	11.4	5.8	6.4
PALLET	768	46.3	35.4	39.5

Dimension



Light Distribution

