



# STRAIGHT BLADE RECEPTACLES


## Isolated Ground Receptacles 2 Pole, 3 Wire Grounding 15 & 20A, 125V & 250V




**IG8300**




**IG2626GRY**



**IG5261**



CATALOG NUMBER		RATING		COLOR	NEMA CONFIG. NO.	3rd PARTY COMPLIANCE		
SPEC GRADE	HOSPITAL GRADE	A.	V.			UL498	FSUL WC596	C22.2 No. 42
<b>DUPLEX RECEPTACLES BACK &amp; SIDE WIRE</b>								
IG5262I	IG8200I	15	125	Ivory	5-15R	•	•	•
IG5262W		15	125	White	5-15R	•	•	•
IG5262	IG8200	15	125	Orange	5-15R	•	•	•
IG5262GRY		15	125	Gray	5-15R	•	•	•
IG5262RED	IG8200RED	15	125	Red	5-15R	•	•	•
IG5262LA		15	125	Light Almond	5-15R	•	•	•
IG5362I	IG8300I	20	125	Ivory	5-20R	•	•	•
IG5362W	IG8300W	20	125	White	5-20R	•	•	•
IG5362	IG8300	20	125	Orange	5-20R	•	•	•
IG5362GRY		20	125	Gray	5-20R	•	•	•
IG5362BK		20	125	Black	5-20R	•	•	•
IG5362RED	IG8300RED	20	125	Red	5-20R	•	•	•
IG5362LA	IG8300LA	20	125	Light Almond	5-20R	•	•	•
IG5662		15	250	Orange	6-15R	•	•	•
IG5862	IG8800	20	250	Orange	6-20R	•	•	•
	IG8800LA	20	250	Light Almond	6-20R	•	•	•
<b>DECORATOR DUPLEX RECEPTACLES BACK &amp; SIDE WIRE</b>								
IG2626I		15	125	Ivory	5-15R	•	•	•
IG2626W	IG2626HGW	15	125	White	5-15R	•	•	•
IG2626	IG2626HG	15	125	Orange	5-15R	•	•	•
IG2626GRY		15	125	Gray	5-15R	•	•	•
IG2626BK		15	125	Black	5-15R	•	•	•
	IG2626HGRED	15	125	Red	5-15R	•	•	•
IG2636I		20	125	Ivory	5-20R	•	•	•
IG2636W	IG2636HGW	20	125	White	5-20R	•	•	•
IG2636	IG2636HG	20	125	Orange	5-20R	•	•	•
IG2636GRY		20	125	Gray	5-20R	•	•	•
IG2636BK	IG2636HGBK	20	125	Black	5-20R	•	•	•
IG2636RED	IG2636HGRED	20	125	Red	5-20R	•	•	•
IG2636LA		20	125	Light Almond	5-20R	•	•	•
<b>SINGLE RECEPTACLES BACK &amp; SIDE WIRE</b>								
IG5261		15	125	Orange	5-15R	•	•	•
IG5361	IG8301	20	125	Orange	5-20R	•	•	•



For Wall Plates for Isolated Ground Systems, consult Wall Plates Section 5.


For Bulk Packaging Solutions consult factory.

All devices listed on this page conform to NEMA WD-1 and WD-6.


# DEVICES & WALL PLATES

## Color Selection Chart

### Devices & Plastic Wall Plate Colors



Ivory      Light Almond      White      Dark Bronze      Nickel



Black      Blue      Brown      Gray      Orange      Red

See specific device and wall plate catalog charts for particular color availabilities.

### Metal Wall Plates


Metal Finish




Aluminum      Polished Brass      Stainless Steel      Brushed Bronze      Chrome

### Custom Metal Wall Plates Paint Finish Colors

Paint Color



Orange      Green      Gray      Yellow      Glossy Black      Brown      White



Primer      Red      Pink      Flat Black      Ivory      Light Almond      Blue


To order custom metal wall plates, see Pages S-40 – S-44.

**For additional colors consult factory.**


STRAIGHT BLADE RECEPTACLES

# SURGE PROTECTIVE & ISOLATED GROUND DEVICES


## Isolated Ground Receptacles 2 Pole, 3 Wire Grounding 15 & 20A, 125 & 250V




IG8300



IG2626GRY






IG5261



PSIG5266X

CATALOG NUMBER		RATING		NEMA CONFIG. NO.	COLOR	3rd PARTY COMPLIANCE		
SPEC GRADE	HOSPITAL GRADE	A.	V.			UL498	FSUL WC596	C22.2 No. 42
<b>DUPLEX RECEPTACLES BACK &amp; SIDE WIRE</b>								
IG5262I	IG8200I	15	125	5-15R	Ivory	•	•	•
IG5262W		15	125	5-15R	White	•	•	•
IG5262	IG8200	15	125	5-15R	Orange	•	•	•
IG5262GRY		15	125	5-15R	Gray	•	•	•
IG5262RED	IG8200RED	15	125	5-15R	Red	•	•	•
IG5262LA		15	125	5-15R	Light Almond	•	•	•
IG5362I	IG8300I	20	125	5-20R	Ivory	•	•	•
IG5362W	IG8300W	20	125	5-20R	White	•	•	•
IG5362	IG8300	20	125	5-20R	Orange	•	•	•
IG5362GRY		20	125	5-20R	Gray	•	•	•
IG5362BK		20	125	5-20R	Black	•	•	•
IG5362RED	IG8300RED	20	125	5-20R	Red	•	•	•
IG5362LA	IG8300LA	20	125	5-20R	Light Almond	•	•	•
IG5662		15	250	6-15R	Orange	•	•	•
IG5862	IG8800	20	250	6-20R	Orange	•	•	•
	IG8800LA	20	250	6-20R	Light Almond	•	•	•
<b>DECORATOR DUPLEX RECEPTACLES BACK &amp; SIDE WIRE</b>								
IG26262I		15	125	5-15R	Ivory	•	•	•
IG26262W	IG26262HGW	15	125	5-15R	White	•	•	•
IG26262	IG26262HG	15	125	5-15R	Orange	•	•	•
IG26262GRY		15	125	5-15R	Gray	•	•	•
IG26262BK		15	125	5-15R	Black	•	•	•
	IG26262HGRED	15	125	5-15R	Red	•	•	•
IG26362I		20	125	5-20R	Ivory	•	•	•
IG26362W	IG26362HGW	20	125	5-20R	White	•	•	•
IG26362	IG26362HG	20	125	5-20R	Orange	•	•	•
IG26362GRY		20	125	5-20R	Gray	•	•	•
IG26362BK	IG26362HGBK	20	125	5-20R	Black	•	•	•
IG26362RED	IG26362HGRED	20	125	5-20R	Red	•	•	•
IG26362LA		20	125	5-20R	Light Almond	•	•	•
<b>SINGLE RECEPTACLES BACK &amp; SIDE WIRE</b>								
IG5261		15	125	5-15R	Orange	•	•	•
IG5361	IG8301	20	125	5-20R	Orange	•	•	•



CATALOG NUMBER	RATING		NEMA CONFIG. NO.	CORD DIAMETER	3rd PARTY COMPLIANCE		
	A.	V.			UL498	FSUL WC596	C22.2 No. 42
<b>STRAIGHT BLADE PLUGS, ORANGE</b>							
PSIG5266X	15	125	5-15P	.230" - .720"	•	•	•

Consult Straight Blade Section G for complete line of Straight Blade Plugs & Connectors.

For Wall Plates for Isolated Ground Systems, consult Wall Plates Section S.

For Bulk Packaging Solutions consult factory.

All devices listed on this page conform to NEMA WD-1 and WD-6.