

MOP SERVICE BASINS

MOLDED-STONE® MOP SERVICE BASINS

MODESTO™

Square, Molded-Stone with 10" (254 mm) deep, plain curbs. Stainless steel drain. Includes QDC3XH000, O.D. 4.48" (113 mm), I.D. 3.4" (86 mm) for use with 3.5" (89 mm) O.D. pipe.



MSB2424 24" x 24" (610 mm x 610 mm)

MODESTO

Rectangular, Molded-Stone with 10" (254 mm) deep, plain curbs. Includes QDC3XH000 quick drain connector, integral stainless steel drain assembly, 3" stainless steel dome strainer plate.




MSB3624 36" x 24" (914 mm x 610 mm)

Square, Molded-Stone with 10" (254 mm) deep, plain curbs. Integral drain. Includes 830AA faucet, 832AA hose and bracket, 889CC mop hanger bracket, and QIC3XH, 3" (76 mm) quick drain connector.



MSBIDTG2424 24" x 24" (610 mm x 610 mm)





MSBID2424 24" x 24" (610 mm x 610 mm)



COLOR

100 White (only)

MOP SERVICE BASINS

RECOMMENDED UPGRADES AND PARTS

TERRAZZO KIT	Terrazzo repair kit – repair small cracks and nicks with this complete repair kit				
832AA000	Hose/bracket combination – 30" (762 mm) long, flexible, heavy-duty 5/8" (16 mm) cloth reinforced, rubber hose with 3/4" (19 mm) chrome coupling, and 6" x 3" (152 mm x 76 mm) stainless steel bracket with rubber grip				
889CC000	Mop hanger bracket – constructed of 22 gauge #304 stainless steel				
830AA000	Service faucet – chrome plated, with vacuum breaker, integral stops, adjustable wall brace, pail hook and 3/4" (19 mm) hose thread on spout, 8" (203 mm) centerset, 6.6 gpm, 80 psi				
833AA000	Silicone sealant – one (1) recommended for installation				
QDC32000	Quick Drain Connector – 3" (76 mm) with 2" (51 mm) hole, EFS basins				
1453BB000	Strainer plate – flat type constructed of 18 gauge #304 stainless steel				
STR1000	MSB two-piece strainer basket – dome style – for model MSB2424 and MSB3624				
E77AA24000	Bumper guard – two (2) 24" (610 mm) extruded vinyl construction				
E88AA24000	Bumper guard – two (2) 24" (610 mm) stainless steel construction				
E77AA36000	Bumper guard – one (1) 36" (914 mm) and one (1) 24" (610 mm) constructed of extruded vinyl				
E88AA36000	Bumper guard – one (1) 36" (914 mm) and one (1) 24" (610 mm) constructed of stainless steel				
1239BB24000	Bumper guard –18" (457 mm) constructed of aluminum with vinyl insert				
1239BB32000	Bumper guard – 26" (660 mm) constructed of aluminum with vinyl insert				
1239BB36000	Bumper guard – 30" (762 mm) constructed of aluminum with vinyl insert				
38640020000	Wall guard – screw bag – For MSG Series				
MSG2424000	Wall guard – two (2) 24" x 12" (610 mm x 305 mm) stainless steel panels plus corner bracket				
MSG24000	Wall guard – one (1) extra 24" x 12" (610 mm x 305 mm) stainless steel panel				
MSG2828000	Wall guard – two (2) 28" x 12" (711 mm x 305 mm) stainless steel panels plus corner bracket				
MSG28000	Wall guard – one (1) extra 28" x 12" (711 mm x 305 mm) stainless steel panel				
MSG3232000	Wall guard – two (2) 32" x 12" (813 mm x 305 mm) stainless steel panels plus corner bracket				
MSG32000	Wall guard – one (1) extra 32" x 12" (813 mm x 305 mm) stainless steel panel				
MSG3636000	Wall guard – two (2) 36" x 12" (914 mm x 305 mm) stainless steel panels plus corner bracket				
MSG36000	Wall guard – one (1) extra 36" x 12" (914 mm x 305 mm) stainless steel panel				
MSG3624000	Wall guard – one (1) 36" x 12" (914 mm x 305 mm) and one (1) 24" x 12" (610 mm x 305 mm) stainless steel panel plus corner bracket				
MSGBRKT000	Corner bracket – one (1) extra corner bracket				
STRID2000	Flat stainless steel strainer for the MSBID only				

QIC & QDC QUICK CONNECT GASKET APPLICATIONS

GASKET		FIAT® PRODUCT APPLICATION	HEIGHT	O.D.	I.D.	FOR USE WITH
0	QIC2000	ADAF Gelcoat and Cascade™	1.000	3.050	2.270	2.375 O.D. Pipe
0	QIC2CP000	ADAF Gelcoat and Cascade	1.175	3.080	2.000	2.125 O.D. Copper Pipe
0	QIC3XH000	Molded-Stone® Mop Basin – MSBID2424 – only	1.240	4.180	3.520	3.5 O.D. Pipe
0	QDC2000	Replacement for Steel Drain Cascade Floor (Rare – 10-year old floors)	1.150	3.050	2.275	2.375 O.D. Pipe
0	QDC2CP000	Replacement for Steel Drain Cascade Floor (Rare – 10-year old floors)	1.300	3.100	2.025	2.125 O.D. Copper Pipe
	QDC4000	Terrazzo shower floors	1.000	2.950	2.350	2.375 O.D. Pipe
0	QDC3XH000	Terrazzo Mop Service Basins and Molded-Stone Mop Basins (MSB Standard)	1.240	4.480	3.400	3.5 O.D. Pipe
0	QDC3SN000	Terrazzo Mop Service Basins and Molded-Stone Mop Basins	1.250	4.400	3.200	3.5 O.D. Pipe
0	QDC32000	Terrazzo Mop Service Basins and Molded-Stone Mop Basins (EFS Basins)	1.350	4.400	2.250	2.375 O.D. Pipe
0	QIC32000	Molded-Stone Mop Basin – MSBID2424 – only	1.240	4.100	2.220	2" PVC Pipe
0	QIC3SN000	Molded-Stone Mop Basin – MSBID2424 – only	1.240	4.100	2.220	3" Soil Pipe

For a complete list of FIAT accessories, please visit our website at www.FIATPRODUCTS.com or call 1-800-442-1902.

8

MOP SERVICE BASINS

SERVICE FAUCET

	DESCRIPTION	SHIP WT. (lbs/kg)	CUBES (Ft.³)
830AA000	Chrome plated Faucet with vacuum breaker Integral stops Adjustable wall brace Pail hook and 3/4" (19 mm) hose thread on spout 8" (203 mm) centerset	2 lbs (1 kg)	.41

RECOMMENDED UPGRADES AND PARTS

GRA02000	Handle mounting group assembly – includes part number GRA02
GRA03000	Coupling assembly – includes part number GRA03
GRA05000	Brace assembly – includes part number GRA05
GRA07000	Vacuum breaker and disc assembly – includes part number GRA07
GRA08000	Complete body assembly – includes part number GRA08
GRA09000	Handle assembly (cold) – includes part number GRA09
GRA10000	Handle assembly (hot) – includes part number GRA10
GRA11000	Integral stop assembly – includes part number GRA11
RP07000	Seat – one (1) per package

